#### QUEENSLAND.

# VITAL STATISTICS, 1907.

## FORTY-EIGHTH ANNUAL REPORT

OF

#### THE GOVERNMENT STATISTICIAN.

PRESENTED TO BOTH HOUSES OF PARLIAMENT BY COMMAND.

#### BRISBANE:

BY AUTHORITY: ANTHONY J. CUMMING, ACTING GOVERNMENT PRINTER, WILLIAM STREET.

1908.



## FORTY-EIGHTH REPORT OF THE GOVERNMENT STATISTICIAN ON THE VITAL STATISTICS OF QUEENSLAND.

#### TO THE UNDER SECRETARY, HOME DEPARTMENT.

Sir,—I have the honour to present the forty-eighth Annual Report on the Vital Statistics of Queensland, being those relating to the year 1907.

The experience last year in this connection was most satisfactory, surpassing in some respects that for 1906, itself a most favourable season. Population increase—though still leaving much to be desired—was better. The ratios of births and marriages were greater, and, although both the ratio and number of deaths in 1907 were in excess of those for 1906, it must be remembered that the records for the latter year were exceptionally low, indeed the death rate for 1906 was the most favourable ever experienced in this State.

#### POPULATION.

The year 1906 commenced with an estimated population of 535,113 persons. To these were added—by excess of births to deaths—during the year 8,943 persons, and by excess of arrivals over departures 2,411; making a total accession to the population of 11,354 persons. The estimated population on the 31st December, therefore, was 546,467, of whom 298,050 were males and 248,427 were females.

The following table shows, quarter by quarter, details respecting the computation of the foregoing estimate:—

A

A CONTRACTOR OF THE CONTRACTOR					Excess.				
	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
Estimated Population on 1st January, 1907	1,734 816	1,748 425	3,482 1,241		•••		292,609	242,504	535,113
Natural Increase to Population during March Quarter Arrivals by sea and by rail during March Quarter* Departures by sea and by rail during March Quarter+	10,315 12,320	5,369 5,536	15,684 17,856	918	1,323	2,241			
Decrease by Excess of Departures over Arrivals during Quarter*†				-2,005	-167	-2,172		J.A. Crosen	
Total Increase to Population during March Quarter					•••		-1,087	1,156	69
Estimated Population on 31st March, 1907 Births registered during June Quarter Deaths registered during June Quarter	1,881 737	1,781 483	3,662 1,220				291,522	243,660	535,182
Natural Increase to Population during June Quarter Arrivals by sea and by rail during June Quarter* Departures by sea and by rail during June Quarter†	11,928 8,819	5,699 4,084	17,627 12,903	1,144	1,298	2,442		onelus), w	
Increase by Excess of Arrivals over Departures during Quarter*+			•••	3,109	1,615	4,724	ieniuraus A	Leine B	
Total Increase to Population during June Quarter				•••			4,253	2,913	7,166
Estimated Population on 30th June, 1907	1,954 1,038	1,856 624	3,810 1,662	100000		101111111	295,775	246,573	542,348
Natural Increase to Population during September Quarter Arrivals by sea and by rail during September Quarter* Departures by sea and by rail during September Quarter+	11,960 9,891	4,999 4,704	16,959 14,595	916	1,232	2,148			
Increase by Excess of Arrivals over Departures during Quarter*+		•••	* * *	2,069	295	2,364			
Total Increase to Population during September Quarter							2,985	1,527	4,512
Estimated Population on 30th September, 1907 Births registered during December Quarter Deaths registered during December Quarter	1,885 889	1,703 587	3,588 1,476			•••	298,760	248,100	546,860
Natural Increase to Population during December Quarter Arrivals by sea and by rail during December Quarter* Departures by sea and by rail during December Quarter+	10,392 12,108	5,003 5,792	15,395 17,900	996	1,116	2,112			
Decrease by Excess of Departures over Arrivals during December Quarter*†			000	-1,716	-789	- 2,505			
Total Increase (or Decrease – ) to Population during December Quarter	•••	•••		•••	***	***	-720	327	- 393
Net Increase to Population during 1907	•••			5,431	5,923	11,354			
Estimated Population on 31st December, 1907						•••	298,040	248,427	546,467

<sup>\*</sup> Including allowance for unrecorded arrivals.

In the foregoing compilation allowance has been made on the basis agreed upon at the last two Statistical Conferences to bring about an approximate adjustment of errors that had been found to exist in connection with migration records.

The ratio of increase in the population last year was 2.12 per cent. This was exceeded by that for two States of the Commonwealth—namely, South Australia and New South Wales—as will be seen from the following statement:—

			Aa.			
Queensland	•••		2.12	Western Australia	 	0.80
New South Wales	y		2.92	Tasmania	 	0.81
Victoria		•••	1.31	New Zealand		2.28
South Australia			3.18			

As compared with 1906, the ratio of increase for 1907 was greater in all the States, except Western Australia. The dominion of New Zealand, however, showed a decrease from 2.98 in 1906 to 2.28 last year.

The normal sex condition of the population of civilised communities unaffected by special circumstances relating to migration is in the direction of an excess of females.

Ab.

State.			Estimated Po	pulation, 31st Do	ecember, 1907.	Proportion o each 100 of th	Proportion per cent of the Population of each Federal State to the total Popu-	
			Males.	Females.	Persons.	Males.	Females.	lation of the Commonwealth.
Queensland	•••	0 0 0	298,040	248,427	546,467	54:54	45.46	12.99
New South Wales			843,542	727,725	1,571,267	53.69	46.31	37:35
Victoria			623,684	624,411	1,248,095	49.97	50.03	29.66
South Australia			212,304	183,724	396,028	53.61	46:39	9.41
Western Australia	• • •		154,151	109,695	263,846	58.42	41.58	6.27
Tasmania	•••	•••	93,820	87,804	181,624	51.66	48.34	4:32
							7001746	1920 400 000 000 000
Total Commonw	ealth		2,225,541	1,981,786	4,207,327	52.90	47.10	100.00
New Zealand	2		492,649	436,835	929,484	53.00	47.00	Ingel of seedon!
Total Australasia			2,718,190	2,418,621	5,136,811	52.92	47.08	10 8350311 VI o

In only one State—Victoria—do the females exceed the males. In Queensland the excess of males is relatively greater than in any of the States except Western Australia. Throughout Australia for many years the female element has been increasing, if slowly, at least practically invariably. In this State in 1880 there were 70 females to each 100 of the opposite sex; the proportion had risen last year to 83. The gradation for each quinquennium of the intervening period is shown in the following statement:—

						Ac.				
						Males to each 100 Persons.		Females to each 100 Persons.		Females to each 100 Males.
1880					4 + +	 58.71		41.29	•••	70.32
1885			917			 58.91	• • •	41.09	•••	69.75
1890		•••			•••	 56.93		43.07		75.65
1895			• • •	•••		 56.27		43.73		77.71
1900			0000	•••		 55.63		44.37		79.77
1905					•••	 54.96	•••	45.04		81.96
1907	•••	• • •				 54.54	•••	45.46	dimit nois	83.35

The last column of Table A b shows the relation of the population of each State to the total population of the Commonwealth. The three Eastern States comprise 80 per cent. of the whole—New South Wales, 37 per cent.; Victoria, 30 per cent.; and Queensland, 13 per cent.

The population accessions, due to natural increase and to excess of immigration during the last fifty-six years, are shown in the following table:—

Ad.

Showing Excess of Births over Deaths and of Immigration over Emigration by Sea and Overland by Railway.—

Return from 1862 to 1907.

	eriod.	EXCESS	OF BIRTH	S OVER	DEATHS.	which s over total	E		GRATION N BY SEA BY RAI		on which nigration bears to tion in-	lation	total on of period.	es to total
Period	Mean Population for Period	Males.	Females.	Total.	Centesimal ratio to Population of last year of previous period.	Centesimal proportion we the excess of Births Deaths bears to the t Population increase.	Males.	Females.	Total.	Centesimal ratio to Population of last year of previous period.	Centesimal proportion which the excess of Immigration over Emigration bears to the total Population in- crease.	Total increase to Population to 31st December of last year of period.	Centesimal ratio of total increase to Population of last year of previous period	Proportion of Females to each 100 Males in total increase.
1862-1865	60,460	2,062	3,025	5,087	14.80	9.88	<b>2</b> 8,880	17,542	46,422	135.08	90.12	*53,437	155.49	64.40
1866-1870	 103,012	5,739	7,571	13,310	15.16	49.05	9,804	4,019	13,823	15.74	50.95	*27,763	31.62	70.1
1871–1875	 143,467	6,704	9,706	16,410	14.20	26.06	33,661	12,850	46,511	40.25	73.94	*65,721	56.87	57.8
1876–1880	 204,445	7,960	12,291	20,251	11.17	37.12	23,384	10,914	34,298	18.92	62.88	*44,789	24.71	95.2
1881–1885	 268,719	7,986	15,262	23,248	10.28	20.78	57,200	31,414	88,614	39.20	79.22	*100,839	44.60	76.1
1886-1890	375,253	17,872	24,238	42,110	12.88	41.96	36,111	22,138	58,249	17.82	58.04	*95,860	29.32	82.6
1891–1895	 427,792	20,525	25,757	46,282	10.95	75:46	11,361	3,692	15,053	3.56	24.54	*37,774	8.93	147.9
1896-1900	 487,319	17,724	24,037	41,761	9.07	67:33	14,968	5,294	20,262	4.40	S2·67	*33,616	7.30	113.7
1901–1905	 515,381	16,628	22,910	39,538	8.00	116.69	§—1,311	§—4,345	§-5,656	-1.14	16.69	33,882	6.86	121.2
1906	 532,783	4,068	4,856	8,924	1.69	126.31	§—1,665	§— 194	♦—1,859	-0.35	-26.31	7,065	1.34	194.0
1907	 541,204	3,974	4,969	8,943	1.67	78.77	§ 1,457	§ 954	§ 2,411	0.45	21.23	11,354	2.12	109.0

During the period illustrated in the table, the figures show that of the total increase of population 46 per cent. were due to natural increase—that is, by the excess of births over deaths—and 54 per cent. by the excess of immigration over emigration. It must not, however, be assumed that, had the population increase depended alone upon the former, therefore the increase from that source would have been numerically as great as it actually was. Immigration, especially that designated "Free" or "Assisted," not only contributes so many units to the population but, inasmuch as it usually consists of young adult life, also in turn contributes at once and relatively largely to the natural increase.

For six years, 1901-1906, the excess of births over deaths not only contributed the whole of the population increase, but also provided for a migration deficit of 7,515. Last year 2,411 persons were added to the population by excess immigration in addition to the full amount of the natural increase.

For estimating the population, the migration figures as actually returned are adjusted on a basis approved by the Conference of Statisticians to correct admitted but untraceable errors and to allow for overland traffic which cannot be recorded. The following table furnishes information as to migration as actually returned to the Department:—

B.

											1		
			Adults.		Childr	en, 1 to 12	years.		Infants.			Total.	
,000EX		Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
Arrivals, 1907		38,881	16,748	55,629	2,903	2,877	5,780	336	182	518	42,120	19,807	61,927
Departures, 1907		36,289	15,786	52,075	2,664	2,358	5,022	263	144	407	39,216	18,288	<b>5</b> 7,504
Excess of Arrivals		2,592	962	3,554	239	519	758	73	38	111	2,904	1,519	4,423

The arrivals in the State as returned during 1907 number 61,927 and the departures 57,504, leaving an excess of the former of 4,423; the adjustments already referred to reduced this number to the 2,411 included in the population estimate as detailed in Table A. An excess of arrivals was exhibited in all the classes shown in the table—males and females of each kind, adults, children, and infants. In 1906 the arrivals only numbered 47,677 and the departures 47,713, so that a greatly increased activity was exhibited in the passenger traffic both into and out of the State. Full details as to arrivals in and departures from the State at each port during 1907 will be found at Tables I. and II. in the Appendix.

The number of interstate passengers at each of the three principal ports of Queensland are shown in the following table:—

Ba.

							Ba.						
								Α	RRIVALS.				
Quarter.	By Sea o	or Railwa	у.	Bri	sbane.	Rockl	nampton.	Tow	nsville.	Other	Ports.	Total A	rrivals.
				Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
First {	Sea Railway			2,726	1,383	147	70	172	102	211 5,945	107 3,259	} 9,201	4,921
Second {	Sea Railway			3,404	1,588	148	101	283	131	674 6,323	$\frac{127}{3,284}$	} 10,832	5,231
Third {	Sea Railway			2,602	1,181	134	76	438	79	777 6,125	203 2,987	} 10,076	4,526
Fourth {	Sea Railway			2,220	1,141	127	75	201	78	255 6,371	91 3,088	} 9,174	4,473
Yea <b>r</b> {	Sea Railway	•••		10,952	5,293	556	322	1,094	390	1,917 24,764	528 12,618	} 39,283	19,151
Grand	Total			10,952	5,293	556	322	1,094	390	26,681	13,146	39,283	19,151
								DE	PARTURES.				
Quarter.	By Sea (	or Railwa	y.	Bri	sbane.	Rock	hampton.	Tow	nsville.	Other	Ports.	Total De	epartures.
				Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
First {	Sea Railway			2,299	1,131	128	98	130	128	320 6,058	150 3,291	} 8,935	4,798
Second {	Sea Railway			1,642	796	70	38	90	63	233 5,140	2,530	} 7,175	3,511
Third $\dots \left\{ \right.$	Sea Railway	•••		2,064	967	131	82	139	64	331 5,838	119 2,954	} 8,503	4,186
Fourth {	Sea Railway		•••	2,525	1,374	190	136	263	152	744 6,764	172 3,346	} 10,486	5,180
Year {	Sea Railway		•••	8,530	4,268	519	354	622	407	1,628 23,800	525 12,121	} 35,099	17,675
Grand	Total			8,530	4,268	519	354	622	407	25,428	12,646	35,099	17,675

Of the interstate sea-borne traffic 88 per cent. passed through the three seaports specifically named, whilst 66 per cent. of the total interstate traffic went overland by rail.

	Bo.												
1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.				
36.85	38.28	48.30	53.87	50.78	52.47	64.53	66.45	67.09	65.92				

The proportion of railway traffic to the total interstate traffic has nearly doubled within the last ten years. The compulsory deportation of Pacific Islanders has now practically come to a conclusion, a large number having been taken from the State during 1907.

Particulars of alien migration are furnished in the following table:—

C.

		Arrivals.			Departures		Exc	ess.
		Allivais.			Departures	•	Arrivals.	Departures
Race.	Males.	Females.	Persons.	Males.	Females.	Persons,	Persons.	Persons.
Pacific Islanders Japanese	482 348 193 154 507	 2 7  14	482 350 200 154 521	763 3,067 146 226 508	21 211 21  10	784 3,278 167 226 518	 33  3	302 2,928  72
Total	1,684	23	1,707	4,710	263	4,973		3,266

Net emigration reduced the coloured alien population by 3,266. Of these 2,928 were Pacific Islanders, 302 Chinese, and 72 Hindoos and Cingalese. There was a slight accession to the numbers of Japanese and other Asiatic races. The records show 350 Pacific Islanders entering the State; these were transfers from New South Wales en route for their island homes.

#### Coloured Alien Population.

At the end of 1907 coloured aliens comprised less than 3 per cent. of the total population, more than half consisting of Chinese. The following table gives particulars:—

Ca.

ESTIMATED NUMBER and Proportion of Males, Females, and Persons of Coloured Alien Race in the Population of Queensland on the 31st December, 1907.

Assir Line A	Control of the contro	Males.	Females.	Persons.	Percentage to Total Estimated Population.
Estimate	d Chinese Population	7,973	596	8,569	1.57
"	Pacific Islanders Population	1,371	197	1,568	0.59
,,	Japanese Population	1,782	122	1,904	0.35
,,	Population of Coloured Natives of India and Ceylon	647	28	675	0.12
>)	Other Asiatic Population	1,897	282	2,179	0.40
,,	Population of all other Nationalities	284,370	247,202	531,572	97.27
	Total Estimated Population of the State	[298,040	248,427	546,467	100.00

Chinese numbered 8,569; Pacific Islanders, 1,568; Japanese, 1,904; Hindoos and Cingalese, 675; and other Asiatics, 2,179. The proportion these figures bear to the total population were with one exception—Japanese—below the ratios for the previous year. Japanese comprised 0.35 per cent. of the population in both 1906 and 1907.

#### POPULATION IN FINANCIAL DIVISIONS.

An estimate of the population in each financial division of the State based on the ratios existing at the last census is as follows:—

						1	D.			
							Northern	Central	Southern	Total
							Division.	Division.	Division.	State.
Populati	ion, Census	1901-	-							
Nu	mber—									
	Males					***	70,145	36,343	173,604	280,092
	Females			•••	•••		40,812	27,576	154,786	223,174
	Persons		•••				110,957	63,919	328,390	503,266
Pro	portion, per	r cent	_							,
	Males to t						25.04	12.98	61.98	100:00
	Females to	o total	Female	s			18.29	12.35	69:36	100.00
Estimate	ed Populati	on, 31s	t Dece	mber.	1907—					
	Males						74,640	38,672	184,728	298,040
	Females					•••	45,430	30,696	172,301	248,427
	Total Pers	sons	•••		•••		120,070	69,368	357,029	546,467

The last enumeration of the population showed that 62 per cent. of all males and 69 per cent. of all females were located in the Southern Division, the like proportions for the Northern and Central Divisions being 25 and 13 for males and 18 and 12 for females each respectively. A corresponding apportionment of the population estimated to the 31st December last allots 357,029 persons to the South, 120,070 to the North, and 69,368 to the Central Division.

#### Population—Metropolitan Area.

This is estimated on the basis of ascertained facts evolving from the census enumeration of 1901 applied to a return of occupied dwellings kindly furnished by the authorities of the various Local Government bodies.

For 1907 the estimated population of greater Brisbane was as follows:-

			Da	a.				
City of Brisbane			•••			Males. 19,798	Females. 19,768	Persons. 39,566
City of South Brisbane			•••			15,294	16,320	31,614
Suburbs	•••			•••	•••	32,049	32,426	64,475
Brisbane Metro	politan	Area (	Ten-mi	ile Radi	ius)	67,141	68,514	135,655

Thus the 10-mile radius is believed to have contained a population of 135,655 persons on the 31st December last, of whom 39,566 were in the city of Brisbane, 31,614 in the city of South Brisbane, and 64,475 in the suburbs of those cities.

Federal "Effective" Population,

The "effective" population is that accepted under the Federal Constitution Act, 63 and 64 Vic., chap. 12, in determining the representation of the State in the Commonwealth Parliament.

				10.				
			Effective		Quotient a	nd Remainder.	Number of Repr	cesentatives.
State,	a.a.	Population 31st December 1907.		Quota.	Quotient.	Remainder.	Number as per Quota.	Statutory Number.
Queensland			526,870		9	4,105	9	9
New South Wales			1,568,942		27	647	27	27
Victoria			1,248,095		21	28,310	21	22
South Australia			392,665	<b>58,085</b>	6	44,155	7	7
Western Australia			261,563		4	29,223	5	5
Tasmania			184,008		3	9,753	3	5
Commonwealth			4,182,143	* * *			***	75

The foregoing table gives this information for each State. It will be seen that Tasmania is now the only State which benefits by the special statutory provision which fixes the minimum number of representatives for any State at five. Unless the relation between the "effective" populations of Victoria and the Commonwealth undergo a change by the time of the next Federal General Election, Victoria will be in the position of losing another member.

#### MARRIAGES.

Full details with regard to marriages will be found at Tables, in the Appendix, Nos. VIII. to XI. There were 4,105 marriages registered in 1907 against 3,588 in the previous year, or an increase of 517 marriages in the former year. Of the number recorded last year, 1,001 were registered in the first, 1,131 in the second, 1,011 in the third, and 962 in the fourth quarter, those in the March quarter exceeding those in the December quarter by 69 marriages. Of all marriages almost one-fourth, 990, or 24 per cent., were celebrated in the Brisbane District. Other districts in which the marriages exceeded 100 were:—

			E		
District.			Number.	District.	Number.
Brisbane			 990	Enoggera	140
77 1			 216	Ipswich	139
Drayton and To	owoo	mba	 190	Cairns	136
Rockhampton .			 154	Maryborough	130
T) 1 1			 154	Moreton West	124
/D *11			 149	Gympie	108
Mackey			 145		

In every district depicted in the table, there was in 1907 an increase in the number of marriages registered compared with 1906. In Brisbane the increase was 83.

The marriage rate of a country is generally accepted as a fair index to its prosperity, or the reverse. On this hypothesis 1907 might be considered the most prosperous year since 1890. The marriage rate—i.e., the number of marriages to each 1,000 of the population for each year since the inauguration of registration—is given in the following table:—

Ea

			villadi 600		
Year.	Number of Marriages per 1,000 mean Population.	Year.	Number of Marriages per 1,000 mean Population.	Year.	Number of Marriages per 1,000 mean Population
1857	8.2	1874	8.6	1891	7:1
1858	9.4	1875	8.6	1892	6.7
1859	9.3	1876	7.6	1893	5.9
1860	10.8	1877	7.6	1894	5.7
1861	10.2	1878	7.0	1895	6.2
1862	14:4	1879	7.5	1896	6.1
1863	14:5	1880	7.0	1897	6.0
1864	14.0	1881	7.7	1898	6.0
1865	13.3	1882	8.6	1899	6.8
1866	11.6	1883	8.9	1900	6.9
1867	9.5	1884	8.9	1901	6.8
1868	8.3	1885	8.9	1902	6.3
1869	8.3	1886	8.3	1903	5.7
1870	7.8	1887	8.2	1904	5.9
1871	8:1	1888	8.7	1905	6.04
1872	8.7	1889	7.9	1906	6.73
1873	9.6	1890	7.8	1907	7.58

The high rates obtaining in the early sixties were, of course, only possible in a community comprising an abnormal number of young adults. There were two periods of very low marriage rate—1893-4 and 1903-4—and both synchronised with a condition of extreme material depression. The marriage rate for 1907—7.6—was, as already quoted, the best recorded for the last seventeen years.

Queensland does not compare favourably with the other States of the Commonwealth with regard to the proportion of its marriages.

				Eb.					
		1903.		1904.		1905.		1906.	1907.
Queensland		5.72		5.93		6.04		6.73	 7.58
New South Wales	•••	6.86		7.21		7.42		7.63	 7.84
Victoria		6.29		6.80		7.24		7.28	 7.68
South Australia		6.21		6.85		6.94		7.05	 7.94
Western Australia		9.33		8.83		8.48		8.70	 8.02
Tasmania	re numer	7.57	v eggille	7.55	00.11.00	7.61	enologe	7.74	 7.91
New Zealand	118 10 3	8.23		8.26		8:28		8.48	8.91

For five years in succession it has been at the bottom of the list. Of the Federated States, Western Australia stood first last year with a marriage rate of 8.02, followed by South Australia, 7.94; Tasmania, 7.91; New South Wales, 7.84; Victoria, 7.68; and Queensland, 7.58.

The marriage rate of a country is, of course, largely affected, indeed is likely to be to a considerable extent in direct ratio to the relative numbers of marriageable persons of both sexes comprised in its population. Although the crude rate—i.e., the actual proportion of the marriages to the total population—is generally deemed sufficient for ordinary comparison, it will be easily understood that the sex and age numbers have an important bearing, and are worth consideration. Such a length of time has now elapsed since the last census that the figures then secured have no doubt somewhat varied, but these as given in the following table will help to show the different positions in each State with regard to the proportion of the total population available to contract marriage:—

		Ec.				
			Males.	Females.		Persons.
Queensland	 		17.85	 11.87	•••	29.72
New South Wales	 		14.02	 14.61		28.63
Victoria	 		18.34	 17 60		35.94
South Australia	 		11.28	 16.20		27.48
Western Australia	 		25.47	 9.66		35.13
Tasmania	 		12.72	 15.00		27.72

In 1901 it will be seen that in Western Australia the marriageable males were relatively more than twice as numerous as they were in South Australia, with less than two-thirds of the number of women, and this was the State with the highest marriage rate, from which it may be assumed that a surplusage of available males is of greater importance than a larger number of the opposite sex. This, perhaps, is to be expected, seeing that the masculine element is after all the controlling factor in the contraction of marriage, whilst a paucity of women, if not too extreme, is perhaps rather a provocation to matrimony than otherwise.

Information as to the marriages celebrated by the ministers of the different religious denominations in each Registry District will be found in the Appendix, Table IX. A summary of the table is appended:—

Denomination.		1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	Total Ten Years
Church of England		794	904	910	921	883	741	789	779	877	1,057	8,655
Roman Catholic Church		595	722	689	678	645	589	619	616	767	827	6,747
Methodist		486	570	536	570	523	476	521	607	642	731	5,662
Presbyterian		437	553	469	439	445	441	444	427	487	577	4,719
Baptist		143	151	154	150	156	158	157	158	192	191	1,610
Lutheran		137	148	144	145	130	130	139	136	142	132	1,383
Congregational		79	122	139	104	122	104	104	107	109	128	1,118
Salvation Army		25	24	28	24	16	9	21	15	17	23	202
Other Christian Sects		30	46	59	75	93	84	124	139	169	220	1,039
Hebrew		1	2	5	2		1	1	1	3		16
By Registrars and Marrying Justice	B	245	207	238	233	230	200	159	188	183	219	2,102
Totals		2,972	3,449	3,371	3,341	3,243	2,933	3,078	3,173	3,588	4,105	33,253

In 1907 3,192 marriages, or 78 per cent. of the whole, were celebrated according to the rites of one or other of the four leading denominations. Of these 1,057, or 26 per cent. of all marriages, were by Church of England ministers; 827, or 20 per cent., by Roman Catholics; 731, or 18 per cent., by

Methodists; and 577, or 14 per cent., by Presbyterians. The following table shows, with regard to the seven religious bodies most numerically important, their proportions to the population at the last census, and the ratio of their marriages to all marriages in 1907:—

		Fa				
			Proport	ion per cent. eac Population. Census, 1901.	ch Denomination t	Marriages, 1907.
Church of England	 			36.76		25.75
Roman Catholic Church	 			23.98		20.15
Methodist Church	 			9.25		17.81
Presbyterian Church	 			11.45		14.06
Lutheran Church	 			5.07		3.22
Baptist Church	 			2.43		4.65
Congregational Church				1.01		3.12

The ministers of the two bodies first named did not celebrate nearly so large a proportion of marriages as their numerical strength in the population would justify.

Civil marriages before registrars or marrying justices were more numerous in 1907 than in any of the four immediately preceding years, and comprised over 5 per cent. of all marriages.

Birthplaces of Persons Married.

Two-thirds of all parties to marriages now consist of persons born in the State. Appendix Table No. X. shows the birthplace or race of all persons married during last year.

			G.			
1875.	1880.	1885.	1890.	1900.	1905.	1907.
7.20	13.77	19.63	25.98	49.38	61.57	66.05

In 1875 only 7 per cent. of all persons married were native-born Queenslanders; last year the ratio had risen to 66 per cent. Of the latter—the mean age of wives at marriage being less than that of husbands—3,029, or 56 per cent., were wives, and 2,394, or 44 per cent., were husbands. Natives of England and Wales contributed 575 husbands and 345 wives, and of these in ninety-one instances both husband and wife were English. Of the 151 men giving Ireland as their birthplace, 33 married Irish women, 103 girls born in Australia, 9 English women, 5 Scotch, and 1 wife from Denmark. Of all persons married 81 were of coloured alien race—59 being men and 22 women. Of these 81 persons, 44 were absorbed by inter-marriage. Thirty-seven males, however, were married to women of other races; of these 10 were married to aboriginals.

Ages of Persons Married.

Full particulars under this head will be found at Appendix Table No. XI., a summary of which is given in the following statement:—

H.

		Married to Wives —										
		YO	THAN TH	EMSELV	ES.		OLDER THAN THEMSELVES.					
Ages of Husbands.		By 5 and more years.	By 4 years.	By 3 years.	By 2 years.	By 1 year.	Same Age as them- selves.	By 1 year.	By 2 years.	By 3 years.	By 4 years.	By 5 and more years
Under 21 years	136 1,137 1,437 695 358 157 92 93	155 616 466 276 122 73 79	5 106 166 49 15 4 2	9 134 144 33 10 3 1	16 165 129 34 10 3 1	33 153 104 28 3 4	12 158 91 25 13 5 6	25 88 51 12 11 3 1	12 61 38 13 4 2 2	7 39 28 13 5 	8 29 18 8 1 3 1	9 49 52 14 10 8 6 7
Totals	4,105	1,787	347	336	360	325	311	192	132	92	68	155

						V	VIVES	3.								
									М	[ARRIEI	TO HUS	BANDS-	-			
					YO	UNGER 7	THAN TH	[EMSELV	ES.		0	LDER TH	IAN THE	MSELVES		
Αβ	Age of Wives.		By 5 and more years.	By 4 years.	By 3 years.	By 2 years.	By 1 year.	Same Age as them- selves.	By 1 year.	By 2 years.	By 3 years.	By 4 years.	By 5 and more years.			
Under 21 years 21 to 25 years 25 to 30 ,, 30 to 35 ,, 35 to 40 ,, 45 to 50 ,, Upwards of 50 years		 			1,014 1,561 938 307 142 75 39 29	1 34 49 27 17 11 16	8 35 14 6 1 3 1	1 15 46 22 4 3 1	39 61 22 5 3 1	9 84 66 13 14 2 3 1	12 158 91 25 13 5 6	61 153 85 19 3 4	92 146 90 21 6 3 2	91 157 65 15 3 3	111 144 63 23 3 3	637 656 302 84 58 31 11
Total	ls	 	• • • •	•••	4,105	155	68	92	132	192	311	325	360	336	347	1,787

Of the 8,210 persons married last year, 1,150 were below 21 years of age—namely, 136 males and 1,014 females. Of the former, 2 were only 17 years of age, 11 were 18 years of age, 38 were 19, and 85 were between 20 and 21. Of the brides 6 were only 14 on the previous birthday, and 14 were only one year older, whilst as many as 54 were between the ages of 16 and 17. The combined ages of the couples of which the bridegrooms of 17 formed one was 35 and 37 years, these boys of 17 marrying girls of 18 and 20 years respectively. There was yet a younger couple, a lad of 18 marrying a girl of 16, thus together making an aggregate of 34 years.

Of the 4,105 husbands 639, or 16 per cent.—i.e., 1 in every 6—selected wives older than themselves, whilst in 155 instances the wife's age exceeded the husband's by more than 5 years, the greatest difference being 22 years—a man of 31 marrying a woman of 53. There were 93 grooms and 29 brides of over 50 years of age, and 2 of the former and 1 of the latter were over 70 years of age. The greatest instance of disparity in age was one in which an old man of 80 was married to a young woman of 25. There were several instances in which middle-aged men were married to young girls, of which the

following are a few:—36 to 14, 37 to 15, and 42 to 18.

The mean age at marriage is fairly constant at about 28 years for men and 23 for women. The following table covers a wide range of experience:—

				Ha.			
				All Husbands.	Bachelors.	All Wives.	Spinsters.
1881-1885,	Average	of	Means	 28.22	•••	23:29	
1886-1890,	,,	,,	,,	 27.52	•••	23.23	
1891-1895,	,,	,,	"	 28.38		23.69	•••
1896-1900,	"	,,	,,	 28.91	27.79	24.22	23.22
1901-1905,	"	"	"	 29.15	28.07	24.43	23.39
1906	Mean a	ge		 29.03	27.98	24.32	23.39
1907	,,			 28.83	27.84	24.38	23.49

During 1907 the mean age of all husbands was 28.83 of husbands to first marriages 27.84. For wives the corresponding means were 24.38 all wives and 23.49 for spinsters.

A contemplation of the conjugal condition of candidates for matrimony fails to disclose that "widows"—in Queensland, at least—are so dangerous to "mere man" as Mr. Weller, of immortal memory, deemed them to be. During 1907 the number of widows remarried but very slightly exceeded widowers occupying the same category. The conjugal condition and mean age of parties to marriage last year were as follows:—

-	-	-		
7		г	h	
		L	w	١.

					did N.						
								1907.			
Am	ongst Marriag	es of—			Numbers	Proportion Per Cent. to	THE MEAN AGES AT MARRIAGE WERE—				
							Married.	Total Marriages.	Husbands.	Wives.	
Bachelors to Spinsters	diameter and						3,653	90.00	27.50	23.23	
Doob along to Will	•••						185	4.51	34.41	34.71	
Bachelors to Divorced Wome							8	0.19	34.63	34.50	
Widoman L. G.:							178	4:34	40.71	28.61	
Vidowers to Widows							71	1.73	50.52	44.44	
Widowers to Divorced Wome							1	0.02	58.00	33.00	
Divorced Men to Spinsters							8	0.19	42.38	26.88	
Divorced Men to Widows							1	0.02	37:00	34.00	
Divorced Men to Divorced W				•••	•••					9	
Of all Males Married-	-Bachelors		•••				3,846	93.69	27.84	•••	
	Widowers						250	6.09	43.56		
	Divorced N	Ien					9	0.22	41.78		
Of all Females Married-	-Spinsters						3,839	93.52		23.49	
	Widows						257	6.26		37.39	
	Divorced \	Vomen					9	0.22		34.33	
TOTAL PERSON	s Married					,	8,210	200.00	28.83	24:38	

Of all men married, 93.69 per cent. were bachelors, and of all women 93.52 were spinsters. The mean age of bachelors and spinsters marrying each other were 27.50 for husband and 23.23 for wives.

Bachelors who married widows had a mean age of 34.41 years, and their wives of 34.71 years. The mean age of widowers who remarried was 43.56 and of widows 37.39. There were 18 divorced persons remarried last year, 9 of each sex. The mean age of the men was 42 and of the women 34 years.

The relation between divorces and remarriages is not very great, yet the following table is not without interest:—

-		_	
п	ш	r	-

		1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.
Dissolutions	 	7	10	12	14	6	8	13	4	12	12
Divorcees Remarried	 	7	13	15	21	14	12	9	8	9	18

There were 24 persons divorced last year and 18 divorced persons remarried. During the past ten years persons divorced numbered 196 and those remarried 126.

#### Signature at Marriage by Mark.

Thirty years ago a considerable number of persons were too illiterate to sign the Marriage Register, a few only now have to attach their mark to the necessary documents.

	Num	ber of Pers	ons in	each Year v	who			Proportion to	each 1	.00.
		signed Mar	riage (	Certificate	,110	I	Marriag	es.	Pe	ersons Married.
Year.		Males.		Females.		Males.		Females.	,	Persons.
1875		135		267		9.08		17.96		13.52
1880		90		187		5.82		12.09		8.95
1885	0 4	107	a agw	209		3.76	11.00	7:35		5.56
1890		94		115		2.94		3.60		3.27
1895		82		76		2:90		2.69		2.80
1.900		58	21.00	88		1.72		2.61		2.17
1905		44		44		1:39		1.39		1.39
1907		55		42		1.34		1.02		1.18

The records show that 97, or just over 1 per cent., of the 8,210 persons married signed by mark. Of these 97, 55 were males and 42 were females. The experience in the General Registry Office justifies the conclusion that some of these adopted this course from nervousness, being poor writers. Another modifying factor in considering the question as applied to persons of European extraction is the fact that the coloured aliens contribute out of all proportion to the marksmen and markswomen. Of the 81 coloured aliens and 10 aboriginal females appearing in the record of marriages, 45—30 males and 15 females—signed by mark. This shows that these races contributed practically one-half the illiterates, so that of persons of European race only about 1 in 200 signed the Marriage Register by mark. It also shows that the female aliens are practically as well educated as the male, the ratios of those able to write being males 51 per cent.

#### BIRTHS.

The number of birth registrations in each district will be found recorded in the Appendix, Table No. VII. There were more births registered in 1907 than in any years since 1900—namely, 14,542 against 14,019 in 1906, an increase of 523 last year.

				-					
			or —Decrease or	n J.					-Decrease on
Year.	Births.		vious Year. l. Centesimal.		Year.	Births.			ous Year. Centesimal.
1898	 13,933	380	2.65		1903	 12,621	_	-1,595	 -11.22
1899	 13,899	34	0.24		1904	 14,082		1,461	 11.58
1900	 ,	902			1905	 13,626		-456	 -3.24
		498			1906	 14,019		393	 2.88
1902	 14,216	87	0.61		1907	 14,542		523	 3.73

It was inevitable that with the cessation of immigration both the number and the ratio of births should decline, but even after every allowance is made for the change in the age condition of the people, resulting from its accessions consisting almost entirely of the natural increase, yet the fact affords matter for grave reflection that the births in 1907, with a population of 546,467, were fewer than in 1890, when the population numbered 399,215 only.

A summary of the birth registration for 1906 and 1907 is given in the following table:-

**Ja.**Births, 1906 and 1907.

43.56		) 18 1-0	032	1906.			1907.	rabiVi rabiVi oworiT	Total Increase or	Females born to	Females born to
Group.	33 33 83	68	Males.	Females.	Persons.	Males.	Females.	Persons.	—Decrease in the latter Year.	Males born in 1906.	Males born in 1907.
Brisbane (10-mile radius)			1 701	1.510	0.011	1 005	7.700	TO AND BY	ratio II as	re (1)	
,, (outside radius)			1,701 41	1,510 49	3,211 90	1,697 37	1,598 51	3,295	84 —2	88·77 119·51	94·17 137·84
Total Metropolita	an		1,742	1,559	3,301	1,734	1,649	3,383	82	89.49	95.10
Moreton		oin.	1,022	986	2,008	1,029	966	1,995	——————————————————————————————————————	96.48	93.88
Wide Bay			946	858	1,804	1,015	880	1,895	91	90.70	86.70
Port Curtis			625	584	1,209	614	651	1,265	56	93.44	106.03
Edgecumbe			865	761	1,626	793	801	1,594	-32	87.98	101.01
Rockingham			315	335	650	368	359	727	77	106.35	97.55
York Peninsula			104	103	207	84	89	173	-34	99.04	105.95
Carpentaria			133	136	269	130	133	263	-6	102.26	102.31
Central Western			56	43	99	27	28	55	-44	76.79	103.70
South Western			73	101	174	101	102	203	29	138.36	100.98
Central			218	208	426	225	221	446	20	95.41	98.22
Maranoa			165	151	316	182	178	360	44	91.52	97.80
Downs			1,016	914	1,930	1,152	1,031	2,183	253	89.96	89.50
Total			7,280	6,739	14,019	7,454	7,088	14,542	523	92.57	95.09

The ratio of birth increase was 3.73 for the whole State, but was twice as great outside as within the metropolitan area. Great variations were apparent between the two years in the number of registrations effected in the different district groups. Thus, in the Moreton District, where there were 2,008 births in 1906, there was a decrease of 13 in the following year; whilst, on the Downs, with approximately a similar number in the previous year, there was in 1907 an increase of 253 numerical, or 13 per cent. proportional.

The ratio of female births was much greater in 1907 than in 1906—namely, 95.09 to each 100 males in the former and 92.57 in the latter year. Where the numbers are very limited, no significance can be attached to departures from the invariable rule that male births exceed the female, but last year in two districts, Port Curtis and Edgecumbe, where the births number so many as 1,265 and 1,594 respectively, the females exceeded the males, and in the former by such a large proportion as 6 per cent.

The proportion of female births for Queensland for each of the past ten years have been as follow:—

				Jb.					
		Fema 10	les born to eve 00 males born.	ry				les born to ev males born.	
1898	 		96.71	1	190	3 .	 	 96.37	
1899	 		94.99	egn anenian	190	)4 .	 	 97.39	
1900	 		94.78	9. 3 0.0000000	190	5.	 	 95.27	
1901	 	104.1.	96.44		190	6.	 	 92.57	
1902	 • • •		95.30		190	7 .	 	 95.09	

During the decade the highest ratio was 97'39 in 1904 and the lowest 92'57 in 1906, a range of 4'82 per 1,000.

Birth Rate.

The birth rate in 1907 was slightly higher than in either 1905 or 1906, but was still more than 3 per 1,000 below that for 1900.

			K.				
1860	 47.9	1880		36.9		1900	 30.2
1865	 43.6	1885		36.7		1905	 25.9
1870	 43.5	1890		37.2		1907	 26.9
1875	 37.5	1895		32.8			

The high birth rates of fifteen to fifty years ago were abnormal, and could not possibly have been maintained, and will illustrate the necessity for investigations behind the crude rates presented by comparing the population and the births.

Age and sex conditions are the most general factors for consideration in modifying crude birth rates, but there are others also to be noted, and in Queensland coloured aliens are present in sufficient numbers to appreciably affect the birth rate.

	Ka.		
	Males.	Females.	Persons.
Chinese	 32	 16	 48
Pacific Islanders	 20	 12	 32
Japanese	 2	 2	 4
Natives of India and Ceylon	 6	 7	 13
Other Asiatics	 14	 19	 33
		ime <u>rr</u> osofi	
Totals	 74	56	130

This section of the community, with a population on 31st December, 1907, of 14,895 souls, and a mean population for 1907 somewhat above that figure, only contributed 130 births to the records, giving a birth rate per 1,000 of 8 only. By eliminating this element from the calculation, the birth rate amongst Europeans becomes 27.47 instead of 26.87.

			R	cb.				
Year.		Birtl	ı Rate Cı	rude.		Co.	Rate of loured ion.	on the basis of excluding Aliens from the calcu-
1898	 	 	28.28		 			29.46
1899	 	 	27:31		 			28:60
1900	 	 	30.19		 			31.60
1901	 •••	 	28.28		 			29.93
1902	 ***	 	27.68		 			29.28
1903	 	 	24.62		 			25.59
1904	 	 	27.12		 			28.12
1905	 	 	25.92		 			26.86
1906	 300.5	 	26.31		 			27.06
1907	 0000	 	26.87		 			27.47

It will be seen from the above table that within the past ten years, when coloured aliens were more numerous, the adverse effect was even more pronounced than in 1907.

The following statement compares the birth rates of the different States for the last five years:-

		K	C.			
	Birth Rate, 1903.		Birth Rate,	Birth Rate,	Birth Rate, 1907.	Average of the rates for the quinquennial period.
Queensland	 24.62	<b>2</b> 7·12	25.92	26.31	26.87	26.17
New South Wales	 25.28	26.73	26.72	27.04	27.14	26.58
Victoria	 24.46	24.65	24.83	25.14	25.16	24.85
South Australia	 23.24	24.70	23.66	23.54	23.82	23.79
Western Australia	 30.27	30.34	30.30	30.02	29.24	30.03
Tasmania	 28.61	29.59	29.32	29.52	29.68	29.34
New Zealand	 26.61	26.94	27.22	27.08	27.30	27.03

Queensland does not compare favourably; Victoria and South Australia only being at a disadvantage, whilst New South Wales is slightly and Western Australia and Tasmania are considerably in the ascendant. Taking the mean of the five years, the birth rates of the various States were—Western Australia, 30.03; Tasmania, 29.34; New South Wales, 26.58; Queensland, 26.17; Victoria, 24.85; and South Australia, 23.79.

By the adoption of the crude method of dividing the number of the births of a given year by the number of marriages of the previous, an approximate estimate of the number of children to each marriage may be arrived at. From such a computation it would appear that the issue of each marriage in Queensland is decreasing.

			Kd.			
1890		 4.69		1905	 	4.12
1895		 5.65		1906	 	4.08
1900	•••	 4.02		1907	 	3.76

Whilst fifteen years ago the offspring of each marriage might be roughly stated to have numbered from four to five, there is not wanting evidence in the figures of more recent years that this measure of fecundity does not now obtain.

The production of offspring is, of course, strictly limited by the number of women in the population of child-bearing age, and is also limited mainly to such women who are married. On this point, the following table furnishes some interesting figures:—

Ke.

Census Year.			ARS TO 45 YEARS AGE.	BIR	THS.	explaint attains	BIRTHS PER 1,000.				
		Married.	Unmarried.	Legitimate.	Illegitimate.	Legitimate Births to Married Females 15 years to 45 years of age.	Illegitimate Births to Unmarried Females 15 years to 45 years of age.	Total Births to all Females 15 years to 45 years of age.			
1861		5,7	788					245.85			
1871		15,502	6,830	5,074	131	327:31	19:18	233.07			
1881		24,178	15,441	7,875	345	325.71	22:34	207.48			
1891		44,537	34,607	14,031	684	315.04	19.76	185.93			
1901		53,617	50,561	13,455	848	250.95	16.77	137.29			

For obvious reasons these particulars are only available for census years.

#### Illegitimate Births.

There were 1,063 births recorded as illegitimate last year—544 males and 519 females.

				L.				
First Quarter	• • •	• • • •	•••		Males. 130		Females.	 Persons.
Second Quarter					137		130	 267
Third Quarter	•••		•••		149		162	 311
Fourth Quarter					128	•••	116	 244
T	otal			•••	544		519	 1.063

Of the total, 241 were registered in the first quarter, 267 in the second, 311 in the third, and 244 in the fourth. The ratios of illegitimate births to all births during the past ten years have been as follow:—

	La.	
1898 6·04 1899 5·97 1900 6·40 1901 5·93	1902 6·04 1903 6·79 1904 6·90	1905 6·97 1906 7·68 1907 7·31

The lowest ratio of the decade was 5.97 in 1899 and the highest 7.68 in 1906, so that the rate for 1907—7.31—was 0.37 below the figure for the previous year. Unfortunately, Queensland shows a greater proportion in this respect than any of the other States.

	I	<sub>ი</sub> ხ.		
	Per Cent. Total Births.			Per Cent. Total Births.
Queensland	 7:31	Western Australia		3.89
New South Wales	 7.04	Tasmania		5.86
Victoria	 5.62	New Zealand	•••	4.61
South Australia	 4.09			

The lowest rate in 1907 was in Western Australia, with 3.89 per cent.

#### Multiple Births.

There were 123 cases of multiple deliveries in 1907, or 8.5 per 1,000 of all confinements—i.e., 1 multiple delivery in every 118. The following statement gives further particulars:—

			Lc.			
			T	WINS.	TRI	PLETS.
			Males.	Females.	Males.	Females.
First Quarter	•••		34	40	1	2
Second Quarter		,	22	20	1	2
Third Quarter	•••		25	23	•••	•••
Fourth Quarter			38	40	• • •	
			119	123	2	4

Of the 242 twins born, 119 were males and 123 were females, and 152, or 63 per cent., were born between October and March and 90 between April and September. There were two cases of triplets, both in the metropolitan district, and each consisting of 1 male and 2 females. In one case all died soon after birth, but in the other all 3 are still living, having thus survived their first year.

#### DEATHS.

The year 1907 was a favourable one with regard to mortality, although not quite equal to the previous year, which was exceptionally so. There were 5,599 deaths registered in 1907—3,480 males and 2,119 females. This was 504 more than in 1906, but was considerably below the average experience of the last decade.

											DEA	THS.			
				YE	AR.				Total Number.			Proportion of Total Deaths per 1,000 of Mean Population.			
									Males.	Females.	Persons.	Males.	Females.	Persons	
398		 	 			 		 	 3,771	2,472	6,243	13.66 13.80	11·42 9·87	12·67 12·07	
899 900	***	 	 			 		 	 3,943 3,678	2,201 2,069	6,144 5,747	13.45	9.54	11.72	
901 902		 	 			 •••		 	 $\frac{3,838}{3,924}$	2,169 2,280	6,007 6,204	13.62 13.74	9·68 10·00	11.88 12.08	
903 904		 	 			 		 	 $3,951 \\ 3,259$	2,395 1,991	6,346 5,250	13.92 11.36	10·46 8·57	12·38 10·11	
905		 	 			 		 	 3,499 3,212	2,004 1,883	5,503 5,095	12·09 10·99	8·48 7·83	10.47 9.56	
906 907		 •	 			 	• • • •	 	 3,480	2,119	5,599	11.79	8.62	10.35	

The death rate of 10.35 last year was below that for seven out of the ten years 1898-07. The ratio of male deaths to population was 11.79 and of females 8.62, a difference in favour of the latter of 3.17 per 1,000. This is about the average experience, and explains the gradual increase in the proportion of the female population.

In connection with births, attention was drawn to the unfavourable effect on the birth rate, brought about by the presence of coloured aliens in the population, this being reduced by nearly 1 per 1,000 in consequence. These races adversely affect the death rate also by contributing more than their

quota to the mortality, so that but for them the very favourable death rate now existing would be even more favourable. The coloured alien mortality, both actual and relative, is shown in the following statement:—

	I	VIa.		
		Estimated	Number of	
		Mean Population.	Deaths.	Death Rate.
Chinese		8,737	82	9.39
Pacific Islanders		3,048	63	20.67
Japanese		1,893	16	8.45
Coloured Natives of India and Ceylon		710	12	16.90
Other Asiatic Races		2,177	31	14.24
				-
Total Coloured Aliens		16,565	204	12.32
All Persons, exclusive of Chinese, Pacific Islanders, other Asiatic Races	- /	524,639	5,395	10.28
All Persons		541,204	5,599	10.35

The death rate of Chinese and Japanese, it will be noticed, is favourable. They are hardy races, but the real explanation of their contrasting so well lies in the fact that in Queensland they nearly entirely consist of adult males; young or, at least, in the prime of life, they have few infants and old people to contribute to the death rate. With the departure of most of the Pacific Islanders, the worst feature in coloured alien mortality has become almost eliminated.

In crude mortality rates Queensland stands well as regards the Commonwealth.

		M	b.			
						Average of the Rates
	Rate in 1903.	Rate in 1904.	Rate in 1905.	Rate in 1906.	Rate in 1907.	for the Quin- quennial Period.
Queensland	 12.38	10.11	10.47	9.56	10.35	10.57
New South Wales	 11.59	10.62	10.13	9.89	10.56	10.56
Victoria	 12.90	11.92	12.10	12.42	11.66	12.20
South Australia	 10.79	10.22	10.15	10.34	9.87	10.27
Western Australia	 12.60	11.91	10.83	11.87	11.09	11.66
Tasmania	 11.92	11.04	10.13	11.13	11.22	11.09
New Zealand	 10.40	9.57	9.27	9.31	10.95	9.90

If the rate for 1907 be taken, it will be seen that Queensland stands second on the list with a death rate of 10°35, being surpassed by South Australia with 9°87. On the mean of the five years New South Wales, whose death rate for 1907 was 10°56, just passed this State by 0°01 per 1,000. New Zealand would appear to have had an exceptional mortality experience in 1907. The still low rate of 10°95 being much above that which usually obtains there.

A number of tables in the Appendix are devoted to the illustration of mortality statistics from which much greater detail than is given in the letter press of this Report can be obtained. Of the 5,599 deaths, 3,138, or 56 per cent., took place in the December half of the year. The following statement shows the number registered in each quarter of the year:—

		N.			
NEA			Males.	Females.	Persons.
First Quarter	 		 816	425	1,241
Second Quarter	 		 737	483	1,220
Third Quarter	 		 1,038	624	1,662
Fourth Quarter	 		 889	587	1,476
				-	
Totals	 		 3,480	2,119	5,599

The foregoing is a summary of Appendix Table No. XII., in which is recorded the number of deaths registered each month of the year. The greatest number in any month was 631 in August, followed by 528 in July, the former thus exceeding the latter by 103 deaths. Other months in which the deaths exceeded 500 were—January 523, September 503, and October 501. The fewest deaths were registered in March 347, February having 371, June 584, and April 396. The causes principally responsible for the large number of deaths in August were to be found amongst those diseases which are generally prevalent during low temperatures. Whooping cough was responsible for 27 deaths, the nearest approach to these figures being 15, and this was in the previous month of July. To influenza 86 deaths were recorded, the next highest month (September) only accounting for 63. Organic diseases of the heart, with 57 deaths, exhibited a fatality in excess of the normal. Pneumonia was responsible for 45 deaths, or ten more than in the subsequent month, both of which were above the average naturally, summer diseases, notably diarrhoa and enteritis of children, were less in evidence, there being only 11 as against 84 in December; but this incidence was not sufficient to balance the number of victims to maladies largely attributable to the climatic condition of the month.

#### Birthplaces of Persons who Died.

The following table shows the mortality and its proportions according to birthplace:-

#### 0.

	Pop	mal Proportion to Total ulation borne by each onality, Census of 1901. Proportion.		tesimal Proportion to borne by Deaths of ty, Year 1907. Proportion.
Queensland		57·09	2,418	43.19
Other Australasian States, including		8.16	365	6.52
Zealand	,			
England		13.77	1,042	18.61
Scotland		4.00	348	6.22
Ireland		7.56	778	13.89
Other British Possessions		0.82	24	0.43
Germany		2.64	239	4.27
Other Countries of Europe		1.59	129	2.30
China		1.70	82	1.46
Pacific Islands		1.77	63	1.13
Elsewhere		0.90	111	1.98
		100.00	5,599	100.00

Owing to the time that has elapsed since the census, the ratios shown in the first column must have varied considerably. The proportion of persons who are native to this State must have increased, whilst most, if not all, other nationalities have correspondingly decreased. Of the 5,599 deaths, 2,418, or 43 per cent., were of natives of Queensland. These would comprise practically all of those under twenty years of age, as there has been but little accession to population by migration during that period. So that of the 2,418 deaths of Queensland-born some 1,800 to 1,900 were of the young, a matter to be further referred to in dealing with deaths by ages.

#### Occupations of Persons who Died.

The following statement contains an analysis of Appendix Table No. XVI. for each of the past five years:—

#### P.

CLASSES.								¥E.	ARS.				
CLASSES.	ben nana	odideno od de		19	03.	19	04.	19	05.	19	006.	19	907.
				M.	F.	M.	F.	M.	F.	М.	F.	М.	F.
Class I.—Professional	• • •			97	21	103	16	104	15	100	11	98	10
				82	154	84	148	81	171	92	139	85	153
	•••			213	8	193	5	211	5	198	8	211	6
" IVTransport and	Com	munic	ation	180		163		168		134	2	155	
" V.—Industrial				671	19	564	20	666	23	651	21	744	23
" VI.—Agricultural, &	cc.			1,066	14	915	7	951	8	863	9	869	1
" VII.—Indefinite				96	137	82	81	102	131	63	107	86	117
" VIII.—Dependants				1,546	2,042	1,155	1,714	1,216	1,651	1,111	1,586	1,232	1,809
Totals				3,951	2,395	3,259	1,991	3,499	2,004	3,212	1,883	3,480	2,119
				6,8	346	5,2	250	5,5	503	5,0	95	5,5	599

The records with regard to the occupations of males are fairly complete, whilst the classification adopted is the same as that employed in connection with census enumerations, so that the figures from these sources furnish data from which the healthfulness or otherwise of different kinds of employment can be deduced.

The information with regard to females is much less complete, and it is absurd to suppose that only 193 women died last year of those engaged in definite occupations other than that of assisting in the house at their own homes. It seems impossible to get the public to furnish information on this point when registering the deaths of female relatives.

#### Mortality within the Metropolitan Area.

The mortality experience of greater Brisbane was somewhat less favourable in 1907 than in 1906, the two cities as well as the suburban area all contributing to the increase.

City of Brisbane City of South Brisbane Suburbs					31,304	Total Deaths. 846 310 462	Rate per 1,000. *21.59 9.90
Brisbane Metropolitan State	Area	(Ten-mile	Radius	)	541 904	1,618 5,599	$\frac{12.07}{10.35}$

<sup>\*</sup> The General and Children's Hospitals are in the City of Brisbane.

For the whole area the deaths numbered 1,618 in 1907 and 1,311 in the previous year, giving death rates of 12.07 and 10.00 respectively; the increase being, therefore, slightly greater than that for the whole State. The presence of public institutions, in which more than the normal number of deaths are inevitable, add to the mortality of the metropolitan area in excess of that contributed by the resident population. Both cities and, indeed, to a slight extent, the suburbs also, suffer as regards the death rate from this cause, but the city of Brisbane is especially unfortunate in this respect, owing to the General and Children's Hospitals both being situated within its boundaries. It is, however, found impossible to adjust the matter in any way, owing to the difficulty of allotting the population that should be considered as contributing the patients to the various institutions.

Of the 1,618 deaths occurring within the metropolitan area last year, 562, or 35 per cent., took place in one or other of the various public institutions as shown in the following table:—

				F	b.							
	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.		1907.	
									1	Males.	Females.	Persons.
Brisbane Hospital	286	237	211	271	305	284	261	300	257	198	122	320
Lady Bowen Hospital	13	7	19	14	17	20	19	7	10	5	9	14
Children's Hospital	66	67	60	78	59	103	69	82	84	55	54	109
Brisbane Plague Hospital†				6	8	5	3	5	3	8	3	11
Salvation Army Home*										9	5	14
Hosptl. for Chronic Disease	est			7	22	41	38	58	43	34	14	48
Lady Lamington Hospital†				2	2	1	2	3			1	1
Infants' Asylum	9	4	12			18	2	2	9	18	12	30
Immigration Depôt						1	1					
Lunatic Reception House	1	1	1		1							
Brisbane Gaol	1		1	5	1	3		2	2	3		3
Magdalen Asylum†				5		10	4	12	21	4	7	11
Brisbane Suspect Hospital;					4	5						
Industrial Home								3				
Blind Asylum*										1		1
												57
Totals	376	316	304	388	419	491	399	474	429	335	227	562
* Appearing for the first time	in 1907.	+ 4	Appearing	g for the fi	rst time	in 1901.	4	Appeari	ng for t	he first t	ime in 1902	

Of the 562 deaths in public institutions, 320 occurred in the General and 109 in the Children's Hospital. These are both within the city of Brisbane, and thus constituted 429, or nearly 51 per cent., of the 846 deaths taking place therein during 1907, although by no means did all these belong to the usual population of that city.

The following table, although not directly bearing on Vital Statistics, is published as furnishing information of great interest on a question closely allied thereto:—

					Pc.									
	lents.	ent	ution	tient					Ноѕріта	L STAFI	7.			
Where Situated.	In-patients.	In-patient	ninistra nagem nents.	each In-patient ay.			PA	ID.				HONO	RARY.	
670	ber of	umber of Days.	ost of Administration and Management for In-patients.	D Of	Med	ical.	Nur	sing.	Ot	her.	Comn	nittee.	Med	dical.
	Number	Number Days.	Cost	Cost o	M.	F.	М.	F.	М.	F.	М.	F.	M.	F.
	3 08 8		III-IFS 81	70100-0	Die-ill	111011	LOO LE	bogg		dadi.	no sa	88 06	181 D	prego
The burkering are not shown			£	s. d.					10000		0.83		1000	
Brisbane	3,764	77,047	14,488	3 9	4		3	65	36	31			20	
Children's	1,249	32,485	4,328	2 8		1		30	1	1			10	2
Bundaberg	513	11,314	2,220	3 11	1		1	8	1	3				
Charters Towers	876	28,213	4,910	3 6	1		2	14	4	7			4	
Ipswich	626	17,155	2,983	3 6	1			13	4	7				
Mackay	768	15,360	2,711	3 6	2		2	12	1	5				
Maryborough	593	10,223	2,219	4 4	1		1	9	2	5				
Mount Morgan	676	26,688	3,566	2 8	1			13	4	6				
Rockhampton	585	21,426	3,535	3 4	1		4	13	5	5				
Toowoomba	1,053	22,581	4,150	3 8	1			18	8	10			5	
Townsville	868	22,859	3,941	3 5	1		4	12	4	6				
Warwick	450	10,238	1,968	3 10	5			9	2	4				

#### AGES AT DEATHS.

#### Infant Mortality.

The first, and probably the most important, question that presents itself in connection with this phase of the subject is that of infant mortality. To prevent the waste of life in its early stages is naturally a problem of deep interest. It cannot be supposed that it was intended that infants are born to at once die, and yet the mortality of infants in their first year is eight times greater than that of the whole population. It must not, however, be thought that this is a condition peculiar to Queensland, on the contrary, this State in this respect compares most favourably with most civilised countries.

The true infant mortality—that is, the ratios of deaths of children in their first year to the births for each of the last ten years—has been as follows:—

Showing True Infantile Mortality.—Return for Ten Years 1898-1907.

1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	Mean for the 10 years.
11.05	10.94	9.84	10.19	10.02	11.99	7.61	7.55	7.47	7.72	9.41

During the past four years the true infant mortality has amounted to less than 8 per cent. of the births; the mean for the last ten years was 9.41. For 1907 the ratio was 7.72, slightly greater than that of either of the three immediately preceding years, but less than that for any other year of the decade.

The following table gives the average decennial death rate of infants at different periods:-

			Qa.			
1875	 	12.46		1895	 	11.07
1880	 	12.98		1900	 	10.31
1885	 	13.64		1905	 	9.89
1890		12:65		1907		9.41

A gradual decline during the last twenty to twenty-five years is apparent.

During 1907 the infant mortality of Queensland was greater than that for either South Australia or Victoria, and less than that for any other State of the Commonwealth, and also less than that for New Zealand, as may be seen from the following figures:—

		Qb.		
				1907.
Queensland		 	 	 7.72
New South Wales		 	 	 8.86
Victoria		 	 	 7.26
South Australia		 	 	 6.59
Western Australia		 	 	 9.77
Tasmania		 	 	 8.28
New Zealand	,	 	 	 8.88

The greatest average infant mortality was that for Western Australia (9.77), and the least that for South Australia (6.59), the former showing almost a 50 per cent. advance over the latter. All the Australian States show most favourably when compared with European countries, some of the latter for the most recent records procurable showing, as compared with Queensland's 1907 return, from 3 to 5 per cent. higher for the divisions of the United Kingdom up to double and treble the Queensland rate in several other European countries.

Infant and child mortality is almost invariably greater amongst urban than amongst rural populations. The ratios based on the deaths under one year to the births are for a whole State or country very reliable, as the movements of the very young are practically within its boundaries; and the births, therefore, represent the population at that age, but in attempting to localise a similar inquiry the same opportunities do not exist. The birth and death of an infant by no means with any certainty takes place at the same place, so that really accurate data is only available for census years. The following table, however, giving ratios of the population at certain ages, as shown by census, as well as the ratios of deaths at those ages to total deaths, affords some opportunity for comparison with the death ratios for those ages, even in a different year:—

					Dis-	CHILDREN UN	DER 2 YEAD	RS OF AGE.	CHILDREN UN	DER 5 YEA	RS OF AGE
	R	egistry	District.		Deaths in	Batio of under 2 f age to on of Dis-	of Deaths ict.	per cent. Deaths in	Ratio of under 5 age to on of Dis-	of Deaths ict.	per cent. Deaths in
Basicaensia 22,5° Zahul	tagrica malanti ma malanti malanti malanti ma malanti ma malanti ma malanti ma ma ma ma ma ma ma ma ma ma ma m			0000	Number of trict.	Census 1901 Centesimal Rai Children unc years of ag Population o	Number of in District.	Proportion per cent. to Total Deaths in District.	Centesimal Ra Centesimal Ra Children un years of ag Population o	Number of in District	Proportion to Total I District.
Brisbane				 	 1,542	4.35	377	24.45	10.61	416	26.98
Bundaberg				 	 151	5.49	41	27.15	13.61	44	29.14
Drayton and To	oowoo	mba		 	 237	4.67	71	29.96	11.73	79	33.33
Enoggera	10			 	 187	5.49	65	34.76	13.40	72	38.20
Gympie				 	 150	5.28	45	30.00	13.66	55	36.67
Ipswich				 	 151	4.96	36	23.84	12.63	42	27.81
Kennedy*				 	 220	5.52	30	13.64	13.58	32	14.55
Mackay				 	 135	4.49	21	15.56	11.61	30	22.22
Maryborough				 	 144	5.17	26	18.06	12.56	32	22.22
Mount Morgan				 	 92	6.93	39	42.39	16.74	41	44.57
Rockhampton				 	 240	5.31	60	25.00	12.59	73	30.42
Townsville				 	 175	4.59	34	19.43	11.89	40	22.86
All Other				 	 2,175	5.12	489	22.48	12.64	573	26.34
Totals				 	 5,599	5.08	1,334	23.83	12.54	1,529	27:31

Thus, in comparing for two districts the proportions shown in the fifth and eighth columns, a reasonably fair conclusion can be come to, if due regard is at the same time had for the ratios contained in the third and sixth columns, and allowance made. In comparing, say, Brisbane and Mount Morgan with regard to deaths of children under two; in the latter place 42 per cent. and in the former 24 per cent. of all deaths were at that age. This would, on the face, look bad for Mount Morgan; but on reference to column 3 it is seen that, whilst there 6.93 per cent. of the population are under two years of age, the ratio in Brisbane is 4.35 only, thus almost, though not quite, neutralising the larger death rate at the former place. Although differences between various places which otherwise appear excessive may thus be explained, the fact that there is a heavy mortality amongst young children in all the places mentioned in the table is still indisputable.

The following table gives the death rates at the various age periods, the population being apportioned to the various age groups in accordance with the proportions found to obtain at the last census:—

					Proportion of Population at each Age	Estimated Mean Popu-	Deaths	s, 1907.				
		Age Per	riod.		Period to Total Population, Census 1901.	lation, 1907, at each Age Period on basis of Census Ratio.	Number.	Rate per 1,000 o Mean Population.				
Under 1	year				 2.58	13,963	1,122	80.36				
1 to 2	years				 2.46	13,314	212	15.92				
2 to 3	,,				 2.42	13,097	99	7.56				
3 to 4	,,				 2.53	13,692	54	3.94				
4 to 5	,,			***	 2.45	13,260	42	3.17				
	То	tal un	der 5	vears	 12.44	67,326	1,529	22.71				
5 to 10	vears				 12.63	68,354	125	1.83				
0 to 15	,,				 11.59	62,725	110	1.75				
5 to 20 0 to 25	"					 9.39	50,819	127	2.50			
5 to 30	,,				 8.48	45,894	207	4.51				
80 to 35	,,				 7.78	42,106	203	4.82				
35 to 40	,,				 7.19	38,913	239	6.14				
0 to 45	,,				 5.85	31,660	322	10.17				
5 to 50	,,				 4.09	22,135	345	15.59				
0 to 55	,,				 3.25	17,589	315	17.91				
5 to 60	,,				 2.57	13,909	250	17.97				
0 to 65	,,				 2.15	11,636	328	28.19				
5 to 70	,,				 1.30	7,036	390	55.43				
0 to 75	,,				 0.72	3,897	366	93.92				
5 and u					 0.54	2,922	537	183.78				
Inspecif	fied				 0.73	3,951	3	0.76				
	То	tal	•••	•••	 100.00	541,204	5,599	10.35				

The death rate at one year and under on this basis shows only a very slight difference from the true infant mortality based on the ratio of such deaths to the births. The mortality during the second year of life though heavy is enormously less than that during the first year—namely, one-fifth only. During the decade following the fifth year, the expectation of death is very slight, being for the whole period but little more than the risk for the one year immediately preceding it. Thereafter, the ratio increases gradually up to middle life, to about forty years of age, after which period it rises more rapidly, though somewhat retarded between the ages of fifty and sixty.

The high ratio of mortality exhibited at the two age extremes of the last table shows how the relative number of the very young and very old affect the general death rate. Queensland, in common with all newly-occupied countries still the fields of immigration, is not normal in that respect, and, consequently, in compliance with the request of the International Institute of Statistics, the following table is prepared correcting the crude death rate on the basis as regards age condition existing in Sweden, which country has been selected by the institute as the type to model by.

Ra.

-								
	Year.	Classes of Age.	°/o of Queens- land Population at each Age Period, Census 1901.	Mean	Number of Deaths.	Coefficient %.	°/o of Swedish Population at each Age Period.	Queensland Index %
1907	{	Under 1 year 1 to 20 years 20 to 40 ,, 40 to 60 ,, 60 years and upwards	2:58 43:47 33:19 15:98 4:78	13,963 235,261 179,626 86,484 25,870	1,122 769 853* 1,233* 1,622*	8:04 0:33 0:47 1:43 6:27	2·55 39·80 26·96 19·23 11·46	2:05 1:30 1:28 2:74 7:19
		Totals	100.00	541,204	5,599	1.04	100.00	14.56

\* Including 1 unspecified age.

This gives the index death rate on this basis at 14.56 per 1,000, thus adding 4.21 to the crude death rate of 10.35.

The following table, which shows the ages of persons dying during each year since Separation, besides furnishing much other valuable information, also forms the basis of the estimates as to the mean age of death of all persons dying each year:—

1860 1861 1862 1863 1864 1865 1866 1867 1871 1872 1873 1874 1875 1876 1877 1878 1880 1881 1882 1883 1884 1885 1890 1891 1892 1893 1894 1895 1900 1901 1902 1903 1904 1905 1907	Year.
141 136 222 329 365 580 690 578 552 528 526 516 578 701 776 1,025 994 1,058 1,234 917 865 918 1,188 1,319 1,574 1,733 1,584 1,526 1,719 1,962 1,548 1,489 1,369 1,356 1,466 1,354 1,454 1,458 1,454 1,458 1,454 1,458 1,454 1,458 1,454 1,521 1,456 1,458 1,454 1,521 1,456 1,458 1,454 1,521 1,456 1,458 1,454 1,521 1,456 1,458 1,454 1,521 1,456 1,458 1,454 1,521 1,456 1,458 1,454 1,521 1,456 1,458 1,454 1,521 1,456 1,458 1,454 1,521 1,456 1,458 1,454 1,521 1,456 1,458 1,454 1,521 1,456 1,458 1,457 1,458 1,458 1,459 1,456 1,458 1,454 1,521 1,456 1,458 1,457 1,458 1,458 1,454 1,521 1,456 1,458 1,457 1,457 1,458 1,458 1,458 1,459 1,456 1,458 1,459 1,456 1,458 1,459 1,456 1,458 1,459 1,456 1,458 1,459 1,456 1,458 1,459 1,456 1,458 1,459 1,456 1,458 1,459 1,456 1,458 1,457 1,072 1,029 1,047 1,122	Under 1 Year.
46 41 74 158 155 206 320 228 197 199 129 137 178 209 331 326 415 - 248 188 256 374 471 433 330 338 339 423 330 227 363 301 224 293 245 374 374 374 374 374 374 374 374 374 374	1 to 2.
16 6 30 61 47 70 94 73 77 53 63 67 67 94 91 194 110 102 142 107 85 96 114 174 154 153 153 153 153 153 153 153 153 171 162 171 162 171 171 162 171 171 171 171 171 171 171 171 171 17	2 to 3.
5 7 20 43 38 27 55 53 48 33 30 46 47 55 53 92 68 55 52 44 43 93 100 103 93 112 119 89 109 115 87 87 94 58 68 63 63 63 63 63 63 63 63 64 64 64 64 64 64 64 64 64 64	3 to 4.
7 6 16 36 34 20 23 25 21 14 18 26 22 37 34 44 45 30 42 42 31 14 17 63 72 62 62 63 99 47 57 76 63 99 73 48 63 991 75 69 69 50 33 58 55 57 37 39 42	4 to 5.
215 196 362 627 639 903 1,182 947 895 827 766 792 892 1,096 1,205 1,824 1,548 1,571 1,999 1,366 1,213 1,347 1,787 2,130 2,329 2,419 2,300 2,136 2,309 2,419 2,309 2,126 2,309 2,126 2,309 2,126 2,309 2,128 1,894 1,894 1,894 1,894 1,895 1,890 1,834 2,812 1,890 1,814 1,818 1,890 1,914 1,818 1,896 1,914 1,818 1,896 1,914 1,818 1,896 1,914 1,818 1,896 1,914 1,818 1,896 1,914 1,818 1,896 1,914 1,818 1,896 1,914 1,856 1,568	Total under 5 Years.
10 14 222 65 73 59 63 39 51 39 41 47 54 84 92 194 96 101 93 92 62 84 109 125 144 154 129 135 122 135 1206 158 170 201 166 196 171 170 226 178 133 128 137 176 139 139 109 125	5 to 10.
4 8 14 21 19 30 28 31 25 16 27 28 27 40 45 59 50 54 47 56 45 59 50 60 114 71 71 82 89 87 82 65 77 90 84 108 108 108 108 108 108 108 108 108 108	10 to 15.
7 14 18 28 34 38 58 30 28 28 30 53 35 43 48 92 105 102 104 97 110 147 204 305 710 442 265 241 246 208 176 205 151 199 165 187 166 148 162 211 197 192 173 170 154 168 132	15 to 20.
25 21 36 67 97 113 168 84 70 71 148 81 69 84 127 183 166 153 191 177 196 265 382 522 987 631 497 382 448 376 363 264 254 254 254 254 254 254 254 254 254 25	20 to 25.
22 34 44 75 111 126 192 114 110 119 112 107 131 128 151 151 172 222 312 383 641 153 844 355 391 377 362 372 351 366 312 353 367 372 372 383 372 384 384 385 397 397 397 397 397 397 397 397	25 to 30.
36 40 53 80 93 107 167 119 113 142 117 120 129 134 175 237 162 170 205 160 188 193 240 272 383 367 290 285 317 341 363 310 293 323 287 281 298 326 308 356 302 343 322 309 266 249 218 203	30 to 35.
34 36 47 62 73 75 116 90 104 103 93 101 102 119 187 238 208 166 201 190 192 164 199 200 283 256 246 229 253 242 267 288 310 310 310 310 310 310 310 310	35 to 40.
27 37 53 51 64 64 64 64 52 71 89 116 100 144 185 164 155 166 174 237 286 321 258 249 241 245 242 199 199 207 223 219 274 275 311 264 308 312 308 319 282 282 282 282 282 282 282 283 283 283	40 to 45.
24 29 38 42 47 44 71 62 52 71 62 51 72 107 132 114 107 152 140 138 158 166 177 214 212 227 224 269 248 203 203 203 203 204 244 260 258 268 276 259 263 345	45 to 50.
21 17 33 34 47 43 55 45 47 46 70 53 78 54 112 100 85 54 112 100 85 52 107 94 93 107 94 129 134 147 203 206 265 225 225 277 250 266 266 267 277 277 277 277 277 277 277	50 to 55.
9 8 25 24 25 28 41 28 36 42 43 45 42 44 47 72 59 80 74 95 66 73 86 99 106 138 148 144 155 181 204 181 175 193 215 282 260 281 306 295 310 295 310 295 310 310 310 310 310 310 310 310 310 310	55 to 60.
17 10 15 20 19 30 30 26 46 41 34 47 43 56 56 70 66 65 92 72 85 81 100 94 124 131 152 143 156 187 183 161 176 200 226 209 277 302 283 277 315 380 385 336 355 305	60 to 65.
5 4 9 9 10 10 26 11 11 11 11 12 11 14 11 12 11 14 11 13 7 16 5 19 9 17 14 28 7 21 5 29 3 28 6 36 9 31 8 30 9 36 1 35 8 39 36 1 35 8 39 36 1 35 8 36 1 35 8 39 36 1 35 8 36 1 35 8 39 36 1 35 8 39 36 1 35 8 36 1 35 8 39 36 1 35 8 39 36 1 35 8 39 36 1 35 8 39 36 1 35 8 39 36 1 35 8 39 36 1 35 8 39 36 1 35 8 39 36 1 35 8 39 36 1 35 8 39 36 1 35 8 39 36 1 35 8 39 36 1 35 8 39 36 1 35 8 39 36 1 35 8 39 36 1 35 8 39 36 1 35 8 39 36 1 35 8 39 36 1 35 8 39 9 36 1 35 8 39 9 36 1 35 8 39 9 36 1 35 8 39 9 36 1 35 8 39 9 36 1 35 8 39 9 36 1 35 8 39 9 36 1 35 8 39 9 36 1 35 8 39 9 36 1 35 8 39 9 36 1 35 8 39 9 36 1 35 8 39 9 36 1 35 8 39 9 36 1 35 8 39 9 36 1 35 8 39 9 36 1 35 8 39 9 36 1 35 8 39 9 36 1 35 8 39 9 9 36 1 35 8 39 9 36 1 30 9 36 1 35 8 30 9 36 1 35 8 30 9 36 1 35 8 30 9 36 1 35 8 30 9 36 1 35 8 30 9 36 1 35 8 30 9 36 1 35 8 30 9 36 1 35 8 30 9 36 1 35 8 30 9 36 1 35 8 30 9 36 1 35 8 30 9 36 1 35 8 30 9 36 1 30 9 1	65 to 70.
4 5 6 8 10 4 16 8 15 15 15 15 15 18 20 19 42 31 38 37 56 30 48 38 63 68 69 73 69 78 83 115 117 117 116 117 117 116 117 117 117 118 119 119 119 119 119 119 119 119 119	70 to 75.
2 3 2 7 8 3 10 7 14 13 12 26 21 21 22 39 41 42 46 36 80 88 106 101 111 111 113 128 129 46 36 37 56 80 88 88 106 101 111 111 111 111 111 111 111 111	75 and upwards.
16 23 20 55 77 56 75 52 103 91 79 102 99 125 177 434 303 296 466 252 161 69 75 44 37 64 62 23 12 51 17 27 29 10 26 11 17 27 29 10 20 11 21 21 21 21 21 21 21 21 21 21 21 21	Age not stated.
478 499 797 1,275 1,446 1,733 2,362 1,745 1,761 1,645 1,785 1,936 2,250 2,794 4,104 3,467 3,207 3,207 3,207 3,207 3,207 3,207 3,207 3,207 3,207 5,575 5,566 5,575 5,566 5,526 5,526 5,526 5,526 5,423 6,235 5,423 6,244 5,447 6,641 6,861 6,235 5,575 5,170 5,170 5,266 5,529 5,423 6,243 6,244 6,244 6,245 5,520 5,503	Total all Ages.
21·31 22·07 20·55 17·15 18·46 15·80 16·06 18·15·80 19·58 19·58 19·92 20·54 20·54 20·15 18·33 19·58 20·95 18·33 19·58 21·80 21·71 22·29 21·35 20·78 21·80 21·71 22·29 21·35 20·29 21·35 20·36 21·80 21·71 22·91 22·54 23·95 23·	
22:97 22:27 23:06 22:70 23:32 23:56 23:56	Mean Age Living Census Years.

The mean age at death in 1907 was 37.51 years; it has been in the main ascending for the past twenty years. The mean age of persons living is, of course, only ascertainable at census periods. In 1901 the mean age of all in Queensland was 24.97.

Causes of Death.

For purposes of comparison a definite scheme of compilation has to be followed. The causes of death as recorded on medical certificates could not be tabulated for any useful purpose to the many diversified terms expressed on those documents. A number, though in different verbiage, are really synonymous, whilst even to tabulate to each disease would be impracticable. The classification employed for many years was that known as the Farr System; this was abandoned in 1903 for a partial adaptation of the Bertillon Classification, which was then adopted by the Registrar-General of England. For 1907, to come in line with the other States and elsewhere, the full Bertillon system has been employed. This renders impracticable actual comparison of the different groupings between 1907 and previous years.

The following table shows the present and late scheme of classification, and the ratios for five years

of deaths due to causes of each group:

TABLE comparing the PERCENTAGE which the several Causes of Deaths bear to the Total Deaths in each Year.—Return for the Five Years.

Cause of Death.	1903.	1904.	1905.	1906.	1907.	1907.
CLASS I.—GENERAL DISEASES. Sub-class—	6.40	8:36	4.61	4:38	Class I.—General Diseases	29.24
2	0.70	3.24	6.49	3.67	•	
3		0.61	0.64	0.74	" II.—Diseases of Nervous System	9.52
4		0.63	0.49	0.65	and Organs of Special Sense	
5	0.50	1·62 9·58	1·23 8·69	1·10 8·48	,, IIIDiseases of Circulatory	11.32
6	0.95	0.29	0.13	0.35	System System	11 02
8	1.50	1.08	1.51	2.32	System	
9	0.70	1.01	1.13	0.80	" IV.—Diseases of Respiratory	9.27
10	0.07	5.66	6.38	5.73	System	
11	1.29	1.20	1.54	1.61		
12	5.44	6.36	5.81	7.44	,, V.—Diseases of Digestive System	12.48.
TOTALS	37.38	39.64	38.65	37.27	" VI.—Diseases of Genito-Urinary System and Adnexa	5.18
CLASS II.—LOCAL DISEASES.						
Sub-class—					" VII.—Puerperal Condition	1.36
1. Diseases of Nervous System		6.97	6.52	6.00		0 = 0
2. Diseases of Organs of Special Sense		0.13	0.18	0.14	,, VIII.—Diseases of Skin and of	0.50
3. Diseases of Heart 4 Diseases of Blood Vessels	0.00	6.84	7·76 3·73	7·93 4·42	the Cellular Tissue	
4 Diseases of Blood Vessels 5. Diseases of the Respiratory Organs		10.74	11.03	9.42	" IX.—Diseases of the Organs of	0.32
6. Diseases of Digestive System		11.62	11.43	12.72	Locomotion	0 02
7. Lymphatic Diseases	010	0.40	0.15	0.12		
8. Diseases of Urinary System	1.05	4.99	5.14	5.95	" X.—Malformations	1.27
9. Diseases of Generative System		0.46	0.38	0.63		
10. Accidents of Childbirth		1.47	0.80	0.84	" XI.—Infancy	6.02
11. Joint Diseases		0.32	0.29	0.23	VII Oll I	0.75
12. Skin Diseases	0.32	0.44	0.46	0.43	" XII.—Old Age	3.75
TOTALS	49.18	48.21	47.87	48.83	" XIII.—Violence	8.98
CLASS III.—OTHER SPECIFIED DISEASE	s		•••		" XIV.—Ill-defined Diseases	0.79
CLASS IV.—ILL-DEFINED AND NOT SPECIFIED DISEASES.	4.22	0.05		4.44		
Sub-class 1	4.66	3.37	4.54	4.44		
CLASS V.—VIOLENT DEATHS. Sub-class—					271. 197. 198. 198. 198. 198. 198. 198. 198. 198	
1. Accident or Negligence	7:12	6.72	6.89	7.17		
2. Homicide		0.23	0.27	0.33		
3. Suicide		1.83	1.74	1.92		
4. Execution	0.03		0.04	0.04		
TOTALS	8.78	8.78	8.94	9.46		
Grand Totals	100.00	100.00	100.00	100.00	TOTAL 1	00.00

In 1907 general diseases—that is, diseases which are not confined to any specific organ or system of the human body, but are common to several or all of them—comprised 29 per cent. of all deaths, whilst 12 per cent. were due to complaints of the digestive system, 11 per cent. to all those attacking the circulatory system, 10 per cent. those of the nervous system or the organs of special sense, and 9 per cent. those of the respiratory system, and so on.

There was a heavy mortality amongst old persons last year. The ratio of increase in deaths of persons over seventy-five was 18 per cent.; whilst the ratio of increase of all deaths was not quite 10 per cent. Of the 537 persons of seventy-five and upwards who died in 1907, 307 were males and 230 were females. The following figures expand the information as to age which is given in the Appendix, the exigencies of printing preventing a greater extension there:—

Ta.

Causes of Death—Old Persons 75 Years of Age and Upwards.

									100				AGE I	LAST I	BIRTH	IDAY.					3 8										
Cause of Death.	75	7	6	77	78	79	80	8	1 8	82	83	84	8	5	86	87	88	8	9	90	91	92		93	94	95	96 9	and upds.		L DEATHS 75 YEARS	
	м. 1	F. M.	F. N	1. F.	M. F	. (M.)	F. M.	F.  M.	F. М	. F.	M. F	. M.	F. M.	F. N	1. F.	M. F.	M. 12	F. M.	F. 2	M. F.	M. F	M.	F. M	] [.] F.	М.	и.) F.	M. M	F.	М.	F.	P.
Influenza	2	6 2	3	4 2	2	1 1	2 2	3 2	3	3 2	1 2	2 4	2	2	1 1	1	1.		1	1 1	1								29	31	60
Cancer	4.	8	3 1	1 2	2	4	1	1 1	1.		1		1		1	1 1													19	12	31
Congestion and Hæmorrhage of Brain	5	1 3	3 1	2 1	2	3 2.	2	2 1	1	1 1		1	1	1	1														19	13	32
Softening of the Brain		2	2	1	1	. 2.									1	1		1											5	4	9
Paralysis (without indicated cause)		2 2	2 1	2 1									1																5	4	9
Organic Diseases of the Heart	3	2 5	6	3 3	5	3 5	1 1	3 2	2	. 2	1	1 1	1 1	3	2	1	1.	1			1					1			33	28	61
Disease of Arteries, Atheroma, Aneurism, &c	1.	2	2	1 1						1	1	. 1.		1.		1													7	3	10
Embolism and Thrombosis	1	1	. 1	3		1	1 1					1	1			1													6	6	12
Chronic Bronchitis		1 8	3 1.	2	3.	1	2 1	2		. 3			1	2	2	2 1		1						. 1			1		13	17	30
Pneumonia	3	1	. 1	1	1.	1		1		1		1 2.	1		1														12	3	15
Congestion of Lungs and Pul. Apoplexy					.			1		. 1					1	1	1.											. 1	2	4	6
Asthma	1		. 1	1				1					1																3	2	5
Other Diseases of Stomach (Cancer excluded)				1				1				. 3																	3	2	5
Diarrhœa and Enteritis (over two years)		2	2	1 1	1	1 1.	3		1	. 1	1		1									1							9	6	15
Bright's Disease	3	2 2	2 1	1	2.		1			1	1																		10	4	14
Diseases of the Bladder						1		2	2			1			1														5		5
Diseases of the Prostate	2	3	2			1	2																						7		7
Senile Debility	9	4 5	9 2	3 6	6	4 4	5 7	7 6	3 1	3 3	5	. 2	1 4	3	1 6	4 2	2 4	5 2	4	2 2	2	1 1	1	1 2	1.	]		2 1	. 76	61	137
Falls, Other	1		. 1	1	1.			1					1			]	1												2	5	7
All Other Diseases	4	4	4 4	8 1	5.	4	5 1			5 2	2 :.	2	1 2	2 1	2		3	3 1		]	1	. 1.							42	25	67
	39	24 4	6 24	30 24	31	6 24	17 21	22 15	5 9 1	5 15	13	6 16	10 11	13	11 10	9 12	2 7	10 4	5	3 4	4 3	2 2	1	1 3	1	2	1	2 2	307	230	537

There were 137, or 26 per cent. of all persons dying over seventy-five years of age, returned to the indefinite term "senile debility"; the ratio so returned in 1906 was only 24 per cent. The most frequent definite cause of death returned amongst the aged was organic disease of the heart, to which 61 deaths were attributed—33 males and 28 females. Influenza, much of it of a very grave type, occasioned no less than 60 deaths against 6 only from the same cause in 1906, whilst 32 resulted from congestion and hæmorrhage of the brain, 31 from cancer, and 30 from bronchitis.

Of those living to seventy-five years of age more than half die within the next five years, and more than one-fourth between eighty and eighty-five.

			Tb.			
75 to 80				Males.	Females.	Persons. 275
80 to 85		 	 	80	62	142
85 to 90 90 to 95		 	 	42 10	50	92 20
95 to 100	•••	 	 	5	1	6
100 and upwards		 	 	•••	2	2
				307	230	537

The deaths of two centenarians were registered in 1907. Both were females, aged 103 years last birthday. One died at Ipswich from congestion of the lungs and the other at Bundaberg of old age. Both deaths took place in the fourth quarter of the year. In all cases of the deaths of centenarians, special inquiries are made so as to test as far as possible the accuracy of the statement as to age.

Full details as to deaths due to different causes, giving ages of persons dying, months and districts in which deaths took place, &c., &c., will be found at Appendix Table No. XVIII., et seq. A brief summary, covering a few of the most frequent forms of disease, is contained in the following statement:—

#### Tc.

Return, showing the Number of Deaths from some of the Principal Causes in the Order of their Degree of Fatality, also their Proportion per 10,000 of the Total Deaths and per 100,000 of the Mean Population, respectively, for the Year 1907.

Most Common Cause of Deat	h.			No, of Deaths.	Proportion per 10,000 of Total Deaths.	Proportion per 100,000 of Mean Population.
			-			
Organic Diseases of the Heart	•••			468	836	86
Diarrhœa and Enteritis (under and over	2 years	)		415	741	77
Tuberculosis of Larynx and Lungs	***		•••	353	630	65
Cancer (all kinds)				353	630	65
Congenital Debility, Icterus, and Sclerom	a (under	· 3 mor	nths)	303	541	56
Influenza				222	396	41
Pneumonia				220	393	41
Senile Debility				210	375	39
Bright's Disease			,	193	, 345	36
Congestion and Hæmorrhage of Brain				165	295	30
Acute and Chronic Bronchitis				130	232	24
Whooping Cough				121	216	22
Convulsions of Children under 5				91	163	17
Typhoid Fever	**(			. 84	150	16
Total Deaths from all Causes				5,599		
Mean Population	•••		•••	•••	54	1,204

This table has been generally compiled to embrace a comparison of five years' mortality. Owing to the change of classification brought about in 1907, such a comparative statement would be complicated and incomplete, and, therefore, it has been thought better to curtail the table to one year's data only.

Organic Disease of the Heart.—Organic disease of the heart, which was responsible for 468 deaths last year, was first on the list of mortality. It was the cause of 8 per cent. of all deaths, and of nearly 1 in every 1,000 of the population.

Diarrhea and Enteritis caused 415 deaths, second in degree of mortality in 1907, largely among the very young; 338 deaths, or 81 per cent. of the total, being of infants under two years of age. It was responsible for 7 per cent. of all deaths. One out of every 1,299 of the population succumbed to this complaint.

Tuberculosis of Larynx and Lungs.—For many years this disease stood at the top of the list of causes of death arranged in order of degree of fatality. It is always difficult to say definitely as to how far a decrease in the ratios of deaths due to a particular disease is attributable to a decline in the number of cases. Medical diagnosis changes constantly, and the knowledge and views now held, about tuberculosis particularly, are entirely different to what prevailed twenty-five or thirty years ago. There is, however, good reason for believing, after making every allowance, that the incidence of this serious complaint is less than formerly was the case.

There were 353 deaths, due to tuberculosis of the throat and lungs, in 1907, against 361 in the previous year, which, in view of the larger number of total deaths in the former, is a substantial decrease. The following table furnishes information as to residence in the State with regard to deaths from tuberculosis of these parts of the body:—

DEATHS FROM PHTHISIS AND TUBERCULOSIS OF THE PULMONARY AND LARYNGEAL ORGANS.

RETURN showing BIETHPLACES and DURATION OF RESIDENCE in QUEENSLAND of PERSONS who DIED

Td.

RETURN showing BIRTHPLACES and DURATION OF RESIDENCE in QUEENSLAND of PERSONS who DIED from the above Causes, 1903-1907.

							Durati	ion of Re	esidence	in Queer	ısland.				
	Birthplaces.			Under 6 Months.	6-12 Months.	1-2 Years.	2-3 Years.	3-4 Years.	4-5 Years.	5-10 Years.	10-15 Years.	15-20 Years.	20 Years and Up.	Unspecified.	Total.
		1	7.7					0							100
1903 {	Australian States Zealand Pacific Islands Elsewhere	and	New	4 4	 2 4	6 5	7 3	4	1 4 5	8 4	4 8 17	12 3 34	64 3 114	9 8 55	100 57 245
	Totals			12	6	13	11	6	10	13	29	49	181	72	402
	Australian States Zealand Pacific Islands	and	New	1 2	5	7	1 8	4	2	4 8	6	15 5	93	9	129 60
1904 {	Elsewhere Totals					1 8	$\frac{2}{11}$	1 		12	13 ————————————————————————————————————	45	$\frac{114}{217}$	39	$\frac{221}{410}$
,	100000		•••												
-	Australian States Zealand	and	New	1	•••	1	1	1	1	5	9	19	106	3	147
1905	Pacific Islands Elsewhere			2	2	3 1	6	5	4	6 5	8 12	5 32	106	6 36	48 202
	Totals	•••		3	2	5	8	7	5	16	29	56	221	45	397
(	Australian States Zealand	and	New	1		1	1		•••	8	5	8	91	5	120
1906	Pacific Islands Elsewhere			4	1	1	5	3	1	7 14	10 10	8 28	10 115	3 9	50 191
į	Totals	•••		5	2	2		6	2		25	44	216	17	361
(	Australian States	and	New	2	2	2	2	1	1	3	3	10	104	3	133
1907	Zealand Pacific Islands Elsewhere				2	4		2	$\frac{1}{2}$	2 8	5 10	$\begin{array}{c} 1 \\ 22 \end{array}$	10 134	1 15	20 200
	Totals			3	4	6	2	3	4	13	18	33	248	19	353

It will be evident from the foregoing table that, with but slight exception, all deaths from this cause were of persons who contracted the complaint in Queensland. Some even of the very few who were resident for less than five years in the State were, nevertheless, born and resident there in the whole of their life. The reduction in the number of Pacific Islanders in the population makes for a decrease in tuberculosis, persons of that race being particularly subject to its ravages. Six per cent. of deaths from tuberculosis of all kinds were of persons of this race, which is twenty-one times their ratio in the population. The following table relates to tubercular diseases of all other organs:—

Te.

DEATHS FROM TUBERCULAR DISEASES (OTHER THAN TUBERCULOSIS OF PULMONARY AND LARYNGEAL ORGANS).

RETURN showing BIRTHPLACES and DURATION of RESIDENCE of PERSONS who DIED from the above Causes, 1903-1907.

				Durati	on of Re	esidence	in Queens	sland.				
Birthplaces.	Under 6 Months.	6-12 Months.	1-2 Years.	2-3 Years.	3-4 Years.	4-5 Years.	5-10 Years.	10-15 Years.	15-20 Years.	20 Years and Up.	Unspecified.	Total.
Australian States and Ne	v 19	16	12	4		1	7	6	2	8	4	79
$ \begin{array}{c} \text{Zealand} \\ \text{Pacific Islands} \\ \text{Elsewhere} \\ \dots \\ \dots \end{array} $		4	11 1	8		2	3	7	4 3	4 5	2 5	47 15
Totals	. 21	20	24	12	1	3	10	13	9	17	11	141
(Australian States and Ne	v 11	8	8	4	2	2	5	2	2	14	1	59
$1904 \begin{cases} \text{Zealand} \\ \text{Pacific Islands} \\ \text{Elsewhere} \\ \dots \\ \dots \end{cases}$		3		2	1	2	5	3	2 1	2 6	2 1	23 11
Totals	. 12	11	9	6	3	4	11	6	5	22	4	93
				reposal bade brokensores								
Australian States and Ne	w 11	13	5	2			3	1	2	7	2	4.6
D .6 I 1 1				2 1	5	2	5	2 2	$\frac{1}{2}$	<b>3</b> 6	3	23 12
Totals	11	13	6	5	5	2	8	5	5	16	5	81
									6			
Australian States and Ne	w 12	7	7	1	, 1		2	2	2	4	2	40
Pacific Islands				1			1 1	3	4 2	3 7	6	14 17
Totals	12	7	8	2	2	1	4	5	8	14	8	7]
Australian States and Ne	w 6	3	4	1		1		4	1	4		24
1907 Pacific Islands							1	2 1	2	10		14
Totals	6	3	4	1		1	1	7	3	15	1	45

These number 42. A larger proportion of them show only a short residence in the State. This was in no sense due to the importation of infected cases, but rather to the fact that tuberculosis of the alimentary canal, cases of which are here included, is more prevalent with the very young than are attacks upon the respiratory organs.

Cancer of all varieties and of every part was the cause of 353 deaths last year, which was an increase on the experience of previous years. The average annual mortality from this cause for the preceding four years was 298. For the information of professional men it is the practice to publish the following table, giving greater details respecting this fell disease:—

Tf.

RETURN showing the AGES of all PERSONS REGISTERED as DYING from CANCER of ALL KINDS during the Year 1907, together with the portion of the Body affected thereby.

					93											A	GE.												obio		
													-							1				13			rds.		of the first	Total.	
Portion of the	Body A	Affect	ed.																				1				and upwards.	fied.	0.010	16 91	
					6		3.	to 4.		to 15.	to 20	0.05		to 30.	30 to 35	85 to 40	CH D	10 to 45	45 to 50	50 to 55		55 to 60.	60 to 65.	1	0/ 01 99	70 to 75.	nd 1	Unspecified	093	7 1013	
					1 to		2 to	3 tc		10 t	15	90 40	2	25 t	30 t	70	00	40 t	45 t	50 1	3	55 t	60 t	a c	1 69	70 t	75 8	Uns	ně	ules.	
					м.	F. M	. F.	M. 1	. M	. F.	M. F	. м.	F. D	I. F	м. г	. м.	F. M	. F.	м. г	м.	F. M	. F.	M.	F. M.	F. N	м. Г.	м. 1	г. м.	Males.	Females	
eda, edu reda e	on or		etin								_		-	-				-	-	-	-	24	-		-	-	-		90.0	9 // /	-
domen Cervical Glas	•		1110	TO:													1	-		2	1			1		1 2	9.1		. 2	5	
illa , and Arm																		1			1						1.		1	1	
and Chest																				2									2		
					1											.]!				1		. 1		1		4 1		-	4 2	3	
easts	0																1		3	2		. 1		1	1	1		2		12	
,, and Liver ,, and Lung and	 I Spina	l Cor	d																	1				1						1	
" and Meninges " and Stomach																									1					1	
rvical Glands																		i											1		
eek																		1					9 .	1					5		
and Lumbar Reg	ion																									1			1		
and Neck	***															1				, 1				1					. 1		
" and Lung										. 1																				Î	
rehead Il Bladder	Y. or									1			9					1		2 1				2		1	1		. 2	5	
oin																			1		1 .			1 1	1.1				. 1	1 5	-
cestines Colon										1				1				1		1				1 1					4	- 2	
" Duodenum " Duodenum		nore	***	•••														•					1.						1	•••	
" Rectum																1			2	1		2	1	3	1		2.		. 8	5	
w dney															. 1	. 1		1	1	1		2		1	1	4	2		13	1	
" and Spleen																		1											. 1		
rynx ,, and Trachea																1				1			1			1			3		
)																											1		. 1		1
, and Neck							. 1				1		1					i	4	1 5		$\begin{array}{ccc} 1 & \dots \\ 2 & 1 \end{array}$	5.	4	7	3 1	2	5	27	20	0
ng ediastinum																. 1			:	2		1		1 1			1	1	3 2	3	1
outh																				1		i							2		
, and Throat	9. 8						1	1.1.	-									1		6	1	1	1	. 2					. 2	1	1:
se	a. C																						1						1		1
sophagus																					1	1	1	1		1			. 4		16
and Stomac			8	***				i									1				1			1						$\frac{1}{2}$	1
, and Lung																					1									1	
bit				•••											1	111		*		3		1			1	1			. 5	2	
" and Periton	eal Gla			0.75															1										1	,	
lvis	TO OTA									1										1			2.			2			4	1	
arynx eura and Liver	Elior														1				1 .												
lorus	11/00	110																1 1			1	9		- 1	1 1	91	1 1		5	2	
leen		100	9	69.7												1	1	1	5	3	2	9 2	5	2 10	5	7 3	1	1	. 42	16	
" and Bowels																								1	L.					1 3	
,, and Liver			[ ]							1										1			1						. 1		
,, and Pancres	AS																		1			1	1	· · ·							
, and Neck																				. 1					1				1		1
ngue ,, and Neck																			2			1 .		2			3.		7		
nsil	WAT	8. 8	1												1						2			1			7			1	1
terus ,, and Lung															1							2		2	8			2		39	
" and Vagina																												1	1	- 1	
alva		11091																		1										1	
aspecified					1														2			1 1			1				5	3	
Total					1			1		1	1		1	1	1 4	3 4	5	1 13	29.2	7 30	19 9	7 11	23	19 31	303	30 13	191	2	204	149	

Of the 353 deaths from this cause 204 were of males and 149 females. Of the former, in 42 cases, or 21 per cent. of the whole, the part affected was the stomach alone, besides which in 7 cases the stomach was attacked in conjunction with other organs. In 27 instances the liver was alone implicated, and in 13 cases the jaw. Of the 149 females, 41 died from cancer of the uterus, in 2 cases of them other organs were also involved, in 20 cases the seat of attack was the liver, in 16 the stomach alone, and with other organs associated 6, and in 16 the breast, 12 alone and 4 in conjunction with other parts.

Influenza.—There was a rather severe epidemic of this complaint in 1907, and 222 deaths resulted. A number of aged persons and children succumbed to its attacks. The practice which too freely obtains of holding influenza lightly and not taking precautions, both at its inception and with convalescence, was in a number of cases the cause of a fatal termination.

Pneumonia.—This complaint also was more prevalent in 1907 than in 1906, 220 deaths against 167. The experience of the latter year with regard to pneumonia was, however, exceptionally favourable. The figures for the previous three years were—1903, 256 deaths; 1904, 205 deaths; and 1905, 228 deaths.

Bright's Disease caused 193 deaths in 1907 against 176 in 1906, an increase of 17. This disease

appears more frequently on the certificates than was formerly the case.

Whooping Cough.—This complaint of childhood not infrequently appears in epidemic form in the same season as influenza. There were only 8 deaths due to this disease in 1906 and 121 in 1907. The epidemic was chiefly confined to the South-eastern portion of the State, 43 deaths occurring in the metropolitan group of districts, 25 in the Moreton, 26 on the Downs, and 17 in Wide Bay group.

Typhoid Fever caused 84 deaths in 1907. In the metropolitan group there were 19 deaths, in the Moreton 6, and Wide Bay 7. The districts comprising the coastal slope between Cape Palmerston and Cape Tribulation contributed 28 deaths from typhoid, 12 being in the district of Herberton. There were also 12 deaths in Carpentaria Group, chiefly in the vicinity of Hughenden and Cloncurry.

#### MARINE REGISTRATION.

There were no births entered in the Marine Registry during 1907, but there were 6 male deaths—5 were of adults and 1 a child. Two adults died on the Island trader "Malaita." The other deaths took place on the voyage from London of the Orient liners, "Omrah" and "Oruba."

#### ADDITIONS TO REGISTERS.

There were 28,392 names added to the registers last year, making, with those already recorded, 866,560 on the records at the end of 1907. The registrations, therefore, numbered 2,102 more than in 1906.

#### REGISTRY OFFICE.

Receipts by and Payments to Registrars.

The following table shows the collections at each District office of importance:

T.

RETURN showing the Amounts received by the District Registrars in the State during the Years 1906 and 1907 respectively, and paid into the General Revenue.

District Registrars at—	1906.	1907.	District Registrars at -	1906.	1907.
Brisbane Bundaberg Cairns Charters Towers Dalby Gympie Herberton Ipswich Mackay Maryborough	£ s. d. 374 17 1  *  8 9 6 39 15 0 7 13 1 18 7 6  *  48 4 6 13 9 6 24 14 0	£ s. d. 401 5 11 18 15 0 12 10 0 48 8 0 9 7 6 21 7 0 9 0 6 53 13 6 19 15 0 36 17 6	Mount Morgan Red Hill Rockhampton Thursday Island Toowoomba Townsville Warwick Total all other Districts	£ s. d.  21 0 6 34 10 0  *  31 7 0 29 15 6 12 8 6 154 12 6  819 4 2	£ s. d. 12 6 6 32 4 6 52 17 6 15 1 6 39 15 6 41 1 6 19 2 0 115 5 6 958 14 5

<sup>\*</sup> Included in other Districts.

The total revenue in 1907 was £958 14s. 5d., an increase over the collections of the previous year of £139 10s. 3d. It will be noticed that the increases were general, and in several instances substantial. Besides work for the public for which fees are thus received, a large amount of gratuitous services are performed for the various Government Departments, for Consuls, and others. This would probably be equivalent at scale rates to an additional £300, the bulk of the work involved, of course, falls on the General Registry Office.

Payments to registrars for work in connection with registration were, for the last two years, as follow:—

Ta.

Return showing the Amount of Salary or Fees Paid to District Registrars of the State during the Years 1906 and 1907 respectively.

									T				1		
1	District.		15	906.		19	907.		District.	19	906.		19	007.	
Caboolture Cardwell Drayton and Enoggera Fassifern Ipswich Kennedy	 Toow 	 roomba  	 25 *200 144	0 12 16	d. 0 0 0 6 6 0 0	£ 53 21 *166 149 27 *197 *140	11 0 1 17 1	d. 0 0 6 6 6 4 0	Oxley Rockhampton Total all other Districts	£ *130 46 *100 391 1,471	0 7 0	d. 0 0 0 0 0	£ *130 48 *100 399  1,433	7	d. 0 0 0 6

<sup>\*</sup> Paid by salary.

The total amount for 1907 was £1,433 5s. 4d. against £1,471 3s. in 1906, a decrease of £37 17s. 8d.

THORNHILL WEEDON, F.S.S.,

Government Statistician.

Government Statistician's Office, Brisbane, 12th September, 1908.

#### CLASS I .- General Diseases.

- 1. Typhoid Fever.
- 2. Typhus.
- 3. Recurrent Fever.
- 4. Intermittent Fever.
- 4a. Malarial Cachexia.
- 5. Small-pox. 6. Measles.
- 7. Scarlet Fever.
- 8. Whooping Cough.
- 9. Croup. 9a. Diphtheria.

- 10. Influenza.11. Miliary Fever.12. Asiatic Cholera.
- 13. Cholera Nostras.
- 14. Dysentery. 14a. Epidemic Dysentery.
- 15. Plague.
- 16. Yellow Fever.
- 17. Leprosy
- 18. Erysipelas.19. Other Epidemic Diseases.
- 19a. Beri Beri.
- 19b. Dengue.
- 20. Purulent Infection and Septicæmia.
- 21. Glanders and Farcy.22. Malignant Pustule and "Charbon."
- 23. Rabies.
- Trichinosis, etc.
- 25. Pellagra.
- 26. Tuberculosis of the Larynx.
- Tuberculosis of the Lungs.
- Tuberculosis of the Meninges.
- 29. Tuberculosis, Abdominal, etc.
- 30. Pott's Disease.
  31. Cold Abscess; Symptomatic Abscess.
- 32. White Swellings.
- 33. Tuberculosis of other Organs.34. General Tuberculosis.
- 35. Scrofula.
- 36. Syphilis.
- 37. Blennorrhagia of Adults.
- 38. Gonococcic Dis. (children under five).
- 40. Cancer, etc., of the Stomach and Liver.
  41. Cancer, etc., Peritonæum, Intestines, etc.
  42. Cancer, etc., of the Female Genital Organs.
  43. Cancer, etc., of the Breast.

- 44. Cancer, etc., of the Skin.
- 45. Cancer, etc., of other Organs.46. Other Tumours (excl. F. Genital Organs).47. Acute Articular Rheumatism.
- 48. Chronic Rheumatism and Gout.
- 49. Scurvy.
- 50. Diabetes.
- 51. Exophthalmic Goitre.52. Addison's Disease.53. Leucæmia.

- 54. Anæmia, Chlorosis.
- 54a. Filaria.
- 55. Other General Diseases.
- 56. Acute and Chronic Alcoholism.
- 57. Lead Poisoning.
- Other Chr. Poisonings due to Occupations.
- 59. Other Chronic Poisonings.

#### CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.

- 60. Encephalitis.
  61. Simple Meningitis.
- 61a. Epidemic Cerebro-spinal Meningitis.
- 62. Progressive Locomotor Ataxia.
  63. Other Diseases of the Spinal Cord.
  64. Congestion and Hæmorrhage of Brain.
  65. Softening of the Brain.
- 66. Paralysis without indicated cause. 67 General Paralysis.
- 68. Other Forms of Mental Alienation.
- 69. Epilepsy.
- 70. Eclampsia (non-puerperal).71. Convulsions of Children under five.
- 72. Tetanus.
- 74. Other Diseases of the Nervous System.
- 75. Diseases of the Eyes and Appendages.76. Diseases of the Ear.

#### CLASS III.—Diseases of the Circulatory System.

- 77. Pericarditis.
- Acute Endocarditis.
- 79. Organic Diseases of the Heart.
- 80. Angina Pectoris.
- 81. Dis. of Arteries, Atheroma, Aneurism, etc. 82. Embolism and Thrombosis.
- 83. Dis. of Veins (Varices, Varicose Ulcers, etc.)
- 84. Diseases of the Lymphatic System.
- 85. Hæmorrhage.
- 86. Other Diseases of Circulatory System.

#### CLASS IV.-Diseases of the Respiratory System.

- 87. Diseases of the Nasal Fossæ.
- 88. Diseases of the Larynx.89. Diseases of the Thyroid Body.90. Acute Bronchitis.
- Chronic Bronchitis.
- Broncho-pneumonia.
- Pneumonia.
- 94. Pleurisy.
- 95. Congestion of Lungs and Pul. Apoplexy.
- 96. Gangrene of the Lungs.
- Asthma.
- 98. Pulmonary Emphysema.
  99. Other Diseases of the Respiratory System.

#### CLASS V.-Diseases of the Digestive System.

- 100. Dis. of Mouth and associated organs.

- 101. Diseases of the Pharynx.
  102. Diseases of the Œsophagus.
  103. Ulcer of the Stomach.
  104. Other Dis. of Stomach (Cancer excluded).
- Diarrhœa and Enteritis (under two years).
- Diarrhœa and Enteritis (over two years). 107. Intestinal Parasites.
- 107a. Ankylostoma.
- 108. Hernia, Intestinal Obstruction. 109. Other Diseases of the Intestines.
- Icterus Gravis.
- 111. Hydatid Tumours of the Liver.
- 112. Curhosis of the Liver.113. Biliary Calculi.114. Other Diseases of the Liver.

- 114. Other Diseases of the Liver.
  115. Diseases of the Spleen.
  116. Simple Peritonitis (non-puerperal).
  117. Other Diseases of the Digestive System.
  118. Appendicitis and Abscess of Iliac Fossa.

#### CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.

- 119. Acute Nephritis. 120. Bright's Disease.
- 121. Other Diseases of Kidney and Adnexa.
- 122.
- 123.
- Calculi of Urinary System.
  Diseases of the Bladder.
  Other Dis. Urethra, Urinary Abscess, etc. 124.
- Diseases of the Prostate
- 126. Non-venereal Dis. of Male Genital Organs.
- Metritis
  Uterine Hæmorrhage (non-puerperal).
- 129. Uterine Tumour (non-cancerous). 130. Other Diseases of the Uterus.
- 131. Cysts and other Ovarian Tumours
- 132. Other Dis. of Female Genital Organs.133. Non-puer. Dis. of Breast (Cancer excep.)

#### CLASS VII.—Puerperal Condition

- 134. Accidents of Pregnancy.
- 135. Puerperal Hæmorrhage
- 136. Other Accidents of Childbirth.

- 136. Other Accidents of Chitdorth.
  137. Puerperal Septicæmia.
  138. Puerperal Albuminuria and Eclampsia.
  139. Puerperal Phlegmas a Alba Dolens.
  140. Other Puerperal Accidents, Sudden Death.
  141. Puerperal Diseases of the Breast.

- CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.
- 142. Gangrene.
- 143. Carbuncle. 144. Phlegmon, Acute Abscess.
- 145. Other Diseases of the Skin and Adnexa.

#### CLASS IX.-Diseases of the Organs of Locomotion.

- Non-tuberculous Diseases of the Bones.
- 147. Arthritis and other Dis. of Joints.
- 148. Amputation.
- 149. Other Dis. of Organs of Locomotion.

#### CLASS X.-Malformations.

150. Congenital Malfor. (excl. of Stillborn).

- CLASS XI.—Infancy (under 3 mos.)
- 151. Congenital Debility, Icterus, and Scleroma.152. Other Diseases Peculiar to Infancy.153. Want of Care (Infants).

#### CLASS XII.-Old Age.

154. Senile Debility.

#### CLASS XIII.-Violence.

- 155. Suicide by Poison.
- 156. Suicide by Asphyxia.157. Suicide by Hanging or Strangulation.
- 158. Suicide by Drowning. 159. Suicide by Firearms.
- 160. Suicide by Cutting Instruments.
- 161. Suicide by Precipitation from a Height.
- 162. Suicide by Crushing. 163. Other Suicides.
- 164. Fractures. 165. Dislocations.
- 166a. Mines and Quarries.
- 166b. Railways.
- 166c. Tramways. 166d. Other Vehicles. 166e. Horses, etc.
- 166f. Ships, Boats, Docks, etc. (not Drowning). 166g. Building Works, etc.
- 166h. Machinery.166i. Weapons and Implements.166j. Suffication.
- 166k. Falls, other.
- 1661. Timber Felling, Logging, etc. 166m. Other Accidental Injuries.
- 167. Burning by Fire.168. Burning by Corrosive Substances.
- Insolation.
- 170. Freezing. 171. Electric Shock.
- Accidental Drowning. Inanition. 173.
- 174. Inhalation of Noxious Gases.
- 175a. Snake Bite.
- 175b. Other Accidental Poisoning.
- 175c. Criminal Poisoning. 176a. Murder by Whites. 176b. Murder by Coloured.
- 176c. Manslaughter. 176d. Justifiable Homicide.

176e. Execution. 176f. Other External Violence.

#### CLASS XIV. Ill-defined Diseases.

- 177. Dropsy. 178. Sudden Death.
- 179. Unspecified or Ill-defined Causes of Death.

### INDEX TO TABLES.

He	ad.		Particulars given in Table.	Table.	Page.
			APPENDIX A.		
Population			Synoptical Table from 1856	•••	1
Arrivals			Table showing number of Persons who Arrived in the State by Sea and Overland by Railway during the year	I.	3
Departures			Table showing number of Persons who Departed from the State by Sea and Overland by Railway during the year	II.	4 & 5
Arrivals			Table showing the number of Coloured Aliens who arrived in Queensland		
Depa <b>r</b> tures	3		by Sea and Overland by Railway during the year Table showing the number of Coloured Aliens who departed from	III.	6
Population			Queensland by Sea and Overland by Railway during the year Estimated for 1906 and 1907, Estimated Mean for the year	IV. V.	6 7
Metropolita		я	Mean Population, Births, Deaths, and Marriages for Seven years	vi.	7
Births		a	Number Registered during each Quarter	VII.	7
Marriages			Trained registered during each quarter	VIII.	8
,,			Number Registered, showing the Denominations	IX.	9
,,			Showing the Birthplace or Race of the Persons Married	X.	10
,,			,, various Ages of the Persons Married	XI.	11
Deaths in	the Sta	ate	Showing the Number Registered during each Month of the Year in	XII.	12
			Age Groups	A11.	14
99			according to Districts	XIII.	13
			Number of Children Male and Female under Five years	XIV.	14
"			Righthalog &c of Persons whose Deaths were Registered	XV.	15
,,			Occupations of Persons whose Deaths were Registered	XVI.	16
"			Causes of Deaths, arranged in order of Degree of Fatality	XVII.	17 to 19
,,			,, Causes of Deaths of Males at different periods of life,		
,,			Registered during the year	XVIII.	20 to 22
,,			,, Causes of Deaths of Females at different periods of life,	XIX.	22 40 25
			" Causes of Deaths of Persons at different periods of	$\Lambda 1 \Lambda$ .	23 to 25
			life, Registered during the year	XX.	26 to 28
"			,, Causes of Deaths, Males and Females, Number Registered each Month	XXI.	29 to 31
,,			,, Causes of Deaths of Males, Females, and Persons in the	AAI.	20 10 01
,,			several Groups of Registry Districts	XXII.	32 to 37
Deaths in 1	Raighar	20	Causes of Deaths, Males, at different periods of life,		
Deaths in	Drisuar	16	Registered within Metropolitan Area	XXIII.	38 to 40
			Causes of Deaths Females at different periods of life	AAIII.	00 10 40
"		•••	Registered within Metropolitan Area	XXIV.	41 to 43
			,, Causes of Deaths, Persons, at different periods of life,		42 00 40
,,			Registered within Metropolitan Area	XXV.	44 to 46
, ,,			", Causes of Deaths, Males and Females, Registered during each Month of the Year, within Metropolitan Area	XXVI.	47 to 49
			APPENDIX B.		
			District Presistance List of for 1907		50
			District Registrars, List of, for 1907	***	50

# APPENDIX A.

SYNOPTICAL TABLE.

SYNOPSIS of the Vital Statistics of Queensland from the Year 1856 to 1907 inclusive.

ULAND CENTERINAL TABLE.

= ++ T	1898 1899 1900 1901 1902 1903 1904 1905 1906	1856 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1867 1877 1878 1877 1878 1877 1888 1889 1899 189	YEAR.		( correction of the correction	Correct   Correct	Corre  1881  1882  1883  1884  1884  1884  2 estir	1856 1857 1858 1859 1860 1861 1862 1862 1865 1865 1865 1867 1867 1877		YEAR.
his estir	7,128 7,128 7,599 7,281 7,279 6,427 7,134 6,978 7,280 7,454		Male Births registered each year.	BIRTI	1 : 1 : : : : : : : : : : : : : : : : :	n ++ a	mate cted	mate	1	P00
nate excee	6,750 6,771 7,202 7,022 6,937 6,194 6,648 6,648 6,739 7,088	488 488 488 488 590 590 590 590 590 590 590 590	Female Births registered each year.	IS, THEIR OF EACH ANI	\$\frac{8\frac{27}{2}}{2}\$	201,024 201,024 214,531 225,516 225,607 235,607 1243,926	126,263 132,904 145,592 169,990 182,442 [191,450	11,254 112,462 113,276 113,854 116,817 20,811 20,811 20,813 37,579 45,516 65,836 65,836 65,836 65,836 65,7307 79,618 87,162 79,618 87,163 87,163 87,163 87,163 87,163 87,163 87,163 87,163 87,163 87,163 87,163 87,163 87,163	Males.	PO
ded the Po	13,899 14,801 14,303 14,216 11,621 11,682 13,626 14,019 14,542	7.55 975 11,089 11,286 11,428 11,428 12,222 2,2823	Total Births registered each year.	PROP	177,941 177,794 177,794 177,797 188,360 199,381 201,390 207,566 207,566 218,282 218,282 219,277 219,277 219,277 219,277 219,277,658 230,283 283,856 283,856	132,471 141,590 152,409 161,947 171,051 178,850	1 000 AAA	7,29 8,19 9,66 11,55 11,55 13,55 13,55 14,58 38,48 38,48 38,48 38,48 38,52 38,52 38,52 38,53 59,53 59,	Females.	PULATION
pulation,	+ 34 + 490 + 498 + 498 + 1,595 + 1,461 1 1,461 1 1,466 + 456 + 393 523		creaset in Births of each year.	N D D	1 1 2093,413 2 410,380 2 421,297 6 432,299 6 454,700 8 454,700 8 454,700 8 454,700 8 4512,604 7 505,944 8 5115,530 8 521,655 6 521,655 6 528,048 8 521,655 6 528,048		226, 226, 3 248, 5 287, 5 326, 3 326,		Persons.	ON THE
as ascerta	+0.24 +0.24 +0.49 +3.37 +1.061 +1.1.22 +1.1.28 +3.24 +3.24 2.88 3.73	20 A A A A A A A A A A A A A A A A A A A	crease† in Births of each year.  Centesimal Proportion total	SEN	+	906 614 940 940 13 463 10 658 10 776 8	054 968 †1 955 12 255 12 475 24 913 12 916 9	400000000490000000000000000000000000000		31sr DE
ined by th	2-63 2-63	50 100 100 100 100 100 100 100 100 100 1	Births bear to Mean Population of each year.  Number of Female Births to		5,407 5,828 5,538 6,759 5,407 5,288 6,759 5,407 5,408 5,	,574 6, ,507 10, ,985 9, ,091 9, ,319 7,	312 2 688 8 398 14 452 9 008 7	1.208 814 814 82,963 1,963 1,963 1,963 1,963 1,963 1,987 1,800 1,8	Males.	CEMBER MERICAL CCREASE† 1 OF 31ST
ne Census he Census	50.557.44 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1 888888888888888888888888888888888888	each 100 Male Births.  Male Deaths registered each	U	3,585 5,560 10,5,174 11,5,176 11,5,069 11,5,769	,124 15, 819 24, 538 20, 508 20, 799 16,	203 599 21 5986 22 39 5986 22 17	900 839 839 1,573 1,573 1,573 1,573 1,573 1,573 1,596	Females.	OF EAC
taken on	,480 2,1 ,480 2,1 ,480 2,1 ,480 2,1 ,480 2,1 ,480 2,1 ,480 2,1		Female Deaths registered		6,769 11,002 11,002 11,686 15,895 11,639 11,639 11,621 11,521 11,778 11,778 4,909 4,677 6,125 6,125 6,125 6,125 6,136	698 326 326 1195	891 287 287 438	2.11.00 11.658 1.6	Persons.	H YEAR, OIL INTON
3rd Apri	01 6,14 669 5,74 689 6,20 80 6,20 95 6,34 91 5,25 004 5,50 83 5,09 19 5,59	44404444444444600000000000000000000000	Total Deaths registered	THEIR PR THEIR AN	1.40 2.45 2.45 2.45 2.45 2.10 2.10 2.10 2.10 2.10 2.10 2.10 2.10	5.00 6.72 5.12 4.47 8.58	+0.98 9.55 16.76 1.732 4.94	10.1.7.1 10.1.7.2 10.53.3 11.53.3 11.53.3 12.35.3 12.35.3 13.063.8 1	Males.	E, ITS INCI DF THE SE CENTESIMA IN POPULA DECI
l, 1881, by over D May, 188	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		each year.    Numerical Increase or Decrease† in Deaths of	ORTH UAL, SIMA	2-09 2-09 2-09 2-09 2-09 2-09 2-10 2-10 2-10 2-10 2-10 2-10 2-10 2-10	4.52 6.26 4.56	2:40 9:14 9:14 14:44 8:49 6:27	10.234 110.234 110.234 110.062 117.062 117.062 127.062 117.092 127.093 120.093	Females.	THE SEXES. THE SEXES. ENTESIMAL RATI CORFASE OR DECRI N POPULATION OF DECEMBER.
y 8,891 M eaths and 6, by 1,10 aths and	+99 + 1 +397 + 6 260 197 197 142 253 253 +1408 +1504 +1708 +	+ ++ ++ +++ ++++++++++++++++++++++++++	cach year.  Centesimal Increase or Decrease† in Deaths of	NOE	170 2567 777 2567 256	4·80 70 7·10 71 5·59 71 4·95 72 3·97 73	0.39 70 9.38 70 15.80 69 5.49 70	11.137 8 800 6 8 8 800 6 8 8 8 8 8 8 8 8 8 8 8	Persons.	O OF SASET SIST
ales 3,661 l excess of 6 Males, 5	5.28 5.28 5.28 5.28 5.28 5.28 5.28 5.28	2 84,242.28.38.38.38.42.28.37.59.31.11.88.88.88.13.98.88.42.42.42.43.43.43.43.43.43.43.43.43.43.43.43.43.	each year.    Centesimal Proportion total Deaths bear to Mean	EAN PO CAL, AN ASE.	7.6.44 7.7.04 7.7.04 7.7.04 7.7.71 7.7.71 7.7.71 8.8.61 8.8.61 8.8.61 8.8.61 9.63 9.63 9.63 9.77 9.63 9.77 9.63 9.77 9.63	0.43 1.04 1.81 2.60 3.82	0.78 0.51 9.11 9.87	65.772 68.772 68.772 68.777 68.777 66.787 66.469 67.770 66.770 66.7770 67.7700	each 100 1	Males in total on of each year.
Females, or of Arrivals of 2,957 Female	21 55-82 -17 56-25 -19 56-51 -21 58-10 -21 58-10 -24 60-62 -01 61-09 -05 57-27 -08 68-62 -08 68-62	7.76 37.45 49.00 7.76 37.45 49.01 54.45 52	Population of each year.  Number of Female Deaths to each 100 Male Deaths.	PULATION,	4,162 4,388 3,877 3,877 3,877 3,877 3,871 3,794 4,867 3,811 3,185	2,813 3,600 3,718 3,519 4,222	2,087 1,597 1,811 705 1,786	181 912 912 912 912 912 913 927 932 938 938 938 948 948 948 948 948 948 948 94	Males.	TD CENTESI ADDITIONS TO DECEMBER OF EXCESS O
12,552 Per zer Depart s, or 4,063 r Departu	1,521 1,456 1,458 1,424 1,513 1,072 1,029 1,047 1,122	 141 141 141 141 141 141 141 141 141	Number of Deaths under 1 year.	INFANI	5,254 4,926 4,926 5,855	4,194 4,747 5,000 4,750 5,547	2,813 2,647 3,038 3,113 3,651	276 3876 3876 411 441 441 443 548 518 650 865 992 1,073 1,544 1,544 1,544 1,544 1,544 1,544 1,765 1,7	Females.	MAL, AN  POPULATE FEACH YE FEACH YO FEACH YE FEACH YE FEACH YE FEACH YE FEACH YE FEACH YE FEACH Y FEACH YE FEACH YO FEACH YE FEACH YE FEACH YE FEACH YE FEACH YE FEACH YE FEACH Y FEACH YE FEACH Y
sons; the ures by Se Persons; res by Se	1,830 1,690 1,708 1,645 1,829 1,264 1,215 1,200 1,334		Below 2 years of age.	THE MOT	9,545 9,637 8,699 9,729 9,729 9,729 8,879 8,890 7,763 8,296 8,296 8,296 8,298 8,298 8,123 8,924	7,007 8,347 8,718 8,269 9,769	4,90 4,24 4,84 5,43	5,177 5,	Persons.	D PROPC
estimate a between the estinal	295 200 200 173 252 218 179 156	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 and under 5 years of age.	ASE OR			040817	9376689090031113976038877		Increase to on of 31st
e has there en the 1st . nate has th	2,125 1,890 1,890 1,914 1,818 2,081 1,482 1,394 1,356 1,529		Total below 5 years of age.	, AND ITS DECREAS	2 2 3 2 2 3 3 2 2 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3	2·14 2·44 2·38 2·13 2·40	2·17 1·87 1·95 1·33		December	r of each year cess of Births
fore been of January an herefore be anuary and	+156 +235 +24 + 96 +599 +388 +138	+ + + + + + + + + + + + + + + + + + +	Decrease† in Deaths of Children below 5 years of age.	E, NUMER	229,916 235,261 247,879 247,897 261,886 276,198 276,198 276,198 276,198 278,49	195,480 207,778 220,023 220,562 230,562 239,766	129,584 139,248 157,791 176,216 186,946	11,558 12,869 112,869 115,355 15,355 14,814 18,814 18,814 18,814 49,416 55,312 62,839 66,207 62,839 66,207 72,125 62,839 68,107 72,125 68,107 72,125 68,107 72,125 68,107 72,125 68,107 72,125 68,107 72,125 68,107 72,125 68,107 72,125 68,107 72,125 68,107 72,125 68,107 72,125 68,107 72,125 68,107 72,125 68,107 72,125 68,107 72,125 68,107 72,125 68,107 72,125 68,107 72,125 68,107 73,126 68,107 74,126 68,107 74,126 68,107 74,126 68,107 74,126 68,107 74,126 68,107 74,126	Males.	MEAN AID
corrected be dispersed and 3rd of A en correct the lst of	† 6:84 †11:06 1:27 † 5:02 14:47 †28:78 †5:94 †2:73 12:76		Centesimal Increase or Decrease† in Deaths of Children below 5 years of age.	FION TO	174,856 180,552 185,919 1191,413 1197,478 204,478 210,447 2216,494 2216,898 2216,898 222,898 228,987 228,087 228,087 228,087 228,087 228,087 228,087 228,087 228,087 228,087	137,030 146,999 157,178 166,499 174,950	91,427 98,363 110,074 122,478 131,469	5,740 8,609 8,609 8,609 10,453 112,397 10,453 115,724 20,976 20,976 20,976 20,976 20,976 20,976 31,504 39,453 40,759 44,635 44,635 44,631 48,2	Females.	EAN POPU
y taking t pril, 1881, ed by taki May, 1886	34·59 32·89 31·86 29·30 28·23 25·33 26·61 27·31	5. 828 8 2 5 5 6 5 6 5 6 5 6 5 6 5 6 5 6 5 6 5 6	Centesimal Proportion Deaths of Children below 5 years of age bear to the total Deaths of each year.  Centesimal Proportion Deaths	MEAN PO	404,772 415,813 426,798 428,727 452,852 463,864 478,440 478,440 402,602 508,864 490,825 513,612 513,612 513,612 512,600 519,178 525,728 532,783 541,204	332,510 354,777 377,201 397,061 414,716	221,011 237,611 267,865 298,694 318,415	19,598 21,478 221,478 25,788 31,211 39,722 53,358 67,838 80,920 92,003 92,003 103,638 103,638 103,638 103,638 103,638 103,638 103,638 103,638 103,638	Persons.	LATION (
he Census which give ng the Cen 3, which gi	0.0000000000000000000000000000000000000	0.083 0.083 0.094 0.094 0.096 0.086	of Children below 5 years of age bear to Mean Population of each year.  Centesimal Proportion Deaths	PULATIO:	+9,850 5,345 6,435 6,435 7,683 7,683 7,683 1,689 6,115 9,670 8,115 8,266 41,704 41,704 2,502 2,702	8,534 12,298 12,245 10,539 9,204	†2,958 9,664 18,543 18,425 10,730	1,011 3 1,011 1,070 1,479 2,5184 8,5184 8,5184 8,5186 8,586 6,7868 8,7868 8,7868 8,7868 8,7868 1,898 1	Males.	TOP EACH
Populations the cornsus Popul	10.94 9.84 10.19 10.02 11.99 7.61 7.47 7.72	11-05 11-05	of Children under 1 year to Total Births, showing true infantile mortality.	N, ITS	5,696 5,3877 5,424 6,442 6,623 5,987 6,023 5,987 6,047 6,592 7,109 7,109 7,09 7,09 7,09 7,09 7,09 7,09 7,09 7,	5,561 9,969 10,179 9,321 -8,451	2,005 4 6,936 11,711 12,404 8,990		Females.	YEAR, II ERICAL IN ET IN ME
n with 13 ected est ation wit rrected e	904 910 921 883 741 789 779 877 1,057		/ 1		110 110 110 110 110 110 110 110 110 110	14 22 22 19	16 30 19			IS NUME CCREASE CAN POPUL YEAR.
per cent imate nu h 2\frac{1}{2} per stimate n	722 689 678 645 4645 4619 616 616 616		Church of Rome.	MARI	,944 ,041 ,985 ,985 ,125 ,125 ,125 ,126 ,076 ,076 ,076 ,917 ,917 ,917 ,917 ,917 ,917 ,917 ,917	,095 ,267 ,424 ,655	,5600 ,5600 ,254 ,720	 1,880 1,484 2,876 8,511 11,448 6,022 11,082 11,082 11,082 11,082 11,082 11,083 11,083 11,083 11,083 11,083 11,083 11,083 11,083 11,083 11,083	Persons.	ERICAL A
. added for trked §. cent. add tarked ¶.	553 469 449 441 441 427 487 777		Wesleyan Methodist.	IAGES,	+4-11 2-8-2 2-8-2 2-8-7 2-8-7 2-8-7 2-8-7 2-8-8 3-10-8 1-0-8	4.56 6.29 5.89 4.79 3.99	†2·23 7·46 13·32 11·68 6·09	8.53 8.53 13.64 13.755 22.755 24.755 24.755 24.755 24.755 24.755 24.755 24.755 24.755 25.755 25.755 25.755 27.755	Males.	AND CENTESIM OR DI POPULA
or non-co	570 536 570 523 476 521 521 607 731	222222222222222222222222222222222222222	Primitive ET HO OI	риста п	†0.05 3.26 2.97 2.98 2.98 2.98 2.98 2.98 2.98 2.98 2.98	4.23 7.28 6.92 5.93	2.24 7.59 11.91 11.27 7.34	11.28 11.28 11.58 26.84 26.84 26.83 16.46 16.46 8.63 8.63 8.63 8.63 8.63 8.63 8.63 8.6	Females.	ENTESIMA  IMAL RATIO DECREASE† LATION OF
n-collecti	70 70 776 221 221 242	333 333 333 333 333 333 333 333 333 33	United Methodist.  Bible Eggs	NCREASE		4.0.0.0.4	†0: 112: 6:	2112 2212 2212 2313 2413 2513 2513 2513 2513 2513 2513 2513 25	Persons.	AL INCRE. O OF INCRE IN MEAN EACH YEA
s the basi on as the	12: 13: 10: 10: 10: 10: 10: 10: 10:			OR DEC	5.84 8.95 9.85 9.85 9.85 9.85 9.85 9.85 9.85	-42 70 -70 70 -82 71 -27 72 -45 72	.43 70 51 70 51 69 70 70	9 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		of Females to
basis, and	151 154 150 156 158 157 158 157 158 9 192 8 191	### 1	Rantist	CREASE,	19. 19. 19. 19. 19. 19. 19. 19. 19. 19.	110 775 444 97	50 50 32	4738911488664888888888888888888888888888888	each 100	Males in mean onof each year.
ducting t	148 72 1144 92 1145 101 130 109 130 94 139 146 136 155 142 189 132 243		Lutheran.	NUMERION O	9,536 6,391 5,771 5,771 7,749 0,694 8,765 0,536 0,536 0,536 0,536 1,053	24,555 22,385 24,330 24,713 28,334	11,554 18,622 31,827 25,638 24,087	**5,988 **5,988 **8,334 112,291 112,291 112,291 112,291 112,092 *1,342 12,022 *1,342 12,022 *1,342 11,022 *1,022 *1,021 11,458 11,458 11,470 11,700 11,700 11,202 9,361	Males.	ARRIVAIS I BY RAII YEAI
herefrom ing there	207 228 238 21 233 230 24 200 200 200 200 200 200 200		1 Registration	ICAL AND OF EACH	8,546 7,220 6,236 7,498 9,372 8,958 8,574 10,244 11,295 111,295 111,295 111,780 111,780 111,780 111,780	9,546 10,008 10,534 10,893 9,671	4,669 8,378 14,503 11,245 10,247	**3,817 *5,155 6,936 6,936 7,105 1,747 1,360 1,360 1,360 1,747	Females.	IMMIC BY SEA AN WAY DUR
from the	3,449 3,371 3,341 3,243 2,933 2,933 3,078 3,173 3,588 4,105	M	Total Marriages.	D CENTI	28,082 23,611 25,247 30,066 27,723 39,110 39,110 39,148 39	34,101 32,393 34,864 35,606 33,005	16,223 27,000 46,330 36,883 34,334	*9,805 *13,689 *13,689 \$2,855 *6,632 *6,632 *13,882 *11,138 *1	Persons.	IMMIGRATION  VALS BY SEA AND OVERLAN  V RALIWAY DURING FACIL  YEAR AS RECORDED.
ncrease b	477 + 78 + 30 + 98 + 310 145 95 415		Numerical Increase or Decrease† in Total Marriages.	ESIMAL, .	18,414 15,367 14,548 16,735 16,735 16,824 17,735 19,013 28,094 24,634 24,634 24,634 24,334 24,334 23,094 24,536 24,334 25,052 39,216	16,287 8 12,478 17,063 6 18,141 19,237	7,000 7,531 0 9,240 1 16,865	5 4,928 6 4,660 7 7,980 6 9,928 7 7,887 7 7,887 7 7,980 8 1,7980 8 1	Males.	AND
y excess of	1605 + 2·26 + 0·89 + 9·56 + 9·93 + 9·94 3·09 13·08	2484 2484 2991 2991 2991 28879 228799 228799 22879 22979 20799 207	Centesimal Increase or Decrease† in Total Marriages.	AND THEIR	8,098 7 6,514 8,652 8 6,522 5 7,642 1 7,642 1 7,642 1 10,496 1 11,578 6 11,578 6 12,056 7 15,661	7 4,624 8 3,936 8 5,996 1 6,539 7 7,419	0 2,209 1 2,426 0 2,719 2 4,371 5 5,903	57 1,208 58 1,124 59 1,128 50 1,229 50 1,715 50 1,715 50 2,405 50 2,405 50 2,405 50 2,405	Females.	EMIGRATION.  DEFARTURES BY OVERLAND BY I DURING FACH AS RECORD
Births	0.68 0.69 0.63 0.63 0.59 0.60 0.67	0.00	Centesimal proportion total Marriages bear to Mean Population of each year.	20	26,512 22,281 19,704 21,070 24,393 24,466 25,479 25,479 25,479 25,479 40,424 40,424 40,424 47,713	20,911 16,414 23,059 24,680 26,656	9,209 9,957 11,959 18,263 22,768	8 0,050 10,886 10,88	Persons.	EY SEA AND Y RAILWAY CH YEAR RDED.

<sup>||</sup> This estimate|
| This estimate|
| This estimate s taken on the 1st May, 1886, by 1,106 Males, 2957 Foundes, or 4,083 Persons; the estimate has therefore been corrected by taking the Census Population with 24 per cent. added for non-time of the property of the control of the cont



Period.	Whence.	Bri	sbane.	Mar	ry- igh.	Bunda berg.	- Gl	ad- one.	Rock	k- ton.	Macka	ay. D	Port	Tov	vns-	Dung	ge-	Gerald	ton.	Cairns.	Po	ort iglas.	Cool	s- T	Thursda Island				TTTT	Hea	ads	Walla garr (by Ra	a	TOTA	AL ARRIV	AIS.
		М.	F.	м.	F.	м. г	м.	F.	М,	F.	М.	F. 1	м. Г	м.	F.	м.	F.	м.	F.	м. г.	м.	F.	м.	F	М.	F. N	I. F.	м.	F.	м.	F.	М.	F.	Males.	Females	Persons.
1st Quarter {	United Kingdom New South Wales Victoria South Australia Western Australia British New Guinea Hong Kong Other British Possessions in Asia British America Other Countries in Europe China Japan Pacific Islands Other Foreign Countries	430 11 7 1 19 7 10 24 	1,154 217 6 6 6   6 3 12  3	14					147		43			5  2  10 1	3					20 3			37	5		2 4				1973	1016		2243	116 8,719 444 31 7 250 43 8 10 24 10 25 10 24	75 4,688 219 8 6 12 3 6 3 12 3	191 13,407 663 39 13 262 46 14 13 36 10 28 10
		2,920	1,490	15	15		_		147				-						1	47 52			51	14	260 1			-		1973		3972 2	243		5,043	14,764
2nd Quarter {	United Kingdom New South Wales Victoria South Australia New Zealand British New Guinea Hong Kong Other British Possessions in Asla British Africa Other British Possessions (n.p.n.) Other Countries in Europe China Japan Pacific Islands Other Foreign Countries	5  1 49 6 17 2 1 1 4  8 5 10	1,588		3					101	87	16	3 1	279 4 1	131   1	56	ī		4.	51 81 2 22 8 9 19			30	117	5 2 22	4				2013		4310 2	250 1	139 10,797 2 33  85 145 10 17 2 1 4 31 11 5	103 5,227 1 3 1 11 4 2 8  1 1 1 7	242 16,024 3 36 1 96 149 12 25 2 2 5 31 18 5
	Total Second Quarter	-	1,713	16	3				148	101	87	16	3 1	320	135	56	1 _		5	00 90			46	17	151	9				2013	1034	4310 2	250 1	1,296	5,370	16,666
3rd Quarter <	United Kingdom New South Wales South Australia British New Guinea Hong Kong Other British Possessions in Asia British Africa British Africa Other British Possessions (n.p.n.) Other Countries in Europe United States China Japan Pacific Islands Other Foreign Countries	36 344 6 3 6  6 15	1,181 2 1 14 4 5 3 3 4																	49					18 148 23	44 77 77				2163			875 1	800 10,032 44 196 65 3 44 6 3 6 1 83 13 15 37	117 4,519 7 12 2 1 14 4 5 3 	917 14,551 208 67 4 58 10 8 9 1 183 17 19 45
	Total Third Quarter	3,541	1,342						137	76	58	13	7 5	471	79	200	2		50	63 172			24		221 1	9		1		2163	1112	3962 18	875 1	1,348	4,700	16,048
4th Quarter	United Kingdom New South Wales South Australia British New Guinea Hong Kong Other British Possessions in Asia British Africa Other British Possessions (n.p.n.) Other Countries in Europe China Japan Pacific Islands Other Foreign Countries  Total Fourth Quarter	2,216 4 3 34 5 63 4 5 1 1 10	3 5 19 1 4 4 											3  3  25 1  2	··· 2 ··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··				]	26			18 29 2	77	25 112 44 2 	6								45 144 80 10 63  4 5 51 11 3 12	162 4,472 1 11 9 5 19 1 4 4 	360 13,601 46 155 89 15 82 1 8 9 51 11 5
		-	3 5,889	31							-			-	decrees and	The same of the same	manage of the			86     54       396     368	-				$\frac{198}{830}$ $\frac{1}{5}$							4101 1		,		14,449
		,	3,000	02	-				1		1	1	-		1	1				able No			10	10	000   0	'	.	1		0419	+276	10345 8	342 4	2,120	19,807	61,927

Table No. II. TABLE showing the recorded DEPARTURES by SEA and OVERLAND by RAILWAY during each QUARTER of the YEAR 1907.

riod.	Whither.	Brisl	oane.	Mar		Bun	da-	Glad	d- e. b	Rocl nampt	k- ton.	Macl	kay.	Poi Denis	rt son.	Tow	ns- le.	Dun	ge-	Geral ton	d- c	airns.	Do	Port ouglas	Coctow	ok- 7n.	Thur Isla		Norm	nan- n.	Burk			Wall gar (by F		TOTA	L DEPAR	TURES.
Pe		м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	М.	F.	М.	F.	м	F. 1	и. Г.	М	. F.	м.	F.	м.	F.	м.	F.	м.	т. м.	F.	м.	F.	Males.	Females	Persons
ist Quarter.	United Kingdom New South Wales Victoria South Australia Western Australia Hong Kong Other British Possessions in Asia British America British Africa Other British Possessions (not previously named) Other Countries in Europe United States China Japan Pacific Islands Other Foreign Countries	2 60 32 25 1 310	193 1,129  2  15 5 11 1 5  7  1	23	23				2 1							1  2 14 	128				445				"1 ""1 ""1 "" "" "" ""	4	143 15 6 	2  8    1						3,745		91 8,888 28 17 2 158 156 75 25 1 310 14 56 81 1,284 13	93 4,778 111 9  15 17 5 11 1 5  7  3 77	184 13,666 39 26 2 173 173 80 36 2 2 315 1 1 21 56 4 1,361
	Total First Quarter	3,270	1,312	23	23			3	3	132	98	507	54	11	7	248	128	4	2		70	9 83			13	15	222	17				. 2313	1165	3,745	2126	11,200	5,033	16,233
2nd Quarter.	Victoria South Australia British New Guinea Hong Kong Other British Possessions in Asia British America British Africa Other British Possessions (not previously named) Other Countries in Europe United States	102 1,637  5 2 61 12 23 3 44 4 26  3 231	888 795 1 1 2 3 3 177 6 3 3 121 42	8    							38	47		4		1  4    32 11						51			11 11 6	9	5 9 84 8 23	2     6	2			2 1939				102 7,153 6 16 97 130 22 23 3 44 4 26 44 37 309 1	88 3,504 4 3 10 2 3 17 6 3 17 1 21 1 8 42 	190 10,657 10 19 107 132 255 40 9 47 45 45 45 351 1
,		2,154	980							82																13	141	23	2	1	2	2 193	9 975	3,201	1555	8,017	3,713	11,730

TABLE No. II.—continued.

Table showing the recorded Departures by Sea and Overland by Railway during each Quarter of the Year 1907—continued.

Period.	Whither.	Bris	bane.		ary- ough.		unda- erg.			Rochamp	k- ton.	Mac	kay.	Po Deni	rt son.	Towns ville.	s- I	Dunge ness.	e-   G	erald ton.	- Ca	irns.	Pou	ort glas.	Cook	town.	Thur	rsday and.	Norte	man- on.	Burk	e-  TI	weed leads rail)		anno.	Тота	L DEPART	TURES.
	Dibel Hitch	М.	F.	м.	F.	М.	F.	М.	F.	М.	F.	м.	F.	м.	F.	м. F	. м	<i>a</i> .	F. N	f. F.	м.	F.	м.	F.	м.	F.	М.	F.	м.	F.	М.	F. M	. F.	м.	F.	Males.	Females	Persons
3rd Quarter.	United Kingdom New South Wales Victoria South Australia New Zealand British New Guinea Hong Kong Other British Possessions in Asia British Africa British Africa Other British Possessions (not previously named) Other Countries in Europe United States China Japan Pacific Islands Other Foreign Countries	32 2,059  5  26 13 9 3 3 3  5 13  5 9 3 3 3	967 2 5 3 1 6 6 8 2 3	12			1	1 2   		131        6	82	32	17	- 1		2					38	5 70 3 10 			2	3  7  	13 126 1 4 	6  6   	1 1 		3	2 194	980	3891	1974	32 8,474 6 23  162 299 30 9 3 3 3 5 13 65 21 96	27 4,181 2 3 1 1 23 2 7 3 1 6  8  7 3	12,655 8 26 1 1855 31 37 12 4 4 9 9 5 5 21 665 28 99 9
			1,028	12	13	-		3	1	137	82	32			5 1		3	1				80			9	11	$\frac{5}{165}$	14	2	2		2 194	-		1974	8,991	4,277	13,268
4th Quarter.	United Kingdom New South Wales Victoria South Australia British New Guinea Hong Kong Other British Possessions in Asia British Affrica Other British Possessions (not previously named) Other Countries in Europe United States	18 2,519  6 1 20 32 4 3 5	2	31	19			2 4 	``i	190  5 	136	165	30		7 28				2		1431  1431  111	88			 10  1 18 16 	3  8 	12  12 130 16 4 	3	7 1 	5 3 	4 1	2 217		4594	2184	18 10,440 6 40 149 57 54 4 3 5	23 5,173 3 4 11 2 1 2  2	41 15,613 .9 44 160 59 55 6 3 7
	China Japan	1 3 25 22	1 2 28													2						··· 2 ··· ···					6	3			· · · · ·					10 $160$ $11$ $25$ $24$	5 4 5 2 28	15 164 16 27 52
			1,438		19	-	-			195								38			556	90			45	11	180	20	8	8	5	2 217	0 1162	4594	2184	11,008	5,265	16,273
	TOTAL FOR THE YEAR 1	10,373	4,758	74	55			12	5	546	355 7	751	124	34	24 89	97 416	4	47	6		1854	283			96	50	708	74	12	11	12	6 836	9 4282	15431	7839	39,216	18,288	57,504

				Males.	Females.	Persons.
Total recorded Arrivals Total recorded Departures		 	•••	 42,120 39,216	19,807 18,288	61,927 57,504
Excess of Arriv	als rtures	 		 2,904	1,519	4,423

N.B.—For particulars respecting departures Coloured Aliens, vide Table No. IV.

Table No. III.

Table showing the Arrivals of Coloured Aliens by Sea and Overland by Railway during each Quarter of the Year 1907.

		FIRS	r QUAF	TER.	SECO	ND QUA	RTER.	THIE	RD QUA	RTER.	FOUR	TH QUA	RTER.	TOTA	L FOR	YEA
Race.	Port.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
Chinese	Brisbane Rockhampton Townsville Cairns Cooktown Thursday Island Tweed Heads Wallangarra	 19  11 13  4 6 30		19  11 13  4 6 30	46  31 19 1 4 10 18		46  31 19 1 4 10 18	44 3 31 51  2 5 19		44 3 31 51  2 5 19	30  26 28 2 6 6 6 17		30  26 28 2 6 6 6 17	139 3 99 111 3 16 27 84		13 9 11 1 2 8
	Totals	 83		83	129		129	155		155	115		115	482		48
Pacific Islanders	Thursday Island Tweed Heads	 1 116		1 116	50		50	5 135	2	7 135	 41		41	6 342	2	34
	Totals	 117		117	50		50	140	2	142	41		41	348	2	35
fapanese	Brisbane Townsville Cairns Thursday Island Tweed Heads	 1 3  29 2		1 3  29 2	3 1  70 1		3 1  70 1	2 1  28	  1	2 1  29 	1 1 48 2	 1  5	 2 1 53 2	6 6 1 175 5	 1  6	18
	Totals	 35		35	75		75	31	1	32	52	6	58	193	7	20
Natives of India and Ceylon	Brisbane Thursday Island Tweed Heads	 36		36	2 2 40		2 2 40	60		60	1 13		1 13	2 3 149		14
	Totals	 36		36	44		44	60		60	14		14	154		15
Other Asiatic Races	Cairns Thursday Island Wallangarra	 199	6 4	205 6	41	1	1 41	161		161	104	3	107	50 <b>5</b>	1 9 4	51
	Totals	 201	10	211	41	1	42	161		161	104	3	107	507	14	52
	GRAND TOTALS	 472	10	482	339	1	340	547	3	550	326	9	335	1,684	23	1,70

Table No. IV.

Table showing the Departures of Coloured Aliens by Sea and Overland by Railway during each Quarter of the Year 1907.

				OI U	he YI	CAR 1	907.									
		FIRS	T QUAI	RTER.	SECON	ND QUA	RTER.	THIR	D QUAI	RTER.	FOURT	CH QUA	RTER.	TOTAL	DURING	YEAR
Race.	Port.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
Chinese	Brisbane Rockhampton Bowen Townsville Cairns Cooktown Thursday Island Tweed Heads Wallangarra	 51 4  53 78 1 9 5 19	8  2 	59 4  53 80 1 9 5 19	61 12 32 51 6 9 6 11	1 1   3	62 13  32 51 6 12 6 11	25 6  24 39 2  2 18	1	26 6  24 39 2  2 18	22 5 2 49 101 16 14 6 24	 2 2   1	22 5 2 51 103 16 14 6 25	159 27 2 158 269 25 32 19 72	10 1  2 4  3  1	169 28 2 160 273 25 35 19 73
	Totals	 220	10	230	188	5	193	116	1	117	239	5	244	763	21	784
Pacific Islanders	Brisbane Mackay Cairns Thursday Island Tweed Heads Wallangarra	 1,112 354 427  88	84 21 11 	1,196 375 438  88	497 78  26	64	561 78  26	326  3 6 63	29	355  3 6 63 	37  26 24	2	39  26 24	1,972 354 508 6 203 24	179 21 11 	2,151 375 519 6 203 24
	Totals	 1,981	116	2,097	601	64	665	398	29	427	87	2	89	3,067	211	3,278
Japanese	Brisbane Townsville Cairns Thursday Island Tweed Heads	 50 1 28	1 2 	6 50 2 30	10  23 1	<sub>2</sub> <sub>6</sub>	12  29 1	<sub>1</sub>	 3	1  14	3 2  12	  5	3 2  17 	7 63 1 74 1	2 2 1 16 	9 65 2 90 1
	Totals	83	5	88	34	8	42	12	3	15	17	5	22	146	21	167
Natives of India and Ceylon (Coloured)	Brisbane Townsville Cairns Thursday Island Tweed Heads	 23  12  48	•••	23  12  48	5  10  20		5  10  20	10 3  1 23		10 3  1 23	26 2 12 4 27		26 2 12 4 27	64 5 34 5 118		64 5 34 5 118
	Totals	 83		83	35		35	37		37	71		71	226		226
Other Asiatic Races	Brisbane Townsville Cairns Thursday Island	 16 13 146	7	16 13 153	 1  86		 1  86	1  121		1  121			127	1 17 13 477		1 17 13 487
	Totals	 175	7	182	. 87		87	122		122	124	3	127	508	10	518
	GRAND TOTALS	 2,542	138	2,780	945	77	1,022	685	33	718	538	15	553	4,710	263	4,973

#### Table No. V.

Showing the Estimated Population on 31st December, 1906; the Number of Births, Marriages, and Deaths Registered in Queensland during the Year 1907; the Estimated Population, and the Estimated Mean Population of the State for the Year 1907.

	d Populatio ecember, 19		Birt	hs Regist in 1907.		ages istered 907.	Deat	ths Regist in 1907.			d Populatio ecember, 19		Estimate	d Mean Po 1907.	pulation,
Males.	Females.	Persons.	Males.	Females	Persons.	Marria   Reg   in 1	Males.	Females	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
292,609	242,504	535,113	7,454	7,088	14,542	4,105	3,480	2,119	5,599	298,040	248,427	546,467	295,277	245,927	541,204

### Table No. VI.

RETURN showing Estimated and Mean Population, Births, Deaths, and Marriages in the Metropolitan Area for Seven Years.

	POPULA	ATION.		BIRTHS.			DEATHS		ages.	Deaths under	Birth rate	Death rate per 1,000	Deaths under 1 year to total Births
Year.	Estimated 31st Dec.	Mean.	М.	F.	Р.	М.	F.	Ρ.	Number Marria	1 year. Persons.	per 1,000 Mean Population.	Mean Population.	showing True Infant Mortality.
1901 1902 1903 1904 1905 1906 1907	119,428 122,815 124,463 125,672 129,736 132,468 135,655	119,428 121,122 123,639 125,068 127,704 131,102 134,062	1,802 1,836 1,625 1,670 1,683 1,701 1,697	1,655 1,675 1,565 1,631 1,591 1,510 1,598	3,457 3,511 3,190 3,301 3,274 3,211 3,295	* 840 896 876 768 864 740 883	682 712 734 665 686 571 735	1,522 1,608 1,610 1,433 1,550 1,311 1,618	1,011 1,033 897 844 840 1,073 1,132	450 440 438 372 326 283 394	28.95 28.99 25.80 26.39 25.64 24.49 24.58	12.74 13.28 13.02 11.46 12.14 10.00 12.07	13.02 12.53 13.73 11.27 9.96 8.81 11.96

#### Table No. VII.

SHOWING the NUMBER of BIRTHS REGISTERED in each REGISTRY DISTRICT in each QUARTER of the YEAR 1907.

					FIRST Q	UARTER.	SECOND	QUARTER.	THIRD 6	QUARTER.	FOURTH	QUARTER.		TOTALS.	
REGIS	TRY D	ISTRIC	cT.		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Person
ramac					7	10	20	18	24	22	21	23	72	73	14
alonne		• • • •			8	5	9	8	8	4	9	10	34	27	6
ackall					13	14	16	20	19	25	20	19	68	78	14
wen	***	•••		***	10	12	7	14	20	13	7	7	44	46	
isbane indaberg	•••				309 56	276 51	321 59	317 55	307 66	339 59	312 71	274 58	$1,249 \\ 252$	1,206 223	2,43
rke					2	4	. 00	2	3	1	2	2	7	9	4/
rnett					44	46	44	36	43	27	48	38	179	147	32
boolture					31	26	27	23	34	31	29	33	121	113	28
irns					33	37	33	32	50	50	43	37	159	156	31
rdwell	•••			•••	8	$\frac{14}{21}$	11	10	12	9	18	15	49	48	9
arleville					$\frac{15}{12}$	7	13 17	12 18	15 15	14	$\frac{14}{10}$	14 13	57 54	61 42	11
neurry					5	3	4	10	10	7	3	6	22	26	4
ok					11	12	8	9	14	11	7	7	40	39	- 7
oydon					11	13	12	10	13	17	13	10	49	50	(
nnamulla					5	7	11	6	12	8	6	7	34	28	(
lby rling Downs	Centr	ol			12 40	17 41	16 36	10 23	16 43	8 50	17 46	12 31	61 165	47 145	31
rling Downs		d1	•••		37	18	25	28	24	27	31	29	117	102	21
rling Downs					23	35	34	20	34	26	36	33	127	114	24
rling Down V	West				9	6	4	6	10	8	7	2	30	22	
ayton and To	oowoo	mba			97	81	89	77	99	77	106	99	391	334	72
oggera				• • • •	75	79	88	58	76	77	81	68	320	282	60
neridge	•••		****		28	3 23	7 34	7 33	$\frac{2}{27}$	3 31	3 35	3 23	19 124	16 110	25
ssifern dstone					10	15	11	22	16	12	13	23	50	72	12
mpie					62	66	72	54	62	65	69	43	265	228	49
rberton					35	40	39	36	46	44	40	35	160	155	31
ghfields					14	23	24	20	24	18	22	14	84	75	15
ghenden			• • • •		6	6 56	12 52	11	9	50	6	11	33	. 32	6
wich					58 86	103	103	52 113	58 95	78	46 96	57 88	214 380	215 382	42 76
gan					34	30	41	41	54	43	46	39	175	153	32
ckay					40	48	49	51	38	47	48	49	175	195	37
ranoa					36	39	39	36	35	40	38	36	148	151	29
rathon					3	9	4	7	10	4	9	8	26	28	5
ryborough					52 76	39 82	48 95	63 81	67 99	43 91	51	40 64	218 348	185 318	40
reton West unt Morgan					41	33	47	58	49	49	78 48	52	185	192	66 37
ley					18	15	24	19	16	22	27	21	85	77	16
mer					1	1	3	1	1	1		1	5	4	
ekhampton					77	84	79	63	70	86	65	58	291	291	58
nerset					1 9	8 7	9	8 9	9 12	6 8	4 2	3 4	23 32	25 28	4
ingsure					10	12	16	14	10	17	11	14	32 47	28 57	10
nthorpe					15	13	10	5	13	18	17	15	55	51	10
Lawrence					4	4	1				2	1	7	5	]
ro					7	5	4		8	5	4	2	23	12	:
wong					20	23	19	15	20 47	23 43	21 51	23 41	80	84	16
rnsville rrego					42	36	54	58 5	2	43	4	41	194 10	178 13	37
rwick					32	40	22	30	36	37	32	34	122	141	26
stwood					17	25	24	22	20	21	20	23	81	91	17
de Bay					13	21	21	20	28	24	16	20	78	85	16
othakata					5	1	3	5	4	5	4	10	16	21	
TOTAL	EACH	SEX			1,734	1,748	1,881	1,781	1,954	1,856	1,885	1,703	7,454	7,088	
TOTAL	PERSO	NS			3.4	82	3,6	369	3.8	810	3.1	588 -	14	542	14,54

Table No. VIII.

Showing the Number of Marriages Registered in each Registry District in each Quarter of the Year 1907.

	Registry I	District.			First Quarter.	Second Quarter.	Third Quarter.	Fourth Quarter.	Total
Lramac					15	5	11	10	41
2-1	•••	•••			3		3	1	7
	,	•••	•••			10	6	6	32
		• • •	• • •		8	12			22
	• • •				5	6	3	8	
					217	. 294	245	234	990
Bundaberg					46	36	40	32	154
2					2		2		4
Dannatt					17	10	19	10	56
la ba altura		•••	•••	•••	9	21	17	16	63
Cairns	•••	•••			32	28	32	44	136
		• • •						7	17
					4	3	3		
harleville					3	10	9	14	36
lermont					4	11	4	5	24
loncurry					5	6	6	7	24
1001-					8	7	5	9	29
Y Y	•••		•••	•••	10	4	4	4	22
	• • •			•••		11	7	3	26
	• • •		•••	***	5			7	22
Dalby	~		•••	• • •	8	2	5		
Darling Downs	Central				8	15	18	7	48
Darling Downs	East				14	12	11	7	44
Darling Downs	North				5	10	9	6	30
Darling Downs	West				2	5	1	4	12
Prayton and To	owoomb				46	58	54	32	190
			•••	• • •	36	32	34	38	140
noggera	• • •		• • •	•••		3	3	4	12
	• • •		• • •		2				
assifern			• • •	130	15	21	13	9	58
Fladstone					11	7	5	5	28
ympie					27	21	28	32	108
Ierberton		• • •			17	15	16	12	60
Highfields			•••		6	4	6	3	19
Hughenden					4	8	5	4	21
pswich	•••	• • •	•••	•••	30	35	35	39	139
	•••		•••	• • •				52	
Kennedy	• • •	• • •	•••	•••	64	52	48		216
ogan					14	20	18	17	69
Iackay			• • •		39	38	37	31	145
Iaranoa					10	19	16	18	63
Iarathon					5	3	6	4	18
r 1 1					38	41	28	23	130
Ioreton West		•••	•••	•••	29	42	36	17	124
Mount Morgan	• • •	•••			18	28	15	12	73
Oxley		• • •	•••		7	5	13	6	31
Palmer					• • • • • • • • • • • • • • • • • • • •	1	50		1
) ] - ]					31	46	35	42	154
omerset					2	3	6	7	18
pringsure					8	10	5	9	32
tanley					2	4	3	2	11
tanthorpe	•••		•••	•••	10	6	3	5	24
t Torres	•••	***	•••	• • •		•			
t. Lawrence		•••			1			***	1
iaro		• • •	• • •		4	3	2	1	10
oowong			•••		14	9	11	12	46
ownsville					36	44	32	37	149
Varrego						3	2	1	6
Varwick	•••	•••	•••	•••	19	21	17	19	76
Vestwood	• • •	•••	• • •			10			
	• • •	• • •	•••	• • •	10		7	11	38
Wide Bay	• • •	• • •	• • •	• • •	16	7	10	15	48
Voothakata			•••			4	2	2	8
							A storeton registrated management or the		
TOTAL					1,001	1,131	1,011	962	4,105

### MARRIAGES.

Table No. IX.

Showing the Number of Marriages of each Denomination Registered in each Registry District during the Year 1907.

Re	gistry District,	•		Church of England.	Roman Catholic Church.	Methodist.	Presbyterian.	Baptist,	Lutheran.	Congregational.	Salvation Army.	Other Christian Sects.	Hebrew.	By Registrar and Justices Marrying Act.	Total.
Aramac				16	16	3								6	41
Balonne		***		3										4	7
Blackall				5	9	17								1	32
Bowen	•••	• • • •	• • •	11	3	115	8		1.7	40		***			22
Brisbane Bundaberg			•••	189	202	115 36	132 51	62	$\begin{array}{c} 17 \\ 6 \end{array}$	43	3 2	185		42	990
Burke	•••			33	$\frac{21}{2}$			•••				2	• • •	$\frac{3}{2}$	154
Burnett	•••	•••	• • •	13	13	15	12	•••	1					2	56
Caboolture				11	2	43	4	• • •	î			2			63
Cairns				46	38	18	33							1	136
Cardwell		•••		10	4	2								1	17
Charleville				19	7		7							3	36
Clermont				7	12	5									24
Cloncurry				14	5									5	24
Cook				16	8	5									29
Croydon			•••	8	6	8						• • • •			22
Cunnamulla Dalby		•••	• • •	14	6	5								1	26
Darling Downs	Control	•••		$\begin{array}{c} 5 \\ 20 \end{array}$	$\begin{array}{c} 15 \\ 5 \end{array}$	12	8		3			• • •	• • •	1	22 48
Darling Downs			• • •	20	7	$\frac{12}{2}$	15					•••	• • • •		44
Darling Downs				12	4	$\frac{2}{6}$	3		5						30
Darling Downs				3	-		9								12
Drayton and To	owoomba			52	59	13	29	12	15	3	2			5	190
Enoggera				37		29	13	29		6		5		21	140
Etheridge				7										5	12
Fassifern				8	1	15		7	14	8	1	4			58
Gladstone			• • • •	15	3	1	7							2	28
Gympie	•••		• • •	27	26	35	7	-1		3	3	1		5	108
Herberton	•••	•••		14	13	29	3		9					1	60
Highfields	•••		• • •	4		6			9						19 21
Hughenden Ipswich			•••	$\begin{array}{c} 10 \\ 28 \end{array}$	8 44	23	12	2	5	18		1		3 6	139
Kennedy	•••	•••		44	49	52	43	10	1		1			16	216
Logan	*,* *			17	11	18	1	4	14	2		•••		2	69
Mackay				47	35	19	30		6		1			7	145
Maranoa				25	13	9	13				2			1	63
Marathon				7	4	4								3	18
Maryborough				18	17	35	22	7	10	12	2	2		5	130
Moreton West				15	17	21	8	9	23	20		11			124
Mount Morgan	•••			18	18	15	7	7			2			6	73
Oxley	•••	•••		8		3	8	5	1	4				2	31
Palmer		•••		27	39	24	25	27		5		• • • •	• • •	$\frac{1}{7}$	154
Rockhampton Somerset	•••	•••		3	3					1	ï		• • •	9	18
Springsure			•••	9	5	3	14							1	32
Stanley				5	1	3	1					•••		1	11
Stanthorpe				8	$\overline{2}$	11	3								24
St. Lawrence	•••		•••											1	1
Tiaro				3		2	3					1		1	10
Toowong	•••			13		12	5	7	1	3	1	4			46
Townsville		•••		61	33	15	16				2			22	149
Warrego						1	1.7							5	6
Warwick		•••	•••	23	28	5	17					•••		3	76
Westwood		•••		11	9	8 28	3 4	2					• • •	5	38 48
Wide Bay	•••	***		14	$\frac{1}{3}$			• • •				1		1	8
Woothakata	•••	•••		4	0	•••	• • •	•••	•••		• • • •	• • • •		1	0
TOTALS	· · ·			1,057	827	731	577	191	132	128	23	220		219	4,105

Table No. X.
Showing the Birthplace or Race of Husbands and Wives Married during the Year 1907.

											BIRTI	PLACI	OR	RACE	of w	IVES.												
							Bı	RTHPLA	CE,											RACE.				Bı	RTHPLA	CE.		
BIRTHPLACE OR RACE OF HUSBANDS.	AUS	TRALIA	N STATI	ES.		UNI	red KI	NGDOM.			EU	ROPE.			AME	RICA.					in Asia.							
	Queensland.	Victoria.	South Australia.	Western Australia.	Tasmania.	New Zealand. England and	Scotland,	Ireland.	Germany.	Norway.	Sweden.	Italy.	British Possessions in Furope	Other Countries in Europe.	British America.	United States,	British Africa.	India.	China.	Japan.	Other Countries in A	Pacific Islands.	Other British Possessions.	Aboriginal Natives.	Other Countries.	At Sea.	Unspecified.	Total Husbands.
Australian         New South Wales            States         Victoria            South Australia            Western Australia            Tasmania            New Zealand	1934 121 263 72 94 11 23 4 1 9 3 11 3 370 32 87 6 94 4 56 1 5 1 7 1 12 6 	26 9 6  1  6 3 4  	9 2 1 1  4 1 1 1 1 		1 3	4 158 2 27 10 4 3 91 22 9 11 2	12 2 1  27 11 5 1  2  1	2  1 28 3 33 33 	26		1	1		       		2	1						4 1   1 			4		2,394 404 127 33 1 13 16 575 142 151 81 8 12 20 10 
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	4 10 1 1 5 4 3 1 4 8 5 	 1   1 				1 2 2 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	   1	 1  2 	    			i						 1    	 4.  	    	  1  	   1 8 	   1	  4 6 				5 14 3 9 9 11 10 20 12 4 6
TOTAL WIVES ::	8029 262	57	21	1 1	10	9 345	112	140	49		4 1	) 3		2	٥	2	2	1	4	7	1	9	7	10		8		4,105

This Table may be read thus:—Following the first line horizontally across the table, it appears that 2,394 men, natives of Queensland, were married during the year, of whom 1,934 were married to Queensland women, 121 to women natives of New South Wales, 26 to natives of Victoria, and so on. Following the first column downwards, it appears that 3,029 women, natives of Queensland, were married to men natives of the State, 263 to natives of New South Wales, 94 to Victorians, 23 to natives of South Australia, and so on.

spu spu spu	I	:	7	II	330	85	866	11	017	290	244	H 000	304	311	317	010	1 3 3 3	200	194	158	135	114	94	68	00	822	63	000	64	67	000	25	37	68	000	7.2	27	25	96	071	17	19	1 3	14	5	133		20	6	7	- (	77	50	20	10	-	3	ಎ	2	1 -	7 '	4	21	C	0 0	27		7	4		7 ,	_		4 105	4,10
	02	:	:	:	:	:			:	:			:	:			:	:	:	:	:	:			:	:		:	:		:	:			:	:	:		:	:	:		:	:	:		: "	7							:	:	:	:		:		:			:	:		:			:		1	-	-
-	69 89	-:	:	:	:	:			:	:			:	:			:	:	:	:	:	:	-		:	:		:			:	:			:	:	:		:	:	:		:	:	:		:	:			:	:			:	:			-		:	:		:	:	-		:			:	:	-	-	
	19	:	:	:	:	:			:	:		:	:	:			:	:	:	:	:	:			:	:			:		:	:	- :			:	:		-	:			:	:	:		:	:			:	:		-	:	:	:	:		:		:				:					:	:	1	-	
	65	-:	:	:	:	:			:	:		:	:	:			:	:	:	:	:	:			:	:			:		:	:	:		:	:	:		-	T .	:		:	:	:	:	:	:	:	-	-	:			:	:	:	:		:	:	:			:	:		:			:	:	1	6	1
	6162	:	:	:	:	:			:	:		:	:	:			:	:	:	:	:	:			:	:		:	:		:	:	:		:	: 0	:		:	:	:		:	:	:	:	:	:	-		:	:			:	:	:	:			:	:			:	:		:	:		:	:	1	_	7
-	59 60	:	:	:	:	:			:	:		:	:	:			:	:	:	:	:	:			:	:		:	:		:	:			:	:	:			:			:	:	:		:	:			:				:	:	:	:		:	: 1	Τ.			:	:		:	:		:	:	-	_	
	99	:	:	:	:	:			:	-:		:	:	:		9	:	:	:	:	:	:	-		:	:		:	:		:	:	:		:	:	-:			: '	1		:	:	-			:			:	:	-		:	:	:	:		:	:	:			:	:		:	:		:	:	1	2	
-	54.55	:	:	:	:	:		:	:	:		:	:	-:	_		:	:	:	:	:	:				:		:	:		:	:			:	:			:	: '	-		:		:		:	:	-		:	:			:	:	:	:	-			:		:	:	:		: 1	-		:	:	-	33	
	53	:	:	:	:	:			:	:		:	:	:			:	:	:	-	:	:			:	:		:	:		:		:		:	:	-			: "	-		: '		:	:	:	:	-		:		-		:	:	:				:	:			:	:		:	:		:	:	1	4	
	52	:	:	:	:	:			:	:		:	:	:			:	:	:	:	:	:	:			:		:	:		:	:	:		:	: 1	_			:	:		:			:	:	:	:		:	:				:	:	:			:	:				:		:	:		:	:	1	3	
-	5051	:	:	:	:	:		_	:	:		:	:	:			:	:	:	:	:	:	-		:	:		:	:		:		:		:		:		:	:	:	_		:	:	-:		:	:		:	:			:	:	-	:			:	:			:	:		: 0	2		:	:	1	3	
	49	:	:	:	:	:			:	:		:	:				:	:	:	:	:	:	:			:	:	:	:		:	:	7			:	:	:		:	:	01	-	1	:	01	-	7	:			:	:			:	:	::	:		:	:	:		:	:		:	::		:	:	1	30	
	47 48	-:	:	:	:	:			:	:			:	:			:	:	:	:	:	:	:		:	:	-	:	:		: '	:	-	6		:	:	:	-	1	-			:	:	:		:	:		:	:	-			: -	:	:	:		: '	:	:		:	:	:	:	:			:	1	00	
	46	:	:	:	:	:			:	:		:	:			-	1	:	:	:	:	::	:		:	:	2	:	:		:	:	:	-	4	:	:	:	-	+	:			:	:	:		:	:	-	-	٦.	:			:	:	-			:		:	-	4 -	7		:	:			:	İ	00	
	44 45	:	:	:	:	:			:	:		:	:	:			:	:	:-	:	:		:		:	:	1 2	G	.:		:	::								:	:	-		:	:	-	-	-	:			:	:		-	7	:	:	:		:	:	-:		:	:		:	:			:	1	613	
	43	:	:	:	:	:			:	:				:	-			:	:	:		:	7	-	1	:	:		:	.:		: "	7		-	4	:	_	-		:	:	6		:	:		: 3	3	_		:	:	7		:	:		:			:	:	:	-	7	:	-	7			:	İ	17	
	41 42	- :	:	:	:	:			:	:		:	-	:		-	:	:	:	:	:	1			: 0	27	-		:	1 2		:	27	2		:	:	-	_	:	.:	-			:	:	_	: '	-			:	:			:	: '	-	:			:	:			:	:		:	-		:	1	1614	
-	40	:	:	:	:	:			:	:		:	:	:	-		:	:	:	:	:	:	7		:	:	_	1 -	-	-	-	+ +	-	-	6	1 -	٦.	0.7	-	G	7	:		:	: 0	77			:	H		:	:	:	-	1		:	:			:	:	-		:	:		:	H		:	1	22	
	38 39	:	:	:	:	:	-	:	:	-		-	:	:		-	-	-	:	:	-	-	2	-	-	:	07	1 4	4	61	: -	: 1	1		-	7	:	2	-				0	:	:	-	_	:	:			:	:	-		:	:	:	:			:	-		:	:		:	:			:		25/15	
	3637	:	:	:	:	:		:	:					.:	-	G	1 -		٦.	:	:		1	6	1 1	1	2	1 -	7	-	-	:	:		: .	: 0	21	-		+	:	-	6	1	:	01	-	+	:		:	:	::			:	:	:	:		:	:	:		:	:		:	:			:	-	23	1
-		:	:	:	:				:		_		-			-	1 0	:	1	2		2	4		1 ,	7	2	1 -	7		1 6		:	6	-	40	7	2	6	1	:		-	-	:	7		:	:			:			_		:	:	:		: [		:		:	:	-		:	-		:	1	3 36	
	4 35	:	:	:	:				:			:		:	6					20					: '										6				_	1	:							:	:			:				:	:									:	-		:	-		:	-	9 43	-
	3 34			:	:				+	2			_				-			N		3		_			00							2			:			-	1					:		:	:			:				:	:	:				7	:										1	8 39	
-	32 33		:	:	:					_				2		0			-	77		3	1	6			3							6		:			_	-	:			:	:	:		:	:			:	:	- :		:	:	:	:			:	-			:		:	:			:	-	58 48	
0	- 1		:		:								5			1	1 -		7	0	4	9	:	00	0 0	27	1	1 -	4	2		7	:					:	_	4		-			· ·	:			:								:		:						:						:	:	T	0	-
	30 3	:	:								_	_																					:			10	_	:		: -		-		-	7	:		:	:	-	-	· +	:	-		:	:	:	:	_		:	:	-	:	:			:	:		:	-	102 60	-
-	29		:		-		-																													: G			2			-				:		: -	-								: -	1	:			:	:									:	1	110 10	
-	87		:	:	-				-	-	-		-	-	-	-	-																			1 0		-			:	_		-	7	:	-	:	:	:		:	:	:		:	:	:	::	:		:	:	:		:			::				1	145 1.	
-	27	:	:	:	-																							-								-					:	:	_	-	:	:		:	:	07		:	:	:		:	:	:	:	-		:	:	;	:	:			:				-	187 1	
	56	:	:	_			_																													1 -					1	_		G	1	:	-	٠,	_			:	:	:		:	:	:	:			:	:			:	::		:	:		:	1	229 1	
	25		:																																							:			:	:		:	:	:		:	:	:		:	:	::	:	:		:	:	;		:	:		:		-	7	1	267 2	
	24	:	:	:	T	20	6	17	#.T	17	36	000	207	53	34	66	0	0 0	071	,	10		00	7		7	ಣ	10	0	4		: 0	27	2		:	::	2	-	1		-			: "	-		:	:	:		: '	-	:		:	:	:				:	:		:	:			:			:	1	303 2	
-	23	:	:	:	77	4	23	10	70	35	34	00	07	35	32	200	96	10	17	Lo	20	II	ಣ	7.0	0	9	10	T	7	07	6	1	:	-	-	+ 0	7	21				:			:			:	:	-		:	:	:	-	1	:					::	:	:			:		:	:		:	1	354 3	
-	22	:	: '																																1		7	:		-	1	:			:	:	2	1	:	:		:	:	:		:	:	:				:	:	:		:	:			:		:	1	424 3	
-	21		: '	_	_			_	-	-		_	-	-	-	-	-		-			-		-	meteore A	-			-							4	ara, jihanba		-	6	1				: -	7		:	:	:		:	:	::		:	:	:	:	:		:	:	-		:			:	:		:	1	480 4	
-	50	:	_	: '	0	9	28	36	000	37	35	51	10	77	26	10	00	1	77	201	c	77	4	-		7		-	7	4		: 0	77	П	_	40	7	0.1	2	-	T	::		-	7				:	:		::	:	:		:	:	:	::			:		:		:	:		:	:		:		309	
	19	:	: 0	9	0	21	40	96	0 0	28	41	10	70	91	21	06	16	10	27	20 11	0	-	9	00	G	7	_	CC.	0	ಣ		-	-	7		:	:	::			::	:			:	:		:	:	::		:	:	:			:	:	::	:			:	:		:	:			::		:	1	307	
-	18										-							-								-							:	:	1			:	:		:	:			:	:		:	:	:		:	:	:			:	:	:	:			::			:	:		:	:		:	1	208	
	17	:	: 0	0 0	7	9	13	19	1 0	12	10	10	TOT	20	9	70	00	V	НС	0 0	0	:	27	_	6	10	27		: "	-		G	7	:				:	:		:	::	:		:	:		:	:	::		:	:				:	:	:	:		:	:	:		:	:		:	:		:	1	116 2	
-	91		: -		-	-			-				-	-	-	-				4 -						:	:	-	1	:	:		: '	-			:	:	::		:	::	:		:	:			::	:		:	:	:			:	:	::				::				::		::	:		:	1	54 1	
1	15	:	:	: G	1	:	2 1	-		7	7	-		7	1	-			:	:	: "	7	:	:	-		1		:				:	:			:	: : :			:	:			:	:			:			:	:			:	:	:	:			:	:				:		:					6 14	
	AGE. 14	16	:	:	0	05	21 2	66		73	24	56		07	27	288	67	20		10	:	55	34	35	36	00	37	000		39	01		17	12	13	4.4	17.	45	46	17	17	400	67	20		Te	52	1 0	93	54	10	001	90	57	000	20		00	10	62	35		. 40	65	36		37	000	00	76	30	. 00	1	Wives	

Table No. XII.

Number of Deaths of Persons of both Sexes Registered during each Month of the Year ended 31st December, 1907, distinguishing Ages at Death.

					Janua	ry. Fe	bruary	. Ma	rch.	Ap	ril.	Ma	ay.	Ju	ne.	Ju	ly.	Aug	ust.	Septe	mber.	Octo	ober.	Nove	mber.	Dece	mber.	Tot	al for the	Year.
Age Groups.					Males.	Females.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females	Males.	Females.	Males.	Females.	Persons.
Under 1 month					4 12	22 2 3 8 1 11 1	4 1 3 5 6			24 2 4 6 3	18 7 4 12 8	21 5 6 8 10	16 1 2 4 6	19 4 4 4 6	16 2 2 1 5	25 12 2 8 11	17 6 4 1 6	26 12 9 12 10	17 6 7 2 9	17 13 4 5 8	15 10  7 6	18 4 3 6 8	18 6 3 9	24 6 9 10 31	13 2 3 20 17	30 3 3 16 22	16 5 8 12 18	268 71 53 108 144	190 53 37 89 109	458 124 90 197 253
Total under 12 months					64	14 5	3 28	34	30	39	49	50	29	37	26	58	34	69	41	47	38	39	45	80	55	74	59	644	478	1,122
1 year and under 2 years 2 years ,, 3 ,, 3 ,, ,, 4 ,, 4 ,, ,,	•••	•••	•••	•••	6	10 4 3 5	7 7 2 7  3	6 4  4	7 3 	5 3 3	5 1 3 5	5 5 2	3 7 1 1	9 3 1	5 2 2 	10 7 3 2	9 4 5 5	8 5 2	17 3 3 3	9 4 2 2	9 5 4 1	15 5 3	9 1 2 2	11 4 4 2	13 7 4 1	14 3 2 2	11 4 4	107 51 23 19	105 48 31 23	212 99 54 42
Total under 5 years					80	66 6	5 42	48	40	53	63	62	41	50	35	80	57	84	67	64	57	62	59	101	80	95	78	844	685	1,529
5 years and under 10 years  10 ,,					9 7 7 13 16 12 17 18 28 16 23 22 17 12 11 5 1	4 3 9 1 4 8 8 1 1 2 9 1 6 1 5 1 1 3 2 1 0 1 3	8 7 7 7 5 3 0 6 5 5 4 4	18 8 17 12 2 1 1	3 2 5 4 9 9 5 5 7 1 4 4 4 13 2 3 4 4 1	3 3 1 12 7 10 16 19 19 19 16 13 21 14 6 3 3 1	5 5  3 7 4 8 7 5 5 7 11 11 5 8 1 2 	9 3 2 8 13 6 15 22 20 14 19 18 26 13 14 6 3	9 6 4 7 8 8 8 7 8 11 7 12 5 12 13 9 1 5 	1 3 5 3 11 6 7 21 15 22 21 14 19 18 18 8 6 3 	5 6 6 10 6 7 10 4 7 7 5 8 11 11 8 4 4 4 1 	7 6 14 11 8 13 14 16 27 19 14 19 26 31 25 11 3 2	7 6 5 7 8 4 4 10 17 11 7 8 8 1 	6 14 6 15 15 10 12 22 27 27 12 28 28 35 19 12 4 1	3 3 5 9 10 9 10 12 10 8 5 14 19 26 17 14 8 3 	6 3 11 10 5 12 15 15 16 23 40 20 14 5 7 2 1	5 2 3 7 4 4 7 6 7 7 6 10 13 13 14 11 4 	6 10 5 9 12 9 8 15 25 31 18 17 17 25 25 7 3 3	3 5 4 10 10 12 8 11 6 9 6 12 18 4 8 2 3 1 1	4 3 6 6 8 15 14 19 19 16 14 10 11 17 14 8 3 	9 4 4 10 5 4 9 10 13 5 4 4 8 6 8 9 2 1 	3 7 10 13 10 6 5 11 19 22 21 13 22 21 16 10 2 5 2 	4 4 2 6 9 6 7 18 7 4 7 12 9 8 8 4 4 2 1	62 63 80 120 119 126 154 212 258 244 174 225 246 243 170 80 42 10	63 47 47 83 88 77 85 110 87 71 76 103 144 123 105 62 50 10 3	125 110 127 203 207 203 239 322 345 315 250 328 390 366 275 142 92 20 8
Total over 5 years					256 1			_										-					-		-			2,636	1,434	4,070
Total all Ages, Male and Female	•				336 1																							3,480	2,119	5,599
Total Deaths of Persons each mo	onth	•••		•••	523		371	- 3	47	3	96	44	40	38	84	52	28	6	31	5(	)3	50	01	4	83	4	92	5,	,599	
Percentage to total number of D	eaths fo	or the y	rear		9.3	4	6.62		.20	7.	07	-	86		86		43	11.			98		•95		63		8.79			
Total Deaths each quarter	•••			•••	Males 810		emales 425		241	Ма	les. 37	-	nales.	-	sons.	-	oles. 038		nales.	-	662	-	ales. 89		nales.	-	476			

### DEATHS.

### Table No. XIII.

SHOWING the NUMBER of DEATHS REGISTERED in each REGISTRY DISTRICT in each MONTH of the YEAR 1907.

				JANUARY.	1	KUARI.		CH.		E.				.i				GUST.		SEPTEMBER.		BER.		EMBER.		EMBER.		TOTAL	LS.
DISTE	UCT.			JAN		FEBR	1	MARCH		APRIL.		MAY.		JUNI		JULY.		AUGI		SEPT		OCTOB		NOV		DECEM		les.	ns.
			М.	F.	М.	F.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	M.	) F.	M.	F.	Males.	Females	Persons
ramac alonne lackall owen			7 1 2 3	5 2 1 1	 2 1 1	1	4 1 J	1 1	2 3 1	2 2 1	4	1 2 	1 1 1	ï :::	4 3 4	6 1 1 1 1	1 8 2	1 1	5	2 1	10 1 5 2	2 1	2 1 1 2	1 3	2	i i 	34 9 30 17	10	1 4
risbane undaberg urke urnett uboolture urns urdwell aarleville ermont oncurry			96 14 2 1 7 7 3  4 3 5	51 1 5  2  3 2 1 1	63 7 3 1 2 12  1 6 13	33 2  4 1 4 1  1	52 12  4 2 4 3 6 1 2 2	37 3 1 1 1  4 3 	63 10 4 2 1 7 4 1 4 2 5	53 3  1 4 1 1 1 1	65 6 1 14 1 4 1 6 3	51 4  3 1 9  2 1	48 5 2 2 4 10 3 3 1 4 4	43 2  1  4  1  2	99 7 3 5 2 9 2 1 5 4	58 4 1  2 4  1	97 8 2 8 1 9 1 1 4 3 2	82 10  5 3 2  1	72 8  1 3 9 4 2 4 3 5	47 5  4 1  4 3 	84 6  1 3 13 5 2 3 4 3	66 7  1  9 1 2	89 7 2 4 3 11 2 1 2 1 3	59 4  2  5 2 1 	70 8  4 4 12 4 2 5 7 3		33	644 53 3 30 18 50 8 14 12 4	15 2 6 5 16 4 3 4
oydon nnamulla alby crling Down crling Down rling Down ayton and ' loggera heridge ssifern	s Central s East s North s West	l ba	4  2 1 6  2 10 9 2	1  1 2 4 2 8 6  3	1 3 1 5 1  8 3  5	1  7 3	5  2 3 1  7 7 2 4	3  1  1 3 6 1	1  2 3  9 6 1	2  ,2  3 1 9 8	2 2 5 1 3  12 9	1 1 2 1 1 2 1 7 10	2 3  6 1 2 1 7 7	1  3  2  11 6	1 1 3 1 1 4 1 14 9 2 7	3 2 2 4 4	2 1 7 2 3 6  17 7 2	3  6 1 4 2  12 12	2 3 1 5 6  1 17 11	1 2 5 1 2 5 5  2	2  5 4 1  11 8 1	5 1  3  9 9	2 5 1 3 2  1 18 12	2  5 2  1 1 10 13  2	1 1 1 2 3 1 1 15 7 	1  4 4 2 1  7 10	25 19 16 37 33 21 7 145 95 12 40	22 4 20 23 17 22 8 92 92 1 23	4 2 3 6 5 4 1 23
adstone mpie rberton ghfields ghenden wich nnedy gan ckay			6 10 13 1  6 14 1 13	1 6 2 1  5 12 9 3	5 5 5 19 2 4	1 5 2 1  9 2 2	4 6 8 2 1 5 11 2 6	3  2 1  4 5 1 5	4 6 11 2 2 7 12 1 5	3 3 1 5	3 4 6 8 2 4 9 12	3 1 2  1 1 3 5 4 3	3 1 9 4 1 3 3 9 4 6	1 1 4 1 1 4 4 2 6	4 6 9 1 2 8 15 4 9	1 8 5 2 3 5 7	4 1 10 9 2 7 16 15 8 12	6 1 12 4 1 13 4 7 3	3 1 6 5 1 3 11 16 3 5	2 6 3 1 9 4 4 1	3 1 9 3 1 1 9 7 2 12	1 6 2 1 1 4 8 3 1	5 2 5 10 1 1 7 9 2	3 7 3 1 3 3 3 1 3 3 1 3	2 3 8  5 7 10 1 10	8 4  1 5 7 1 7	32 80 94 14 34 93 149 30 94	12 70 28 10 10 58 71 35	15 12 2 4 15 22 6 13
ranoa rathon ryborough reton West unt Morga ley lmer ckhampton	n 		2 1 4 13 5 4 1 12	2 1 6 1 1 6	9  4 1 5 5  13	5 1 8 2 4 2	2 1 3 7 1 3 3 15	2  2 3 2 1  4	4  6 7 3 6 2 13	2  4 5 1 4 1 9	6 2 8 8 6 5 1 6	2 2 3 10 3 6 1	1 3 6 6 5 6 1 10	4 4 4 5 5 	3 8 8 9 9 3 13	2  7 11 5 3  6	7 11 8 7 3 1	3  6 11 2 3  11	5 2 11 22 2 9 2 14	6 2 8 7 2 5 7	4 2 8 9 4 7 	3 1 4 7 1 1 	1 2 7 6 4 2 10	8 5 2 4 	4 1 6 7 5 12 1 17	2  7 4 6 7  8	47 13 77 103 58 73 17 145	35 7 67 70 34 47 2 95	14 17 9 12 1 24
nerset ringsure nley nthorpe Lawrence ro owong wnsville			3 1  1  2 19	1  3  1 1 5	2 2  2 1 1 6 7	1  1 1 1 2	5 2 1   1 9	1  2  3 3	1 2 1   2 5	1  1 2 6	2 1 3  1 1 10	1 2 1 1 1 	3  2  2 15	3  2 7	5 3 2 2  1 4 8	1  2  1  3	5 1 5 3  3 2 11	1  1  6 2	3  2 2  8	1 2 2 	7 1  1  1 2 14	2 2 1  1 2 11	2 1 1  1 2 9	1 3  1 5 3	1 2 3  5 11	3  1 3 2	39 16 18 13 1 8 31 126	3 8 16 13 2 7 29 49	1 6 17
arrego arwick estwood ide Bay oothakata			1 5 6 1	1 2 2 	3 1 1	3  1 	2 4 2	2 3 	2 1 1 2	3 1	4 2 2 	3 1 	4	5 2 1 1	1 3 5 4 1	1 1 4 2 	1 14 2 3 3	4 2 2 1	1 6 4 2 	1 8 1 3 	1 5 5 3 2	1 1  1	6 4 6	1 2 4 	5 7 2 1	1 4 1	5 54 39 32 15	35 27 13 3	88 6 4 1
TOTALS OF ]	Months		336	187	249	122	231	116	239	157	267	173	231	153	346	182	379	252	313	190	309	192	288	195	292	200			
TOTALS OF Male Female		s <del></del>		816	3		425			737			483			1,038	3		624			889			587		3,480	2,119	
TOTALS OF C Persons		s— 			1,5	241					1,5	220					1,0	362		Ì			1,4	176					5,599

DEATHS.

Table No. XIV.

Showing the Number of Deaths of Children under Five Years of Age Registered during the Year 1907.

REGIST	RY DIST	RICT.		UNDER	TWO YEARS,		S AND UNDER YEARS.		UNDER FIVE EARS.	TOTAL NUMBER OF DEATHS IN EACH DETRICT UNDER FIVE YEARS.
				Males.	Females.	Males.	Females.	Males.	Females.	Persons.
Aramac				3	7	1	1	4	8	12
Balonne				2	5			2	5	7
Blackall Bowen				8	1	2	1	10	$\frac{2}{3}$	$\frac{12}{3}$
Brisbane				211	3 166	21	18	232	184	416
Bundaberg				$\frac{211}{25}$	160	3		28	16	44
Burke				. 1	1			1	1	2
Burnett				13	13		1	13	14	27
Caboolture				11	8	2	2	13	10	23
Cairns				17	14	2	2	19	16	35
Cardwell				1	3			1	3	4
Charleville				2	6		2	2	8	10
Clermont				1	3			1	3	4
Cloncurry				4	3			4	3	7
Cook				2	2	3	4	5	2	7
Croydon	• • • •			2	6	1	4	3	10	13
Cunnamulla Dalby				5	$\frac{1}{7}$			5	7	6 8
Darling Down	a Cont	nol		$\frac{1}{9}$	3	3	3	$\frac{1}{12}$	6	18
Darling Down				$\frac{3}{12}$	4	1		13	4	17
Darling Down	s Nor	th		9	9		2	9	11	20
Darling Down	is We	st		3	2			3	2	5
Drayton and '				38	33	5	3	43	36	79
Enoggera				38	27	4	3	42	30	72
Etheridge				1	1			1	1	2
Fassifern				11	5	5	1	16	6	22
Hadstone				7	3	1	1	8	4	12
Tympie				23	22	3	. 7	26	29	55
Ierberton				14	11			14	$\frac{11}{6}$	25
Highfields				6 5	6			6	1	$\frac{12}{7}$
Hughenden pswich				$\frac{5}{22}$	14	$\frac{1}{3}$	3	25	17	7 42
Kennedy				12	18		2	$\frac{23}{12}$	20	32
Logan				13	7		4	13	11	24
Mackay				13	8	3	6	16	14	30
Taranoa				10	7	2	6	12	13	25
Iarathon				1	3		1	1	4	5
Maryborough				13	13	2	4	15	17	32
Moreton Wes	t			38	27	7	4	45	31	76
Mount Morga	n			26	13		2	26	15	41
Oxley				4	7			4	7	11
Palmer				1				1		1
Rockhampton				34	26	6	7	40	33	73
Somerset				2		1	1	$\frac{2}{4}$		2
Springsure Stanley				3 6	$\frac{2}{7}$	$\frac{1}{5}$	3	11	3 10	7 21
Stanthorpe				4	3			4	3	7
st. Lawrence						•••	•••	-30		
liaro			•••	3	•••			3	•••	3
Coowong				7	7		1	7	8	15
Cownsville				25	9	2	4	27	13	40
Varrego										
Varwick				14	9			14	. 9	23
Vestwood				6	- 7	1	2	7	9	16
Vide Bay				8	4	5	1	11	5	16
Voothakata				1				1	•••	1
To	TALS		-	751	583	93	102	844	685	1,529

Table No. XV.

Showing the Birthplace or Race of 5,599 Persons who Died in Queensland during the Year 1907.

										I	BIRTH	PLACE																			RA	CE.							ві	RTHP	PLACE			
DISTRICT.		Queensland.	New South Wales.		Victoria.	South Australia.	Western	Austrana. Tesmenie	rasmania.	New Zealand.	England and Wales.		Scotland.		Ireland.	Germany.		Norway.	Sweden.	Denmak.	Italy.	Other British Possessions in	Europe.	in Europe.	British America.	United States of America.	British Africa.	India.	Japan	Olivino	China.	Other Countries in Asia.		Facine Islands.	Other British	Possessions.	Other Countries.		At Sea.		Not Specified.		TOTAL	
	М.	F.	M. F	. M	. F.	M. F	. м.	F. M.	F. M	F.	м.	F. N	1.	F. M.	F.	М.	F. M.	F. M	. F.	и. г.	M. F.	М.	F. M.	F. M.	F	M. F.	м. 1	F. M. F	. M.	F. M.	F.	м. Г.	м.	F.	м.	F. N	M. F	. м	. F.	М.	. F.	М.	F.	Per
Metropolitan (10-mile	408	371	36 1	.6	7 3	2 2	2	1 2	2 2	2 1	181 1	57	67	46 106	107	26	14 1		3	2 4	1		8	2	1	1 2		9			-		0	3	2	1	1		3 1	2	, 1	893	795	1.618
radius Metropolitan (outside 10- mile radius)			10		1																												3				1							291
Total Metropolitan	432	392	46 1	6	9 3	2 2	2	1 4	2 2	1	253 1	80	85	51 157	128	41	17 3		5 1	4 5	1		12	3		5 2		. 3	-  -	10	-		11	3	3		2		5 1	2	1	1,097	812	1,90
Moreton	175	117	3	4	4	1	1 1.	1			44	28	15	12 32	35	36	20		. 1	1				1			1	1					2				1		1			317	220	537
Wide Bay	159	114	6	7	4 1	2		1	2		51	43	22	38	38	21	17	1 2	2	5 5	1		1	1		1		1		3		2	9		1	1							240	
Port Curtis	119	91	9	4	2 2			7		1	55	24	20	33	24	10	5	1	1	7 2				1 1		2 1				4			1	1	1					3		275	170	
Edgecumbe	125	82	12	4	9 1	1 1		3	1 4	1	98	21	24	2 35	31	12	3 5	3 1	2	7	2		3	1		1 1	1	. 3	. 3.	17		1	13	2	1		2		. 1	2		386	166	
Rockingham	55	50	13	5	7 1	1		2	1		39	11	14	5 37	10	4		8	3	1	5		4	2		4		. 4	5.	22	1	3					1				2		86	
York Peninsula	17		7																																							123	19	
Carpentaria	30		14																1								1																	
Central Western	4	11	4	1	1 1						3	1	2	. 3	1																													
South Western	12	13	7		1						10		1																	2														
entral	38	23	8	2 (	6 1			. 1			19	8	11																	6		1											44	
Iaranoa	20	24	6	4	2	2 1		2	1		10	4	3	3 6	5	2																								1				
owns	163	117	13 1	2	7 9			. 2	1		52	31	14	6 54	45	20	11 1															1			1	2			1	1		56		
TOTAL	1349	1069	148 6	4 7	0 19	12 5	1																																			340	240	580

Table No. XVI.

Showing the Occupations of 5,599 Persons who Died in Queensland during the Year 1907.

		CLASS	I.— IONAL.		ASSII.—					CLASS	111	-сомм	IERCIA	AL.				CLASS TRANSPOR	RT AND				C	LASS V	v.—IN	NDUST	TRIAL.				A	ASS VI GRICU RAL,	L-	CLASS V		CLASS	VIII		EN-			
DISTRICT.	Order 1.—Government, Defence, Law, and	Protection.	Order 2.—Religion, Charity, Health, Education, Art, and Science, &c.		Order 3.—Board and Lodging and Paid Personal Service.	tion. Ins	se, Custody of Money, Land or y Rights.	Order 5.—Dealing in Art and Mechanic Productions.	Order 6.—Sale, Hire, or Exchange of Textile Fabrics, and Fibrous Materials.	Order 7.—Sale of Food, Drinks, Narcotics, and Stimulants.	Order 8.—Animals, and Animal and Vegetable Substances, Treating, Dealing (excluding	Food). Order 9.—Dealing in Minerals and Substances	used for F Dealing ir	Order 11.—General Dealers, Undefined	annie	on Chance Events.	Order 13.—Persons engaged in Storage.	Order 14Transport of Passengers, Goods, or Communications.		Order 15.—Manufacture, Process relating to Art and Mechanic Productions.	Order 16.—Manufacture, Repairs, Cleansing, &c., Textile Fabries and Fibrous Materials.	17 — Wannfacture or Process	Drink, Narcotics, and Stimulants.	Order 18.—Manufactures or Processes re Animal and Vegetable Substances, not other-	Order 19.—Altration, Modification, or Manu-	O.—Conversion of Coal or other	nces to purposes of Heat, Light, or ration of Energy not otherwise cla	Order 21.—Construction or Repair, Buildings, Roads, Railways, Earthworks, &c.	Order 22.—The Disposal of the Dead or of Refuse.	Order 23.—Industrial Workers, imperfectly, defined.		Order 24.—Cultivation of Land, Rearing or Breeding Animals, or obtaining Products from Natural Sources.		Order 25Occupations Undefined, Incomes deriyed from Sources not related to other	sses.	Order 26.—Dependent upon Natural Guard-	o i	Order 27.—Dependent on State, Public, or		Т	COTAL	5.
	м.	F. 1	1	М	I. F.	М	. F. M	-			м.	F. M.	F. M.	F. M.	F. M	F. A	1. F.	м.	F.	M. F.	М.	F. M	. F.	м. 1	. M. 1	F. M	F.	м. Г	м. г	м.	F. N		F.	М.	F.	М.	F.	м.	F.	М.	F.	Р.
Metropolitan (10-mile radius) Metropolitan (outside 10-mile radius)		2	3		20 49		·			17 1	4	1.	1.	58				42		37 1 3	14	13	4	3	12	1		35		94	2	89		35	40 5	304	600		26 54	883 214	735 77	1,618
	20		3 3		20 49	-	5	1	5	17 1	4	1.	1.	60				43		40 1	14	13	4	3	12 .	1		35		97	2	96		36	45	308	618	251	80	1,097	812	1,909
Moreton	2		2		3 17				1	1				10				9		6	4			1	5.			9		20		96		7	20	137	183	4		317	220	537
Wide Bay	5		8 1		5 9	1	2			7				6				7		8	2	2	6		8.	1		7		. 60		91		7	18	114	210			334	240	574
Port Curtis	1		4 3		10 8					1			1.	13				10		10	3	1	2		3	٠		13		. 27		74		13	13	88	144	2	1	275	170	445
Edgecumbe	2		7 1		13 25		l		1	7				12	1			28		12	3	2	1		6.			5		62				5	7	73	130	2		386	166	552
Rockingham	1			]	15 8		l			1	1 .			6	2			13		1			2		4			7		34	]			2		40	75		1	243	86	329
York Peninsula	1		2 1		. 4	2	2	1	1					. 1				30		2	1							4		. 16				2	1	10	12	2	1	123	19	142
Carpentaria	1		5		5 6					4				. 9				2		4			1	-	4 .			3		. 25		55		1		15	34			134	40	174
Central Western					1 1								.,					1										1		. 8		3			1	3	13	1		18	15	33
South Western					5 5									. 1						2	1	:	•		1.			1		. 16		11				8	17	1		47	22	69
Central					3 5									. 5				3			1							2		. 30		45	1	1	2	20	36			110	44	154
Maranoa	2		3		2 2					1				. 2				2												. 19		8		2	4	15	39			56	45	101
Downs	3		6 1		3 14	2	1	1	2 1	3	1 .			. 9	1			7		9	2	1	2		1.			5		. 55	1	81		10	6	121	201	17	14	340	240	580
TOTALS	38 .	60	10	8	35 153	13	8	3 1	0 1	42 1	6 .	1	2	. 134	4			155		94 1	31	19 1	8	4 .	44	2	2	92		. 459	3	869	1	86	117	952	1,712	280	97	3,480	2,119	5,599

Table No. XVII.

CAUSES of DEATHS in QUEENSLAND during the YEAR 1907, arranged in order of degree of FATALITY.

Cause of Death, 1907.		Number of		Cause of Death, 1906.	Number of Deaths, 1906.	Increase or —Decrease in 1907.
Organic Diseases of the Heart			468	Valvular Disease, Endocarditis (not Infective) Hypertrophy of Heart Dilatation of Heart Fatty Degeneration of Heart Syncope, Heart Disease (not Specified)	394	74
Cholera Nostras Diarrhœa and Enteritis (under 2 ye Diarrhœa and Enteritis (over 2 yes	 ears)	$\frac{1}{338}$	416	Epidemic Diarrhœa, Epid (or Zym.) Enteritis Diarrhœa, Choleraic Diarrhœa Enteritis (not Epidemic)	474	- 58
Tuberculosis of the Larynx Tuberculosis of the Lungs Cancer, &c., of the Mouth Cancer, &c., of the Stomach and L Cancer, &c., Peritonæun, Intestine Cancer, &c., of Female Genital Or	s, Rectum	6 347 3 36 132 32 44	353 353	Gastro Enteritis	361	8
Cancer, &c., of the Breast Cancer, &c., of the Skin Cancer, &c., of o her Organs Congenital Debility, Icterus, and	Scleroma	16 13 80	303	( Malignant Disease, Cancer	225	78
(under 3 months)  Broncho-pneumonia Pneumonia		68 220 }	288	Atelectasis	223	66
Influenza Senile Debility Bright's Disease			222 210 193	( Epidemic Pneumo: ia          Influenza          Old Age          Bright's Disease, Albuminuria	59 179 1 <b>7</b> 6	163 31 17
Congestion and Hæmorrhage of Br Acute Bronchitis		49)	165	(Apoplexy, Hemiplegia	147	18
Chronic Bronchitis Whooping Cough Convulsions of Children under five Typhoid Fever		81 )	130 121 91 84	Bronchitis	146 8 89 88	- 16 113 2 - 4
Encephalitis Simple Meningitis Accidental Drowning Congen. Malformations (excl. of Dis. of Arteries, Atheroma, Aneuris		4 \ 75 \	79 75 71 65	Meningitis, Inflammation of Brain  Accidental Drowning  Congenital Defects	62 102 90	17 - 27 - 19
Paralysis without indicated cause Other Diseases of Nervous System		31 30	61	Aneurism	30	35 - 15
Other Diseases of the Stomach (Can Diphtheria Hernia, Intestinal Obstruction			55 54 53	Stomach, Other Diseases (not Malignant)  Diphtheria, Membranous Croup  ( Hernia	50 39 44	5 15 9
Burning by Fire (Accident) Burning by Corrosive Substances Other Vehicles (Accident)		43 )	44 42	Intestinal Obstruction         Burns and Scalds (Accident)       Other Vehicles (Accident)	39 23	5 19
Intermittent Fever  Malarial Cachexia  Diabetes  Horses, &c. (Accident)		1 } 39 } 	40 40 40	Malarial Fever	29 35	11 5
Falls, Other (Accident) Anæmia, Chlorosis Leucæmia		$\begin{bmatrix} 25\\14 \end{bmatrix}$	40 39	Falls, Other (Accident) Anæmia, Leucocythæmia	42 26 34	- 2 14 5
Cirrhosis of the Liver  Diseases of the Bladder  Diseases of the Prostate  Embolism and Thrombosis		19 }	39 39 36	Cirrhosis of the Liver Bladder and Prostate Disease Embolism and Thrombosis (not Cerebral)	41 39 9	— 2  27
Purulent Infection and Septicæmia			35	{ Septicæmia (not Puerperal)          { Pyæmia (not Puerperal)          { Atrophy, Debility            Ulcer, Bedsore            Teething	25	10
Unspecified or Ill-defined Causes  Dysentery			35	Teething	52 43	— 17 — 10
Icterus Gravis		$\begin{pmatrix} 1\\7\\25 \end{pmatrix}$	33	Liver and Gall Bladder, Other Diseases	46	- 13
Syphilis		31 }	32 32	Tetanus Syphilis	38 24	- 6 8

Table No. XVII .- continued.

Causes of Deaths in Queensland during the Year 1907, arranged in order of degree of Fatality—continued.

Cause of Death, 1907.	Number o	f Deaths,	Cause of Death, 1906.	Number of Deaths, 1906.	Increase or — Decrease in 1907.
Asthma	28)	0.1	E. Lawrence A. (Lawrence)	10	15
Pulmonary Emphysema	3 }	31	Emphysema, Asthma	46	4
Appendicitis, Abscess of Iliae Fossa Acute Endocarditis	. 45	30 29	Appendicitis, Perityphlitis Infective Endocarditis	26	26
Congestion of Lungs and Pulm. Apoplexy	17)			0.0	
Gangrene of Lungs Other Diseases of Respiratory System	$\binom{2}{10}$	29	Respiratory Diseases, Other	23	6
Plague Softening of the Brain		28	Plague	12	16
Other Diseases Peculiar to Infancy		26 26	Softening of the Brain Injury at Birth	13 24	13
Accidents of Pregnancy		25	Abortion, Miscarriage	3	22
Other Diseases of the Urethra, Urinary	8)	0.5	u	0.0	0
Abscess, &c. Other Diseases of the Kidneys and Adnexa	17 }	25	Urinary System, Other Diseases	33	- 8
Puerperal Hæmorrhage			(Puerperal Mania	)	
Other Puerperal Accidents, Sudden Deaths	7 }	25	Placenta Præzia, Flooding Pregnancy and Childbirth, Other Accidents	{ 30	- 5
Other Accidents of Childbirth	11)		of	)	records I
Epilepsy		24 24	Epilepsy Firearms (Suicide)	18 19	6 5
Inanition	•••	24	Privation, Starvation, &c	29	- 5
Poison (Suicide)		23	Poison (Suieide)	33	- 10
Acute and Chronic Alcoholism Timber-felling, Logging, &c. (Accident)	11)	21	Alcoholism, Delirium Tremens	61	- 40
Other Accidental Injuries	10}	21	Otherwise, or not stated (Accident)	19	2
Measles		20 20	Measles	5 4	15 16
Drowning (Suicide)		20	Drowning (Suicide)	14	6
Railways (Accident)		19	Railways (Accident)	11	8
Simple Peritonitis (not Puerperal)		19 19	Pleurisy Peritonitis (not Puerperal)	28 14	- 9 5
Beri Beri		18	Beri Beri	8	10
Dengue Fever		18 18	Dengue Fever Rheumatic Fever, Acute Rheumatism	$\begin{array}{c} 24 \\ 12 \end{array}$	- 6 6
Lead Poisoning	15)	18	(Opium, Morphia Habit	} 15	3
Other Chronic Poisoning Mines and Quarries (Accident)	3 (	18	Chronic Poisoning (not Intentional) Mines and Quarries (Accident)	25	_ 7
	6)	10	( Eczema	)	
Other Diseases of the Skin and Adnexa	11 }	17	Pemphigus	{ 18	_ 1
Non-tuberculous Disease of Bones		17	( Rickets	} 6	11
C 41. I 4 (C I )			Caries, Necrosis	)	11
General Tuberculosis		17 16	Cutting Instruments (Suicide) General Tuberculosis	$\begin{array}{c} 16 \\ 21 \end{array}$	$ \frac{1}{5}$
General Paralysis		16	General Paralysis of Insane	11	5
Other Diseases of the Spinal Cord Diseases of Mouth and Associated Organs	10)	16	Paraplegia and Disease of Cord	17	- 1
Diseases of the Pharynx	5 {	16	( Fonsilitis and Quinsy	} 10	6
Diseases of the Œsophagus Insolation	1)	16	Weather, Sunstroke and Heat Apoplexy	99	7
Acute Nephritis		15	Acute Nephritis	23 49	- 7 - 34
Puerperal Septicæmia Ulcer of the Stomach		15	Puerperal Septicæmia	9	6
Inhalation of Noxious Gases (Accident)	2 ?	14 13	Gastrie Ulcer ,	10	4
Other Accidental Poisoning	11 }	13	Poisons, Poisonous Vapours (Accident)	6	7
Tuberculosis, Abdominal, &c.		12	Tuberculous Peritonitis Tabes Mesenterica	} 26	- 14
Weapons and Implements (Accident)		12	Weapons and Implements (Accident)	11	1
			(Rheumatism of the Heart Chronic Rheumatism	)	
Chronic Rheumatism and Gout		11	) Gout	29	- 18
			(Rheumatic Arthritis and Rheumatic Gout	)	
Hæmorrhage		11	Hæmophilia, Hæmorrhagic Diathesis Hæmorrhage	} 13	_ 2
			(Purpura	)	
Puerperal Albuminuria and Eclampsia Pericarditis		11 10	Puerperal Convulsions Pericarditis	$\begin{array}{c} 10 \\ 2 \end{array}$	1 8
Carbuncle	2)	10	(Abscess	} 9	1
Phlegmon, Acute Abscess Erysipelas	85	9	Phlegmon and Carbuncle	)	
Tuberculosis of the Meninges		9	Erysipelas Tuberculous Meningitis	11 10	- 2 - 1
Diseases of the ear		9	Otitis, Mastoid Disease	7	2
Angina Pectoris Other Diseases of Intestines		9	Angina Pectoris Other Diseases of Intestines	8	1 1
Other Diseases of Digestive System		8	Other Diseases of Digestive System	16	- 8
Want of Care (Infants)		8	Want of Breast Milk	24	- 16

### Table No. XVII—continued.

Causes of Deaths in Queensland during the Year 1907, arranged in order of degree of Fatality—continued.

Cause of Death, 1907.	Number of 190		Cause of Death, 1906.	Number of Deaths, 1906.	Increase or — Decrease in 1907.
III.					
Uterine Hæmorrhage (non-puerperal) Other Diseases of the Uterus	1 7	8	Other Diseases of Uterus and Vagina	8	
Gangrene		7	Senile Gangrene	? 11	$\rightarrow$ 4
Sufficientian (Assident)		7	Phagedæna Suffocation (Accident)	) 11	_ 4
Other Tumours (excl. Female Genital Organs)		6	Suffocation (Accident) Tumour	1	5
Progressive Locomotor Ataxia		6	Locomotor Ataxy	5	1
Building, Works, &c. (Accident)		6	Building Operations (Accident)	1	5
Murder by Whites		6	Murder (by Whites)	9	- 3
Dropsy		6	Dropsy, Ascites, Anasarca	9	- 3
Pott's Disease	1)	5	Tuberculosis of Other Organs	? 14	_ 9
Tuberculosis of Other Organs	45		Lupus	3	
Diseases of Veins (Varices, Varicose, Ulcers, &c.)		5	Phlebitis	3	2
Ankylostome		5	( Varicose Veins Ankylostoma	9	- 4
Surgido har Homerum ou Standard - 1-1-		5	a · · · · · · · · · · · · · · · · · · ·	12	7
Machinery (Accident)		5	Machinery (Accident)	9	- 4
Exophthalmic Goître	2)	1		0	2
Diseases of the Thyroid Body	25	4	Thyroid Body Disease	2	2
Other Forms of Mental Alienation		4	Insanity (not Puerperal)	13	- 9
Other Diseases of Female Genital Organs	3)	4	Other Diseases of Ovary	? 11	- 7
Non-venereal Dis. of Male Genital Organs	1)		Gener. and Mam. Organs, Other Diseases	)	
Tranways (Accident)		4	Tramways (Accident)	1	3
Ships, Boats, Docks, &c. (not Drowning) Scarlet Fever		3	Ships, Boats, and Docks (not Drowning)	3	1 2
Change		3	Scarlet Fever Croup (not Spasmodic or Membranous)	11	- 8
Other General Diseases		3	Ptomaine Poisoning	10	_ 7
Eclampsia (non-puerperal)		3	Convulsions (over 5 years)	1	2
Calculi of Urinary System		3	Calculus (not Biliary)	6	_ 3
Other Suicides		3	Suicide by other means	4	- 1
Snake Bite		3	Snake Bite	6	- 3
Manslaughter		3	Manslaughter	2	1
Sudden Death		3	Sudden, Cause not Stated		3
Uterine Tumour (non-cancerous) Suicide by Precipitation from a Height		2 2	Uterine Tumour (not Malignant)	9	- 7 2
Frantian		2	Suicide by Jumping from High Places Execution	2	2.
Electric Shock		2	Wash as (Tinhan)	7	5
		1	(Simple Continued Fever	)	
Other Epidemic Diseases		1	Chicken Pox	3	_ 2
Malignant Pustule and "Charbon"		1	Anthrax, Splenic Fever		1
Blennorrhagia of Adults		1.	Gonorrhea, Stricture of Urethra	9	- 8
Addison's Disease		1	Supra Renal Capsules Disease		1
Chorea Diseases of the Lymphatic System		1	Chorea Other Discours	1	
Intestinal Damasitas		1	Lymphatic System, Other Diseases Other Animal Parasites	4 6	- 3 - 5
Hydatid Tumours of the Liver		1	II-datid	3	_ 2
Diseases of the Spleen		1	Spleen Disease		1
Cysts and Other Ovarian Tumours		1	Ovarian Tumour (not Malignant)	3	- 2
Arthritis and Other Diseases of Joints		1	Arthritis, Periostitis	5	- 4
Suicide by Crushing		1	Suicide by Crushing		1
Murder by Coloured		1	Murder by Coloured Persons	6	- 5
Justifiable Homicide		1	Justifiable Homicide  Deaths from Causes in 1906 not occurring in 1907	34	- 34
TOTAL		5,599	Тотац	5,095	504
***		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	TOTAL	0,000	001

### TABLE No. XVIII.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in Queensland during the Year 1907.

						5 years.															rds.			TOTALS	>.
CLASSES AND DISEASES.		nde	2 to 3.	to	to	Total under 5	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Males.	Females.	Persons.
CLASS I.—General Diseases.																									
1. Typhoid Fever							1	3	7	11	11	2	10	1	5	4	2		1				57	27	84
2. Typhus						1	1:::																		
4. Intermittent Fever 4a. Malarial Cachexia		1 .		1	1	1 2				3	2	1	1	4	5	4	2		2	3			$\frac{1}{32}$	7	39
5. Small-Pox			2 2				1																11	· 9	20
6. Measles		1 .				1	1		1	1													2	1	3
8. Whooping Cough 9. Croup	5	0	7   5		1	65	1																66	55 2	121
9a. Diphtheria			7   6		2	22 15	1	1	2	3	1			4	12	4	7	9	8	15	29		$\frac{23}{118}$	31	222
!. Miliary Fever																									
2. Asiatic Cholera		1				1	1													2			1 20	7.0	]
4. Dysentery 4a. Epidemic Dysentery		3	1			4	1						2	1		2	1	3	2		1			13	33
5. Plague		1			1	1	1	5	2	2		1	3	2	4								21	7	28
7. Leprosy		1		1		1	2	]			1		2	3				1.					6 5	4	6
O. Other Epidemic Diseases		1				1				6	6		7	2	1			 I					17		18
9b. Dengue		1				1						1		2	1 2	1	1		2 2	3			12	6	18
D. Purulent Infection and Septicæmia L. Glanders and Farcy							1	<sup>2</sup>	1	2		2		1		3	2	1	2	1				15	35
2. Malignant Pustule and "Charbon" 3. Rabies																				1			1		1
4. Trichinosis, etc																									
3. Tuberculosis of the Larynx										15	26	1	9.1	1 25	1 36	30	18	16	10				5 244	103	6
7. Tuberculosis of the Lungs 8. Tuberculosis of the Meninges		2				5		1			20	21	34	20						4			6	3	347
9. Tuberculosis, abdominal, etc 9. Pott's Disease		3				3		1					1			1			1				7	5	12
d. Cold Abscess; Symptomatic Abscess 2. White Swellings		: :																							
3. Tuberculosis of other Organs		2				2			1		2	1	1		3	1	1				1		1 13	3	4 16
5. Scrofula						5					1	1	2			2	2						14	17	
7. Blennorrhagia of Adults												1	1					1					1		31
3. Gonococcic Dis. (children under five) 3. Cancer, etc., of the Mouth		1										1	1	3	3	4	6	1	3	4	8		34	2	$\frac{1}{36}$
Cancer, etc., of the Stomach and Liver Cancer, etc., Peritonæum, Intestines, e	te								1		1		1	2	10	11	13	11 3	18	12	5 2		84 19	48 13	132 32
2. Cancer, etc., of the Female Genital Orga 3. Cancer, etc., of the Breast	ns																							44 16	14
Cancer, etc., of the Skin Cancer, etc., of other Organs						1						3	2	1 4	5	2 12	6	3	2 5	11			9 58	4 22	13
6. Other Tumours (excl. F. Genital Organ	as)													*				5 3			1		4	2	80
7. Acute Articular Rheumatism 8. Chronic Rheumatism and Gout								2	2	1					1					6	2		12 9	6 2	18 11
D. Scurvy								2	1	1	2			•••	2		1	5	3	1	1		19	21	40
Exophthalmic Goître																1		1					1	1	2
3. Leucæmia		1			2	4	3		1		1	 I		1	1 3	3	2		1	1			11 13	3 12	14
5. Other General Diseases 6. Acute and Chronic Alcoholism						î							;										1	2	25 3
. Lead Poisoning					2	2	2		1	1			4 2	4	3	2 2		3			1		17 10	5	21 15
Other Chr. Poisoning due to Occupation Other Chronic Poisonings	ns															1							1	2	
TOTAL CLASS I	9	1 23	16	10	9	153	19	19	23	46	56	36	76	63	102	94	66	70	64	67	57		1,011	626	1,637
CLASS II.—Diseases of																									
the Nervous System and of the Organs of Special Sense.	е																								
Simple Maningitie	10					21	$\frac{1}{6}$	3		2	1	2						1			1		3	1	4
a. Epidemic Cerebro-spinal Meningitis													3	3	1		2	1		1			46	29	75
. Other Diseases of the Spinal Cord				***			1							$\frac{1}{2}$	2	1	1 1	2	1	2	1		6 10	6	6 16
Congestion and Hæmorrhage of Brain Softening of the Brain		2				2	3		1	1	1	1	2	5	8	8	6	16	18	14	19 5		105	60	165 26
. Paralysis without indicated cause . General Paralysis					1	1					1	1		3	2 4			3	5	2	5		19	12	31
Other Forms of Mental Alienation Epilepsy															*		1		1		1		15	4	16
. Eclampsia (non-puerperal)						27	$\frac{1}{2}$		2	1	2	2	1	1		1	2		1		1		15	9 1	24
. Convulsions of Children under five	3			1	2	54 7	3	3	1	3	1	1	1	ï									54 21	37 11	91 32
. Tetanus						1000									1									11	1
. Chorea		1	1			2	1		1		1			4		2				1			1	10	
. Chorea			1			2	1		1		1			4 2	2	2				1			1 14 3	16	30

## TABLE No. XVIII.—continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in Queensland during the Year 1907-continued.

						years.															ds.			TOTALS	
. CLASSES AND DISEASES.	er lyear.	2.	65	4.	5.	Total under 5 y	10.	to 15.	to 20.	to 25.	to 30.	to 35.	to 40.	to 45.	to 50.	to 55.	to 60.	to 65.	0 70.	to 75.	and upwards	Unspecified.	si si	ales.	ons.
	Under	1 to	2 to	3 to	4 to	Tota	5 to	10 t	15 t	20 to	25 to	30 to	35 to	40 to	45 to	50 to	55 to	60 to	65 to	70 to	75 a	Unsi	Males.	Females	Pers
CLASS III.—Diseases of the Circulatory System.																									
	4							1 3	4	1 5	1 4	1 12	1 13	2 21	1 1 21	1 2 31	21	1 1 31	1 4 45	1 36	1 1 33		8 15 284	2 14 184	10 29 468
80. Angina Pectoris 81. Dis. of Arteries, Atheroma, Aneurism, etc.										2	1	 1		6	5	1 8	1 7 2	1 7 2	5	14	7		51 20	3 14	9 65
82. Embolism and Thrombosis 83. Dis, of Veins (Varices, Varicose Ulcers, etc.) 84. Diseases of the Lymphatic System 85. Hæmorrhage	- 1	•••				4	 1			1	1	•••	1	1	2 1	1			1	3			2 9	16 3 1 2	36 5 1 11
86. Other Diseases of Circulatory System						9	1	4	4	9		14	15	30	31	45	31	43	59	15	48		395	220	634
TOTAL CLASS III						9			+		7	1.4	10			40	-01	40	99	40	40		399	239	034
CLASS IV.—Diseases of the Respiratory System.																									
87. Diseases of the Nasal Fossæ 88. Diseases of the Larnyx 89. Diseases of the Thyroid Body	2		2	2		6	2			•••			1	ï	1				1				12	 8 2	20 2
90. Acute Bronchitis 91. Chronic Bronchitis	20  14	2 1 5	2	1	1	26 1 20	ï							 1	2	1 2	2 3 1	9	1 7	1 5 3	13 2		31 44	18 37	49 81
92. Broncho-pneumonia	16	4	1	2		$\begin{bmatrix} 20 \\ 23 \\ 1 \end{bmatrix}$	1 3	1	6	7 2	2	7	4	16	12	20	5	11	9	8	12		27 144 14	41 76 5	68 220 19
95. Congestion of Lungs and Pul. Apoplexy 96. Gangrene of the Lungs	3	1	1			5					 1		 1	2	 I	2	 I 1	1	1 5	4	2 3		8 2 22	9 6	17 2 28
97. Asthma 98. Pulmonary Emphysema 99. Other Diseases of the Respiratory System										1	1	2				1			1	1	1 2		3 9	1	3 10
TOTAL CLASS IV	55	13	7	6	1	82	7	2	7	10	4	10	6	21	18	26	14	23	27	23	36		316	203	519
CLASS VDiseases of the Digestive System.																									
100. Dis. of Mouth and associated organs 101. Diseases of the Pharynx		2		1		6								 1							1		7 3	3 2	10 5
102. Diseases of the Œsophagus 103. Ulcer of the Stomach 104. Other Dis. of Stomach (Cancer excluded)		1	2		1	14	2	2				1	2	2 2	4	2		1 4	1 2	1	3		8 35	1 6 20	1 14 55
105. Diarrhœa and Enteritis (under two years) 106. Diarrhœa and Enteritis (over two years)	155	32	7			187 7	1	1			1			1		 I	5		1	6	9		187 33	151 44.	338 77
	4	1	2	1		8	2	 1		2		2	2	2	2	····				 1			29	1 5 24	1 5 53
109. Other Diseases of the Intestines												1	1	1	1	1	1						6	3	9
111. Hydatid Tumours of the Liver 112. Cirrhosis of the Liver 113. Biliary Calculi	1					1						1 1	1	3	3	4	3		2	3	2		23	16	39
114. Other Diseases of the Liver 115. Diseases of the Spleen	2					2				2		2	2	1	3			2			2		13	12	25 1
116. Simple Peritonitis (non-puerperal) 117. Other Diseases of the Digestive System 118. Appendicitis and Abscess of Hiac Fossa	2					2	1	5	1 3	3	ï	1	1	1	2	1	1	1	3	1 2	1		11 6 21	8 2 9	19 8 30
TOTAL CLASS V	178	36	11	2	_1	228	6	9	4	8	2	10	9	15	16	11	13	12	11	15	19		388	311	699
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																									
119. Acute Nephritis	2				 1	2 1		1	2 10	1 7	4	11	3	8	1 13	1 14	3 10	12	1 17	1 15	10		13 136	57	15 193
121. Other Dis. of Kidneys and Adnexa 122. Calculi of Urinary System	1	 1				1							1	2	2	1	 1		2		1		8 3	9	17
123. Diseases of the Bladder 124. Other Dis. Urethra, Urin. Abscess, etc. 125. Diseases of the Prostate														2	1	2	3	 I	4 8	3 1 2	5 1 7		17 8 20	2	19 8 20
126. Non-venereal Dis. of Male Genital Organs 127. Metritis											1												1		1
128. Uterine Hæmorrhage (non-puerperal) 129. Uterine Tumour (non-cancerous) 130. Other Diseases of the Uterus																								2 7	1 2 7
131. Cysts and other Ovarian Tumours 132. Other Dis. of Female Genital Organs																								1 3	1 3
133. Non-puer, Dis, of Breast (Cancer excepted)  TOTAL CLASS VI	3	1			1	5		2	12	8	6	11	4	14	17	18	17	14	32	22	24		206	84	290
	-																								
CLASS VII.—Puerperal Condition.																									
134. Accidents of Pregnancy																								25	25 7
136. Other Accidents of Childbirth 137. Puerperal Septicemia 138. Puerperal Albuminuria and Eclampsia																				•••				11 15 11	11 15 11
139. Puerperal Phlegmasia Alba Dolens 140. Other Puerperal Accidents, Sudden Death																								7	7
141. Puerperal Diseases of the Breast  TOTAL CLASS VII																								76	76
													1	1											70

### TABLE No. XVIII.-continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in Queensland during the Year 1907—continued.

						ears.															ri.			TOTALS	
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 ye	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards	Unspecified.	Males.	Females,	
CLASS VIII.—Diseases of the																									
kin and of the Cellular Tissue.																			1	1	9		5	9	
2. Gangrene														1 1 1				 1	1		1		1 4	1	
4. Phlegmon, Acute Abscess 5. Other Diseases of the Skin and Adnexa	3					3						ï		1	2			. 1					8	3	_
TOTAL CLASS VIII	3					3						1		4	2			2	2	1	3		18	10	-
CLASS IX.—Diseases of the																									
Organs of Locomotion.	9	1	1	1		5		1	1		1	1	1		1		1			1			13	4	
. Non-tuberculous Diseases of the Bones . Arthritis and other Dis. of Joints																								1	
8. Amputation																									-
TOTAL CLASS IX	2	1	1	1		5		1	1		1	1	1		1		1			1			13	5	_
CLASS X.—Malformations.																									
D. Congenital Malfor. (excl. of Still-born)	39	1			1	41																	41	30	
TOTAL CLASS X	39	1			1	41																	41	30	
TAGE VI. Information for the page 1																									
LASS XI.—Infancy (under 3 mos.)  . Congenital Debility, Icterus, and Scleroma						169																	169	134	
	17					17																	17	9 7	
TOTAL CLASS XI	187	-	-			187																	187	150	
CLASS XII.—Old Age.																	1	6	13	35	76		131	79	
						-													13	35	76		131	79	-
. Suicide by Asphyxia . Suicide by Hanging or Strangulation . Suicide by Drowning . Suicide by Firearms . Suicide by Cutting Instruments Suicide by Precipitation from a Height								1	1	 1 2 2 1	 1 1	 1 2 3 1	 1 4	3 3	 3 5 1	 1 3	1  2 	 1 1	ï	1 2	2 3 1		2 13 24 17 2	3 7 	
2. Suicide by Crushing												1						2					3		
4. Fractures														2	3								18		
6a. Mines and Quarries 6b. Railways								1	1	2 2	4 2	5	5 1	î	3 2	1		1		1			19		
6c. Tramways			ï	1		2	2	3	1	1	1 5 3	4 3	3	3 2	4 5	3	4	4 2		1.			37 39	 5 1	
66. Horses, etc									5	3				2		2		1 1					4 6		
6h. Machinery										2	1 2	1	1	1	1	i							4 10	1 2	
6j. Suffocation	5					5	1	4	2	2	3			2	4	ï	2		 1	1	2		5 30	2 10	
61. Timber Felling, Logging, etc. 6m. Other Accidental Injuries								1	1 1	1	1		1 2	1	2	1	2		1	1			11 9	1	
7. Burning by Fire 8. Burning by Corrosive Substances		3	4	1,	. 1	9	2		1	1	1			1	1			2					18	25	
9. Insolation	2					3					1		1	1	2	1		2	1				12	4	
1. Electric Shock 2. Accidental Drowning		3	ï	1	1	6	3	7	1 4	5	6	8	3	6	5	4	···	3	1	2	"i	1	66	9	
3. Inanition 4. Inhalation of Noxious Gases									1		1	1		5	1	3	1	3	1	2	1	2	23	1	
5b. Other Accidental Poisoning		-	1			2	1	2	1		1	1	2		1								3 7	4	
5c. Criminal Poisoning 6a. Murder by Whites		1				1						1	1		1								4	2	
66. Murder by Coloured						1								1		2							3	1	
66. Execution						1			1							1		1					1 2		
6f. Other External Violence		-	7	3	2	90	1 9	20	24	30	35	36	33	40	48	33	15	31	8	13	10	3	416	87	
TOTAL CLASS XIII	-	9				28	1	20	- ZE	- 00	-00			- 10	10		10			10			- 110	- 07	- -
LASS XIV.—Ill-defined Diseases																									
77. Dropsy						1										1							1	2 2	
79. Unspecified or Ill-defined Causes of Deatl	-		-			15		-		-	-			3	1	-	-				_ 1		_	10	-
		0				1 16	1 1	1		2	1			3	2	2	2				1		30	14	
TOTAL CLASS XIV	. 14	- 2	-			-		-		-				-	-		-	-	-	-	-			-	

### TABLE No. XIX.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in Queensland during the Year 1907.

							5 years.	-										-							TOTA	LS.
CLASSES AND DISEASES.		Under 1 year.	1 to 2.	to	to	4 to 5.	Total under 5 ye	5 to 10.	10 to 15.	15 to 20.	to	to	to		100	to	100	to	to	5	3 4	and	spec	Females.	Males.	Persons
CLASS I.—General Diseases	3.																									
1. Typhoid Fever 2. Typhus						1	1	1	2							,				1				27	57	
3. Recurrent Fever					1																					
a. Malarial Cachexia		1					1			***					1 0	ï	1				1			7	$\frac{1}{32}$	3
Small-Pox		2	5	1			8	1			1							1						9	11	2
Scarlet Fever		34	7	7	2		50	1 4				···					1							1 55	66	
Croup		3	4	6	1 5	1 4	22	9									1			1				31	1 23	
Influenza		9	8	1			18	4	1	1	2	2		4		1	ï	2	7	11	15			104	118	2:
Miliary Fever Asiatic Cholera																										
Cholera Nostras Dysentery		2	1				3	1	1				1		1		2	i	1		7			13	1 20	1 :
Epidemic Dysentery Plague									2		1	1				1		1				1 7		7	21	
Yellow Fever																						1				
Erysipelas		1					1			1			1		1			1	1					4	5	
Other Epidemic Diseases Beri Beri													1									1			17	1
Purulent Infection and Septicæmia		2	1			1	4	1	1	1			1	2		1			1	1	1	1		6 15	12 20	1
Glanders and Farcy																										
Rabies															1					:			•••	- 111.		
Pellagra																										
Tuberculosis of the Larynx  Tuberculosis of the Lungs		2	1						2	5	10	15	17	$\frac{1}{12}$	13	8	8	4	4	2				103	5 244	34
Tuberculosis of the Meninges Tuberculosis, Abdominal, etc.		2	2				2 2		1															3	6	
Pott's Disease												1				1	1							5	7	1
White Swellings																										
Tuberculosis of other Organs General Tuberculosis						 1	 1		1	1			1		1	1								3	13	1
Scrofula		9	2				 11						14.1.	2												
Blennorrhagia of Adults Gonococcic Dis. (children under five)													1				1	1						17	14	3
Cancer, etc., of the Mouth																			ï	1				2	34	3
Cancer, etc., of the Stomach and Live Cancer, etc., Peritonæum, Intestines,	etc.			1			1				1		 1	1	2	7	2	5	5	14 3	5	6		48 13	84 19	13
Cancer, etc., of the Female Genital Org Cancer, etc., of the Breast	gans											, 1	2	2	7 3	10 4	4	2 1	4 2	8 2	1	3 2		44 16		4
Cancer, etc., of the Skin Cancer, etc., of other Organs									1								2 3			1	1			4	9	1
Other Tumours (excl. F. Genital Org															1	5				1	4			2	58	8
Chronic Rheumatism and Gout								2											2	2		1		6 - 2	12	1
Scurvy Diabetes									3		···	ï		2	2	1	3	ï	1		3			21	19	4
Exophthalmic Goître Addison's Disease												1												1	1	
Leucæmia						1	1	1	1		1				2			1	1					3	11	1
Other General Diseases		2					2			•••		4												12 2	13	2
Lead Poisoning				1			ï	2		2			1	1		1			1					5	17 10	21
Other Chr. Poisonings due to Occupation Other Chronic Poisonings	ions						:::													 1				2		
TOTAL CLASS I		69	31	17	8	9	134	26	17	21	24	31	30	30	39			24	38	52	34			626	1,011	1,637
CLASS II.—Diseases of ne Nervous System and of th Organs of Special Sense.	1e																									
Encephalitis			3						1															1	3	4
Simple Meningitis Epidemic Cerebro-spinal Meningitis		9	3	3		2	17	3		1			. 1	1	2	1	1	1		1				29	46	75
Progressive Locomotor Ataxia Other Diseases of the Spinal Cord									1			1			1			1	1					6	6	6
Congestion and Hæmorrhage of Brain Softening of the Brain		3	2			1	6						ï	1	7	1	6	3	1	9	12	13		60	105	165 165
Paralysis without indicated cause										1		i					ï	1	4	2	3	4		12 12	14	26 31
Other Forms of Mental Alienation												ï		1				1		1		- 9		1 4	15	16
Epilepsy Eclampsia (non-puerperal)			1				1	1	2	1			1					1			2	1		9	15	24
Convulsions of Children under five Tetanus		24	5	6	1	1	37 5	1			2													37	54	91
Chorea Other Diseases of the Nervous System					1					1		1												11	21	32
Diseases of the Eves and Annendages		1					1			1	1	2		1	2			3	1	1	1			16	14	30
Diseases of the Ear				1			1	2		1														6	3	9
TOTAL CLASS II		41	11	10	2	4	68	7	5	6	3	6	3	4	12	5	8	12	8	15	20	23		205	328	533
E		1				,			1							,				,						

## TABLE No. XIX,—continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in Queensland during the Year 1907—continued.

	mil	) 10		100	i in	years.	olid				3	men.									of.		9 8.8	TOTALS.	-
CLASSES AND DISEASES.	year.					10															ward	ed.			
		2.	33.	4.	5.	Total under	10.	to 15.	20.	25.	to 30.	35.	to 40.	to 45.	. 20.	0 55.	55 to 60.	0 65.	0 70.	0 75.	75 and upwards.	Unspecified	Females.	es.	
	Under 1	1 to	2 to	3 to 4.	4 to	Tota	5 to 10.	10 to	15 to	20 to	25 to	30 to 35.	35 tc	40 to	45 to	50 to	55 to	60 to	65 to	70 to	75 a	Uns	Fen	Males.	Dougonou
CLASS III.—Diseases of the																									
Circulatory System.  Pericarditis							1						1										2	8	1
Acute Endocarditis Organic Diseases of the Heart	ï				 1		4	8	5	2 7	7	7	11	6 9	9	14	11	21	24	20	28		14 184	15 284 6	4
Angina Pectoris Dis. of Arteries, Atheroma, Aneurism, etc.												1	1	2	4			1 2	$\begin{bmatrix} 1 \\ 1 \\ 2 \end{bmatrix}$	1 2	3 6		3 14 16	51 20	
Embolism and Thrombosis Dis. of Veins (Varicos, Varicose Ulcers, etc.)									1	1		. 1		1					Ĩ	1	1		3	2	
Diseases of the Lymphatic System Hæmorrhage Other Diseases of Circulatory System	1					ï				1	: 												2	9	
TOTAL CLASS III	2				1	3	6	8	6	11	7	9	14	19	13	14	11	25	29	26	38		239	395	6
			T																					900	
CLASS IV.—Diseases of the Respiratory System.																									
Diseases of the Nasal Fossæ Diseases of the Larynx	3		2		2	7					1												8	12	-
Diseases of the Thyroid Body Acute Bronchitis	8	1	1	2		12	3			1							3		1 1 7	3	2 17		18	31	
Chronic Bronchitis Broncho-pneumonia	13	8	1 1 1	1 5		$\begin{array}{c c} 1 \\ 23 \\ 21 \end{array}$	3 2	2	4	4	5	6	1 2	1 6	1 1 2	3	1 4	1 3	3 6	5 3	2 3		37 41 76	44 27 144	2
Pneumonia	11 4	4				4		1			1	1					1		1		1 4		5 9	14 8	2
Gangrene of the Lungs Asthma																	···		2	1	2		6	22	
Pulmonary Emphysema Other Diseases of the Respiratory System																					···		1	3 9	
TOTAL CLASS IV	39	13	6	8	2	68	8	3	4	5	7	7	3	8	4	3.	10	8	21	12	32		203	316	5
Class VDiseases of the																									
Digestive System.  Dis. of Mouth and associated organs	2			1		3																	3	7	
1. Diseases of the Pharynx					2	2												1					2	3	
3. Ulcer of the Stomach 4. Other Dis. of Stomach (Cancer excluded)	1 4	2	· · ·	1		1 8	2	1	1	1	1 1	2			1				3		1 2		6 20	8 35	
5. Diarrhœa and Enteritis (under two years) 6. Diarrhœa and Enteritis (over two years)	121	30	10	5	2	151 17	 1			···		1	3	1	1		1	4	3	5	6		151 44	187 33	3
7. Intestinal Parasites			1	1 2	1	1 4																	5		
8. Hernia, Intestinal Obstruction 9. Other Diseases of the Intestines	3	2		1	1	6	2				1	1		1	···	2		2	4	3	2		24	29 6	
0. Icterus Gravis 1. Hydatid Tumours of the Liver						1															1		1 16	1 23	
2. Cirrhosis of the Liver	 1					1					1			1 2		1	2	1	1		2		3 12	4 13	
5. Diseases of the Spleen							ï							2	1		1			1	2		8	1 11	1
7. Other Diseases of the Digestive System 8. Appendicitis and Abscess of Iliac Fossa							1		2		1		3		1	1		1		1			2 9	6 21	
TOTAL CLASS V	132	34	12	11	6	195	7	3	3	2	5	5	8	10	8	5	7	10	15	11	17		311	388	6
CLASS VI.—Diseases of the Genito-Urinary System and																								. 0001	
Adnexa.  19. Acute Nephritis							l	1		2													2	13	
20. Bright's Disease						1		1		7	4	3	5		4	2 3		7	5 2	5	4	1	57 9	136	]
22. Calculi of Urinary System						1:::	1:::	1									1						2	3 17	
4. Other Dis. Urethra, Urin. Abscess, etc. 5. Diseases of the Prostate						1										1								20	
6. Non-venereal Dis. of Male Genital Organs 7. Metritis						1																		1	
8. Uterine Hæmorrhage (non-puerperal) 9. Uterine Tumour (non-cancerous) 0. Other Diseases of the Uterus						1		···· 1			 1		2		1 1						1		1 2 7		
1. Cysts and other Ovarian Tumours 2. Other Dis. of Female Genital Organs						1									1								1 3		
3. Non-puer Dis. of Breast (Cancer excepted)							1																		
TOTAL CLASS VI		-				-		- 5	3	_ 11	- 6	7	7	2	7	5	7	7	7	- 5	5 - 5		84	206	- -
I.ASS VII.—Puerperal Condition																									
34 Accidents of Pregnancy												6													
35. Puerperal Hæmorrhage											3	1	4	3									11		
37. Puerperal Septicæmia										2	2	3	4										11		
39. Puerperal Phlegmasia Alba Dolens 40. Other Puerperal Accidents, Sudden Death									1	. 3	1		2	2 1									7		
41. Puerperal Diseases of the Breast																									

### TABLE No. XIX,-continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in Queensland during the Year 1907-continued.

			1			Ts.																1		TOTALS	9
CLASSES AND DISEASES.	year.				12,123	der 5 years.						lne.	Mer's						130		and upwards.	ed.		TOTALS	5.
	Under 1	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and up	Unspecified.	Females.	Males.	Persons
						1	1					1						1		1		1			
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																									
2. Gangrene 3. Carbuncle 4. Phlegmon, Acute Abscess 5. Other Diseases of the Skin and Adnexa	2					2	1			i	1			1 		1		1					2 1 4 3	5 1 4 8	
TOTAL CLASS VIII	2					2	1			1	1			2		1		1	1		-		10	18	
CLASS IX.—Diseases of the Organs of Locomotion.																									
6. Non-tuberculous Diseases of the Bones 7. Arthritis and other Dis. of Joints	2	1				3		1															4	13	
9. Other Dis. of Organs of Locomotion																									
TOTAL CLASS IX	2	1				3		2															5	13	
CLASS XMalformations.																									
	28	2				30		•••															30	41	
TOTAL CLASS X	28	2				30														.,.			30	41	_
LASS XI.—Infancy (under 3 mos.) Congenital Debility, Icterus, and Scleroma						134																	134	169	3
2. Other Diseases Peculiar to Infancy B. Want of Care (Infants)	9 7					7																	9 7	17	
TOTAL CLASS XI	150					150																	150	187	3
CLASS XII.—Old Age.																		2	4	19	61		79	131	0
TOTAL CLASS XII																		2	4		61		79	131	2
CLASS XIII.—Violence.																						To had		iologia iologia	
. Suicide by Poison									1	2	1	1	1	1			1						8	15	
. Suicide by Hanging or Strangulation										2	2	 1					1						3	2	
Suicide by Firearms															1	1	1						7	13 24	
Suicide by Precipitation from a Height																								17 2	
Other Suicides																							1	3	
. Dislocations																									
a. Mines and Quarries b. Railways																								18 19	
c. Tramways			 1			1					1		···		···			1						4 37	
e. Horses, etc f. Ships, Boats, Docks, etc. (not Drowning)														1									1	39	
g. Building Works, etc			 1			···																		6	
i. Weapons and Implements	2	1				$\frac{1}{2}$	1																2 2	10	
La Falls, other		1				1										1	1	1		1	5		10	5 30	
m Other Accidental Injuries	1	1 6	 1	2	 1	1 11				5													1	11 9	
Burning by Corrosive Substances							3	1	1			2			1			1					25	18	
Fleetvic Shoot						1	1													2			4	12	
Accidental Drowning		2				2	3	2		1	ï			•••									9	2 66	
Inanition Inhalation of Noxious Gases														1									1	23	
c. Snake Bite								1		1							 1							3	
t. Murder by Whites	1					1					1										1		4	7	
Murder by Coloured											1												2 1	4	
l. Justifiable Homicide																								3	
f. Other External Violence																								2	
TOTAL CLASS XIII	5	11	3	2	1	22	8	4	2	12	7	5	2	3	3	2	5	3		3	6		87	416	50
LASS XIV.—Ill-defined Diseases.																									
. Dropsy	2					2																	2	4	
. Unspecified or Ill-defined Causes of Death	6	2				8					1			1 1				1					10	1 25	•
TOTAL CLASS XIV.	8	2				10					1			2				1	-				14		3
TOTAL CLASS AIV																***	***	4						30	4
TOTAL DEATHS OF FEMALES FROM ALL CAUSES																		-							-

### TABLE No. XX.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in Queensland during the Year 1907.

13. Milary Pever  14. Challers Newtons  15. Challers Newtons  16. Challer Newtons  17. Challer Newtons  17. Challer Newtons  18. Disputerly  19. Challer Newtons  19. Challer New			,																							
CLASS I.—General Disonance.    Company   Compa							years.															rds.			TOTALS.	
1.   Prime   1.   1.   1.   1.   1.   1.   1.   1	CLASSES AND DISEASES.	-	to	60	to		under5	to	10 to 15.	to	to	25 to 30.	to	35 to 40.	to	to	to	to	60 to 65.	to	to		Unspecified.	Persons.	Males.	Females.
2 Typins	CLASS I.—General Diseases.																									
33 Taberellosis of other Organs	2. Typhus 3. Recurrent Fever 4. Intermittent Fever 4a. Malarial Cachexia 5. Small-Pox 6. Measles 7. Scarlet Fever 8. Whooping Cough 9. Croup 9a. Diphtheria 10. Influenza 11. Miliary Fever 12. Asiatic Cholera 13. Cholera Nostras 14. Dysentery 14a. Epidemic Dysentery 15. Plague 16. Yellow Fever 17. Leprosy 18. Erysipelas 19. Other Epidemic Diseases 19a. Beri Beri 19b. Dengue 20. Purulent Infection and Septicemia 21. Glanders and Farcy 22. Malignant Pustule and "Charbon" 23. Rabies 24. Trichinosis, etc. 25. Pellagra 26. Tuberculosis of the Larynx 27. Tuberculosis of the Meninges 28. Tuberculosis, abdominal, etc. 30. Pott's Disease 31. Cold Abseess; Symptomatic Abseess			12 12 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1					3	2 1 3 1 1 6			6 6 2 3 -1 1 38 38 1	6	5  5  5  4    1 4 4    		3	19	30 33 34					7 9 15 2 31 103 1103 3 1103
7. Lead Poisoning 1 2 3 4 3 1 2 2 2	32. White Swellings 33. Tuberculosis of other Organs 34. General Tuberculosis 35. Scrofula 36. Syphilis 37. Blennorrhagia of Adults 38. Gonococcie Dis. (children under five) 39. Cancer, etc., of the Stomach and Liver 40. Cancer, etc., of the Stomach and Liver 41. Cancer, etc., of the Female Genital Organs 43. Cancer, etc., of the Female Genital Organs 44. Cancer, etc., of the Female Genital Organs 45. Cancer, etc., of the Skin 46. Cancer, etc., of other Organs 47. Acute Articular Rheumatism 48. Chronic Rheumatism and Gout 49. Scurvy 50. Diabetes 51. Exophthalmic Goltre 52. Addison's Disease 53. Leucæmia 55. Other General Diseases	14 11         					16 1 1 1 1	6		1 1 2 1	         	2 1 1	2 2 1 1 2 3	1 1 2 3 2 2 2	1 3 4 2 7 7 3 1 4 1 2 3 3	1 3	1 1 3 3 4 13 2 4 4 4 15 3 3 1 4	1 3 6 18 2 2 1				1 8 11 2 3 3 2 5 1 2 2 3 3		4 16 31 1 1 36 132 32 444 16 13 80 6 18 11 40 2 1 144 25 3	1 13 14 1 1 34 84 19 9 58 4 12 9 11 11 13 1	3 3 17 2 48-13-44 16-4 22-2 2-6 2 21 1 3 12-2 2
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.    Chass II.—Diseases of the Nervous System and of the Organs of Special Sense.   Chass II.—Diseases of the Nervous System and of the Organs of Special Sense.   Chass II.—Diseases of the Spinal Meningitis   19   11   5   3   38   9   3   1   2   1   3   4   5   2   1   3   1   1   1   1   1   1   1   1	57. Lead Poisoning					2	3	4			1		•••	2			2							15	10	5
the Nervous System and of the Organs of Special Sense.		-	-	-		18	-	45		44		87				147			108							
Simple Meningitis   19   11   5   13   38   9   3   1   2   1   3   4   5   2   1   3   1   1   1   1   1   1   1   1	the Nervous System and of the																									
5. Chorea.  5. Chorea.  6. Diseases of the Nervous System  1	61. Simple Meningitis 61a. Epidemic Cerebro-spinal Meningitis 82. Progressive Locomotor Ataxia 83. Other Diseases of the Spinal Cord 64. Congestion and Hæmorrhage of Brain 85. Softening of the Brain 86. Paralysis without indicated cause 87. General Paralysis 88. Other Forms of Mental Alienation 89. Epilepsy 70. Eclampsia (non-puerperal) 71. Convulsions of Children under five 72. Tetanus	5         	11 2 1 12 1			···· ··· ··· ··· ··· ··· ··· ··	8  1  1  91	 1 3   1 3	 1    2 	1 1 1 	1 1  1 	 1 1 1 1 1 1 2	 2  1  3	4  3  4  1	5 1 3 12  3  1	2 9 1 2 4	1 1 14 1 1 1 	3  1 2 9 2  1 1 3 	3 17 2 7 	1 27 6 6 1 1 1 	1  3 26 4 3  2	 1  32 9 9 9 1 1 2		75  6 16 165 26 31 16 4 24 3 91	46 6 10 105 14 19 15 15 2 54	6 60 12 12 1 4 9 1 37
TOTAL CLASS II 97 28 19 3 8 155 26 11 11 10 12 10 14 24 26 20 20 20 20 20 20 20 20 20 20 20 20 20	74. Other Diseases of the Nervous System	1	1									3				4		3	i 	1	2			30	1 14	 16
		-	-				-					13				-				-	-					

### TABLE No. XX.-continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in Queensland during the Year 1907—continued.

UAUSES OF DEATHS OF PERSO						1	1																1	TOTALS	
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	to	3 to 4.	4 to 5.		5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Persons.	Males.	Females.
CLASS III.—Diseases of the															-										
Circulatory System. 77. Rericarditis								1				1	2		1,	1		1	1		1		10	8	2
78. Acute Endocarditis	1				1	1 6	4	111	9	3 12	1 11	1	1	8 30	30	2 45	32	1 52	69	3 56	1		29 468	15 284	14
80. Angina Pectoris	 3										1	1	1	8	9	1 8	7	8	3	1			9 65	6 51	3
82. Embolism and Thrombosis 83. Dis. of Veins (Varices, Varicose Ulcers, etc	.)					1	1		1	3	1	1		1 1	2	1 1	2	4	3 2	5	12		36 5	20 2	16
84. Diseases of the Lymphatic System 85. Hæmorrhage 86. Other Diseases of Circulatory System	. 5					5	ï			2			1	1	1					1			111	9	1 2
	11	-	-		1	12	7	12	10	20	14	23	29	49			42	68	88	71	86		634	905	200
TOTAL CLASS III				-	1	12	<u> </u>	14	10	20	14	23	29	49	44	59	42	08	000	/1	80		034	395	239
CLASS IV.—Diseases of the																									
Respiratory System.  87. Diseases of the Nasal Fossæ						l																			
38. Diseases of the Larynx			4	2	2	13	2			1	1		1	1	1				1				20 2	12	2
00. Acute Bronchitis		3	1	3	1	38 2	3 1							2	3	1 2	6	13	14	8	30		49 81	31 44	18 37
33. Pneumonia	27	13 8	2 2	7		43 44	3 3 3	3	10	11 2	7	13	6	1 22 1	2 14 1	23	9 2	1 14 1	3 15 2	8	15 2		68 220 19	27 144 14	41 76 5
95. Congestion of Lungs and Pul. Apoplexy. 96. Gangrene of the Lungs		1	1	1		9		1									1	1	1		6		17 2	8 2	9
97. Asthma 98. Pulmonary Emphysema		1	1				1		1		1		1	2	1	2	2	1	7	5	5		28 3	22 3	6
9. Other Diseases of the Respiratory System										1	1	2				1			1	1	3		. 10	9	1
TOTAL CLASS IV	. 94	26	13	14	3	150	15	5	11	15	11	17	9	29	22	29	24	31	48	35	68		519	316	203
CLASS VDiseases of the																									
Digestive System.	. 6	2		1		9															,		10	7	9
01. Diseases of the Pharynx				1	2	3								1				1			1		10 5	3	3 2 1
03. Ulcer of the Stomach 04. Other Dis. of Stomach (Cancer excluded	. 1	3	3	1	1	1 22	4	1 2	1	ï	1 1	3	2	2 2	1 5	2		1 4	1 5		1 5		14 55	 8 35	6 20
05. Diarrhœa and Enteritis (under two years 06. Diarrhœa and Enteritis (over two years	276	62	17	5	2	$\frac{338}{24}$	2	1		1	1	1	3	2	1	1	6	4	4	iii	15		338 77	187 33	151 44
07. Intestinal Parasites			1	$\frac{1}{2}$	1	1 4						1											1 5		1 5
108. Hernia, Intestinal Obstruction 109. Other Diseases of the Intestines		3	2	1	1	14	4	1		2	1	3	2	3	2 2	3	3	5	4	4	2		53 9	29 6	24
10. Icterus Gravis 11. Hydatid Tumours of the Liver 12. Cirrhosis of the Liver														1							1		1 1	1	1
113. Biliary Calculi						3		1		2	ï	1 2	2	6 1 2	5 3	5 1 1	6	3	5 2 1	1	3		39 7 25	23 4 13	16 3 12
115. Diseases of the Spleen							1		1	 1		1		1 2	2	1			3	1	4		1 19	1 11	8
117. Other Diseases of the Digestive System 118. Appendicitis and Abscess of Iliac Fossi	2					2		5	5	3	2	1	4	1	3	1	1	2	1	1 3	1		8 30	6 21	2 9
TOTAL CLASS V	310	70	23	13		 423	13	12	7	10	7	15	17	25	24	16	20	22	26	26	36		699	388	311
•																			_						
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																									
119. Acute Nephritis					ï	$\frac{2}{1}$		1	2 12	3 14		1.4			1	1	3		1	1	11		15	13	2
21. Other Dis. of Kidneys and Adnexa 22. Calculi of Urinary System	1	.:.				1		3 1		1	8 2	14	8 1	9	17 2	16 4	16	19	22 2 2		14		193 17 3	136	57 9
23. Diseases of the Bladder 24. Other Dis. Urethra, Urin. Abscess, etc		i				1		1						2 2	1		2 3	1	4	3	5		19	17 8	2
25. Diseases of the Prostate											1					2		1	8	2	m		20	20	
27. Metritis 28. Uterine Hæmorrhage (non-puerperal)									1																
29. Uterine Tumour (non-cancerous) 30. Other Diseases of the Uterus								ï		1	1	1	2		1					:::			2 7		2 7
31. Cysts and other Ovarian Tumours 32. Other Dis. of Female Genital Organs 33. Non-puer. Dis. of Breast (Cancer excepted												3			1								3		$\frac{1}{3}$
Total Class VI	-				1	5		7	15	19	12	18	11	16	24	23	24		20	27	20		200	206	
	3				1	-		-	10	10	12	10	11	10	24	23	23	-1	39	41	29		290	206	84
CLASS VII.—Puerperal Condition 34. Accidents of Pregnancy										5	E .	0	9	-	1										~
35. Puerperal Hæmorrhage 36. Other Accidents of Childhirth										1	5 2 3	6	3 2 4	5 2 3									25		25
37. Puerperal Septicæmia 38. Puerperal Albuminuria and Eclampsia									1	3 2	5 2	1 3	2 4	2									11 15		11 15
39. Puerperal Phlegmasia Alba Dolens 40. Other Puerperal Accidents, Sudden Death									1				2	1									11 7		11
II. Puerperal Diseases of the Breast																									7
TOTAL CLASS VII									2	14 .	17	11	17	13	2								76	000	76

## TABLE No. XX.-continued.

USES of DEATHS of PERSON						- 1									*									OTALS.	
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	03	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Persons.	Males.	Females,
CLASS VIII.—Diseases of the																									
kin and of the Cellular Tissue.														1		1			2	1	2		7	5	
Gangrene														2				2	<sub>1</sub>		1		2 8	1 4	
. Phlegmon, Acute Abscess . Other Diseases of the Skin and Adnexa	5					5	1			1		1		2	2			ĩ					11	8	,
TOTAL CLASS VIII	5					5	1			1	1	1		6	2	1		3	3	1	3		28	18	
CLASS IX.—Diseases of the																									
Organs of Locomotion.		9	1	1		0		9	1		1	1	1		1		1			1			17	13	
. Non-tuberculous Diseases of the Bones . Arthritis and other Dis. of Joints	4	2	1	1		8		1	1		1												1		
Amputation																									
TOTAL CLASS IX		2	1	1		8		3	1		1	1	1		1		1			1	1		18	13	
OT AGG V Walformations																									
CLASS X.—Malformations.  Ongenital Malfor. (excl. of Still-born)	67	3			1	71																	71	41	
TOTAL CLASS X	67	3			1	71																	71	41	
LASS XI.—Infancy (under 3 mos	.)																								
. Congenital Debility, Icterus, and Scleroma	303					303																	303 26	169 17	13
2. Other Diseases Peculiar to Infancy 3. Want of Care (Infants)	0					26 8	1																8	1	
TOTAL CLASS XI	337					337																	337	187	18
CLASS XII.—Old Age.																									
																	1	8	17	47	137		210	131	
TOTAL CLASS XII		-															1	8	17	47	137		210	131	
CLASS XIIIViolence.																									
55. Suicide by Poison											1		3			4	1	1	2				23	15	
56. Suicide by Asphyxia 57. Suicide by Hanging or Strangulation										3							2				1		5	2	
58. Suicide by Drowning 59. Suicide by Firearms						1	1	1		3 2			1	3 3		1	1 2	1	1	1 2			20 24	13 24	
30. Suicide by Cutting Instruments 31. Suicide by Precipitation from a Heigh	t					1	1			1	1	3	4	3	1	3		1	•••		1		17 2	17 2	
62. Suicide by Crushing											·	1 1						2					1 3		
63. Other Suicides 64. Fractures							1																		1
65. Dislocations 66a. Mines and Quarries						1:::				2					3					1			18	18	
66b. Railways						1	1	1			1		1		3 2	1		1		1			19	19	
66d. Other Vehicles 66e. Horses, etc					l	3	2	1 9	. 1	1	1 8					3 4	1	5 2		1			42 40	37 39	
66f. Ships, Boats, Docks, etc. (not Drowning						1				. 3				- 0		2		1 1					4 6	4 6	
66h. Machinery						1	2				. 1		1	1	1	1							5 12	4 10	
66j. Suffocation		7					7											6	1				7 40	5 30	
661. Timber Felling, Logging, etc									1 1	1 1	1	1	. 1	1		1	2		1	1			11	11	
66m. Other Accidental Injuries 67. Burning by Fire			9			2 20		5				1 2	2	1				3					10 43	18	3
		3	i				4	i				i	1 7		2	1		$\frac{1}{2}$			2		16	$\frac{1}{12}$	
70. Freezing												1 '	i				1						2	2	
72. Accidental Drowning				1	1	1		6	9	4	6	7 8	3 :	3 6		- 4				. 2				66 23	
74. Inhalation of Noxious Gases									2					. 1	1								2	2 3	2
			1				2		-	1	i		1 :	2	. 1		. 1				.   ]		11	7	
75c. Criminal Poisoning		ï	4				2					1 :			1	: ::							6		+
76b. Murder by Coloured						- 1				.		1					2				1		9	3	
176d. Justifiable Homicide			.							1													. 1	1	1
1766. Execution				.:			-																		
TOTAL CLASS XIII		12 2	20	10	5	3 5	50 1	7 2	24 2	26 4	2 4	2 4	1 3	5 4	3 51	1 3	5 20	34	1	8 1	6 1	6 3	503	416	3
CLASS XIV.—Ill-defined Diseas	es.																								
177. Dropsy		3				- 1						1 .			7	1	i .	1					. 6		4
							00					1						1	7			1			
178. Sudden Death 179. Unspecified or Ill-defined Causes of Dea	ath	19	4								4	1 .		• •			-	-	1 .			1	. 38	-	0
178. Sudden Death	-										2		-		_				1			1	4	_	

### TABLE No. XXI.

### CAUSES of DEATHS of MALES and FEMALES Registered in Queensland during each Month of the Year 1907.

		ARY.		JARY.												T.		MBER.		ER.		EMBER.		ECEMBER.	-	COTALS	
CLASSES AND DISEASES.		JANUA		FEBRU		MARCH		APRIL		MAY.		JUNE.		JULY.		AUGUST.		SEPTEM		OCTOBER		NOVEN		DECEM		gi.	σô
	M	. F.	М.	F.	М.	F.	М.	F.	М.	F.		1			М.	F.	м.		М.	F.	М.		м.	F.	Males.	Females.	Persons
										i			1			1				1					1,		
CLASS I.—General Diseases.	_		0			0																				07	94
1. Typhoid Fever		3	3	4	8	6	11		6	2	2	3	2	2	2		3		2		6	3	7	3	57	27	84
4. Intermittent Fever			3		1		3	1	3	1	2	1	4	3	4		3				1 4		2	 1	1 32	7	39
5. Small-Pox					ï	1													3	2	6	3.	1		11	9	20
6. Measles		1	1		1	1	5	4	11				1 7	8	12	15	11	5	5	6	7	1 6		3	2 66	1 55	3 121
8. Whooping Cough		1	1	2		1	2	5			5		2	2 3	1	3		2			2			2	1 23	31	3 54
$9\alpha$ . Diphtheria	4		2		3	3	4	2	5 2	3	2	3	6	4	46	40	28	35	17	10	4	5		2	118	104	222
11. Miliary Fever																											
13. Cholera Nostras	0		1			1		1	3	2	4	1	2				2			1	3	3	3	4	1 20	13	33
14a. Epidemic Dysentery	0		5	2	2		1	2			2	1	2		1		1	1	4						21	7	28
16. Yellow Fever							2		1						2						1				6		6
18. Erysipelas 19. Other Epidemic Diseases					1			1	1		1		1	1		1		1			1				5	4	9
19a. Beri Beri		1	2	1			2		2	1	1		2		3		2	1 2	6	١	2		1	1	17 12	6	18 18
20. Purulent Infection and Septicæmia 21. Glanders and Farcy		1	3				2	1	2	2	2	1	1	1	2	4	1		3	1	2	4	1		20	15	35
22. Malignant Pustule and "Charbon" 23. Rabies									1																1		
24. Trichinosis, etc.														-2													
26. Tuberculosis of the Larynx 27. Tuberculosis of the Lungs	00	1 12	1 8	3	20	6	22	6	$\frac{1}{32}$	12	17	8	34	5	$\frac{1}{21}$	9	16	8	1 18	14	15	12	15	8	5 244	103	6 347
28. Tuberculosis of the Meninges 29. Tuberculosis, Abdominal, etc		1 3	 1	1	2		1		1		1	1		1	1		1		2					 1	6 7	3 5	9 12
30. Pott's Disease							1																		1		1
32. White Swellings				1						 1										1	1					3	4
34. General Tuberculosis	2			1	3				1				2	1	2		1		1			1	1		13	3	16
36. Syphilis	2	2	1			1	1	1	3	4	1	2	1	2	3	2			1	2	1	1			14	17	31
38. Gonococcic Dis. (children under five) 39. Cancer, etc., of the Mouth			4		3						1	1	3		6		1		6		4		2		1 34	2	36
40. Cancer, etc., of the Stomach and Liver 41. Cancer, etc., Peritoneum, Intestines, etc.	7	4	3	1	9	3	9	5	4 3	3	6 3	2	7	7 2	5	3	10	6	15	6	4	4	5 2	7 2	84 19	48 13	132 32
42. Cancer, etc., of the Female Genital Organs		0		4		4		1		3		6		3 3		3 2		1		6 2		3		4 2		44 16	44 16
43. Cancer, etc., of the Breast 44. Cancer, etc., of the Skin 45. Cancer, etc., of other Organs	5	1	9	1	2 6	1	1 8	2	1 4	2	3	3	1		2		1 3		1 5			2	8		9	4 22	13
46. Other Tumours (excl. F. Genital Organs)					2		2						4	4		1	2		1	1	2		1		58	2	6 18
47. Acute Articular Rheumatism 48. Chronic Rheumatism and Gout	1	$\frac{1}{2}$	1	2				1		1	2		1		3		1		1		2		2	1	12 9	6 2	11
49. Scurvy 50. Diabetes	1	1		2	2	1		1	2			3	2	2	3	3	1	3	4	3	1	1	3	1	19	21	40
51. Exophthalmic Goître 52. Addison's Disease									1						1									1	1	1	1
53. Leucæmia 54. Anæmia, Chlorosis			1 2	2	2 3		1	4	1	1	$\frac{1}{2}$		2 2		2			1	2	···	1			4	11 13	3 12	14 25
55. Other General Diseases	part .	1	1		1				1		1		2		ï			1	1	1	1	1	3		1 17	2 4	3 21
57. Lead Poisoning 58. Other Chr. Poisonings due to Occupations		0	3	1	1	1			2					1			2	1				1	2		10	5	15
59. Other Chronic Poisonings	-		1											1				1							1	2	3
TOTAL CLASS I	82	49	60	31	78	31	80	40	95	53	67	40	93	56	130	89	91	71	101	62	73	56	61	48	1,011	626	1,637
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.																											
60. Encephalitis	0	4	1 5		1 5	2					2		1					1							3	1	4
61a. Epidemic Cerebro-spinal Meningitis			5	1			4	3	3	3			2	3	8	5	1		4	3	4	5	5		46	29	75
62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord			1				1		1		1		2	1	1	1	1		1	1	1 2	1	1 2	2	6 10	6	6 16
64. Congestion and Hæmorrhage of Brain 65. Softening of the Brain	2	1	3	6	9	3	9	9	9	3 2	9	3	17 2	3	9 3	9 2	12 2	5 3	9	4	3	5	9	9	105 14	60 12	165 26
66. Paralysis without indicated cause 67. General Paralysis	1	1	1	1	2	1	2		1		1	1	3	1	2	4	1 4	1	1		3		2	2	19 15	12	31 16
68. Other Forms of Mental Alienation 69. Epilepsy		1 2	2	1	1		2		 1	1	2	1	1	3			1	1	2		 1	2	2		15	4 9	4 24
70. Eclampsia (non-puerperal) 71. Convulsions of Children under five	1 6	1 5	6	3	3	3	3	2	5	4	1 5		7	4	5		···	3	6	2	5	3	2	8	2 54	1 37	3 91
72. Tetanus	3		1	1	2	1	1		1			2	2		1	2	5		2	2	1	3	2		21	11	32
75. Diseases of the Eyes and Appendages	1	2		1			1	2	2	3	1	2	2	2	1		3	1	2	1		1	1	1	14	16	30
76. Diseases of the Ear	1			1			1			2				1					1			2			3	6	
TOTAL CLASS II	28	17	21	16	24	10	24	16	24	18	23	10	42	19	32	23	31	15	32	14	20	23	27	24	328	205	

### TABLE No. XXI.-continued.

CAUSES of DEATHS of MALES and FEMALES Registered in Queensland during each Month of the Year 1907—continued.

	ARY.		HARY.		H.											.10	аламалал			DEB.		EMBER	1	EMBER.		TOTALS	
CLASSES AND DISEASES.	TANHA		FERRITA		- MARCH		APRIL		MAV			a voice		307		AUGUST			ago <sub>so</sub> o			1		DEC	Males.	Females.	Doveone
	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	м.	F.	М.	F.	N	Fe	Dog
CLASS III.—Diseases of the																											
Circulatory System.	2		1		1					1	2		1	1			1								8	2	1
. Acute Endocarditis	21	2 16	23	2 7	20	10	18	16	2 27	2 29	1 15	17	4 31	14	3 35	$\frac{1}{22}$	26	$\begin{vmatrix} 1\\12\end{vmatrix}$	$\frac{1}{31}$	 15	18	3 12	19	2 14	284	184	2 46
Angina Pectoris	6	2	3	1	1	1	1	1	2 2	1	2 4	1	1 4	2	5	1	6		7	3	7 3	3	5	1 2	6 51 20	3 14 16	6 3
			2	1	1	1	2	2		3	$\frac{1}{2}$	2	3	2		1	4							1	20	3	0
Diseases of the Lymphatic System Hæmorrhage	1		1		i		1			1	1		1	i			`i			1	1		1		9	2	1
	30	20			26	13	23		33		28	22	45	21	44	25	39	13	40	19	31	18	26		395	239	63
CLASS 1V.—Diseases of the																											
Respiratory System.  7. Diseases of the Nasal Fossæ																											
B. Diseases of the Larynx	1	2		1		1	1	1	4	1	1		3	1	[1	1		1					1		12	8 2	2
Acute Bronchitis	4 6	1	1	1	2 5	1	2 2	$\frac{1}{2}$	1	1 2	1 4	3	4 2	3 5	11 7	3 13	3 7 1	5 6	$\frac{1}{4}$	3	1 3	2	3	1 1	31 44	18 37	8
Broncho-pneumonia	1 13	3 4	5	1 2	3	1 3	1 9	3 2	7	3 5	8	6	6 13	7 11	7 31	7 14	25	10	3 13	12	10	5	7	3 2	27 144	41 76	22
Pleurisy			1		1		1	1	1 2			1	1	1	1	1 1	2	1 2	2	1	1 1	1	1	1 1	14 8 2	5 9	
G. Gangrene of the Lungs	2 1	1	1		3		 1		1		2 1		4	3	ï		3		2		2	2			22 3	6	1
8. Pulmonary Emphysema			1		1						2		1				1			1	1		2		9	1	
TOTAL CLASS IV	28	11	10	6	15	6	17	10	19	13	23	13	35	32	60	40	44	36	25	17	23	10	17	9	316	203	51
CLASS V.—Diseases of the Digestive System.																											
0. Dis. of Mouth and associated organs 1. Diseases of the Pharynx	1		1	1	. 1		 1				1		2	1		1 1			 1		1				7 3	3 2	
2. Diseases of the Esophagus	1	1	1	1		1			1	2			1					1	3		1	···				$\frac{1}{6}$	
4. Other Dis. of Stomach (Cancer excluded) 5. Diarrhœa and Enteritis (under two years)	9	4 13	1 22	1 12	9	$\frac{2}{12}$	1 4	3 13	5 6	1 4	3	3 4	$\frac{1}{12}$	2	6	1 5	8	5	2 10	$\frac{2}{14}$	2 40	31	6 48	36	35 197	20 151	3
16. Diarrhœa and Enteritis (over two years) 17. Intestinal Parasites	3	7	3	4	1	2	1	4	1	3	3	2	3	2	3	3	5	2	3		4	6	3	9	33	1	1
7a. Ankylostoma 8. Hernia, Intestinal Obstruction	1	1	2	2		4	5	3	3	1		1 2	2	2	5	3	. 5	3	4	1	2	3			29 6	5 24	
9. Other Diseases of the Intestines 0. Icterus Gravis 1. Hydatid Tumours of the Liver		1			1			ï	1	1			1				1	1					1		1	3 1	
11. Hydand Tumours of the Liver	3	2	1	1	1	1 1	2	ï	1	3	2		1		2		3		3	4	3	1	2	3	23	16	
4. Other Diseases of the Liver	2		1	1	1		1	2	1	2	1	1	2	1		1			2	2	1	1	1	1	13	12	
6. Simple Peritonitis (non-puerperal)* 17. Other Diseases of the Digestive System	3	1	1 2			3	1		1		2	1	1		1	2	2		1		1	1		1	11 6	8 2	
18. Appendicitis and Abscess of Iliac Fossa		2	5	1	2		1		3		1	1	1		2	1	1				2	3	3		21	9	-
TOTAL CLASS V	44	34	40	24	16	26	18	28	26	17	15	15	27	9	23	18	27	12	30	24	57	50	65	54	388	311	6:
CLASS VI.—Diseases of the Genito-Urinary System and																											
Adnexa.  19. Acute Nephritis	2		2						1				2		3	1	2	1	1						13	2	
20. Bright's Disease	14	2	11	4	11	3	9 2	6	7	5 2	12	10 2	1	4	18	5	15	5	3 2	2	6	5	13	2	136	57	1
22. Calculi of Urinary System 23. Diseases of the Bladder 24. Other Dis. Urethra, Urin, Abscess, etc.	1		2		1		1		1		6 2	1	1		1		2	1	1		1 1		1 2		3 17	2	
25. Diseases of the Prostate	4		1		1				1 2		1		1		2				1		4	1	3	1	8 20 1		
27. Metritis										1																1	
29. Uterine Tumour (non-cancerous) 30. Other Diseases of the Uterus		1	1	3							1			1						2				1		2 7	
31. Cysts and other Ovarian Tumours 32. Other Dis. of Female Genital Organs						1		1								1										1 3	
3. Non-puer. Dis. of Breast (Cancer excepted)																							-				
TOTAL CLASS VI	22	8	17	7	15	5	12	7	13	8	21	13	22	5	24	8	19	7	9	8	12	5	20	3	206	84	- 2
T.ASS VII.—Puerperal Condition.																											
34 Accidents of Pregnancy		1				2		3		1		3		2		3		2				1 7		-		25	
35. Puerperal Hæmorrhage		1		1	1			2				1		$\begin{vmatrix} 1\\2\\2 \end{vmatrix}$				2 2		2				1		7 11	
38. Puerperal Albuminuria and Eclampsia		3			1	1 1		1		1		1								2 2		1		. 1		15	
40. Other Puerperal Accidents, Sudden Death	1	1		1		2	1	1						1				1		1		1				7	
41. Puerperal Diseases of the Breast						1					1	1			1	1		1		1	1						

### TABLE No. XXI.-continued.

CAUSES of DEATHS of MALES and FEMALES Registered in Queensland during each Month of the Year 1907-continued.

CLASSES AND DISEASES.		JANUARY.		EBKUAKY.	TOU	жавоп.	1100	N Tr			UNE.		JULY.		TGTST		a a a Maudas		aaaouoo	ODER.	VEWRED		CEMBER	)		TOTALS.	
	M,		м.	F.	М.	F.	М.	F.	м.	F.	-	F.	м.	F.	м.	1	м.	F.	м.	F.	М.	F.	м.	F.	Males.	Females.	Persons.
CLASS VIII.—Diseases of the																											
Skin and of the Cellular Tissue.  Gangrene  Garbuncle		1	1		1				 1 1				1		1	2	1	 1		1	 1		1	1 1	5 1 4	2 1 4	
. Phlegmon, Acute Abscess		1	1 2		1				1 3		1 1		4 5					$\frac{1}{2}$		··· 1	1 2	$\frac{1}{1}$	2	1 3	8	10	1
TOTAL CLASS VIII									-								1						-		10	10	
CLASS IX.—Diseases of the Organs of Locomotion.  Non-tuberculous Diseases of the Bones Arthritis and other Dis. of Joints			1	2					1			ï	4		3		2			1	1	1	1		13	4 1	
Amputation																											
TOTAL CLASS IX			1	2					1			1	4		3		2			1	1	1	1		13	5	
CLASS X.—Malformations.  Congenital Malfor, (excl. of Stillborn)	3	2	3	3	1	4	5	3	5	4	2	2	3	4	5	3	4	1	2	1	4	3	4		41	30	1
TOTAL CLASS X	3	2	3	3	1	4	5	3	5	4	2	2	3	4	5	3	4	1	2	1	4	3	4		41	30	01
LASS XI.—Infancy (under 3 mos.  1. Congenital Debility, Icterus, and Scleroma 2. Other Diseases Peculiar to Infancy 3. Want of Care (Infants)	19 2		11 2 	4 2 1	11 2	5 1	11 3	14	13 1	11	15 1	13 1 1	13 2	12	15	12 1	14 2 	14	12 1 1	14 3	16 1	8	19	12	169 17 1	134 9 7	30
TOTAL CLASS XI	-	-	-	-	13			15			16			-			-					8	19		187	150	3
CLASS XII.—Old Age.																											
Senile Debility	. 12	8	10	8	4	3	8	4	9	3	10	8	19	8	11	11	11	7	20	7	10	7	7	5	131	79	2
TOTAL CLASS XII	. 12	8	10	8	4	3	8	4	9	3	10	8	19	8	11	11	11	7	20	7	10	7	7	5	131	79	2
5. Suicide by Poison 6. Suicide by Asphyxia 7. Suicide by Hanging or Strangulation 8. Suicide by Treams 9. Suicide by Firearms 9. Suicide by Firearms 9. Suicide by Precipitation from a Height 1. Suicide by Cruthing Instruments 1. Suicide by Cruthing Instruments 1. Suicide by Crushing 3. Other Suicides 4. Fractures 5. Dislocations 6a. Mines and Quarries 6b. Railways 6c. Other Vehicles 6c. Horses, etc. 6f. Ships, Boats, Docks, etc. (not Drowning 6g. Building Works, etc. 6d. Machinery 6d. Weapons and Implements 6f. Suffocation 6k. Falls, other 6d. Timber Felling, Logging, etc. 6m Other Accidental Injuries 7. Burning by Fire 8. Burning by Corrosive Substances 9. Insolation 0. Freezing 1. Electric Shock 2. Accidental Drowning 3. Inanition 4. Inhalation of Noxious Gases							3 1 1 4 4 1 1 3 1 1 1				1	1	1 4 1	1		1 2 2 	1		1		1		1		15	8 3 7	
ba. Snake Bite		1					 1						2		1		2	 1	1	1	1			1	3 7	4	
ac. Criminal Poisoning						 1			1		1			1					1		1	1			4	<sub>2</sub>	
3d. Justifiable Homicide													1				1		1				 1		3 1 2		
Se. Execution																			-								
TOTAL CLASS XIII. '	. 63	12	39	4	36	4	35	7	23	5	21	7	34	7	29	12	28	5	33	9	33	6	42	9	416	87	-
ASS XIV.—Ill-defined Diseases. Dropsy	S			 1							2	1	ï						1				1	2	4	2 2	
	3		3		2	2	3	1	2	1	2		1		2				-	1	-	-		4	25	10	
TOTAL CLASS XIV	-		3	1	2	2	3	1	2		4	1	2		2				3	1	- 5	1	1	6	30	14	-
TOTAL DEATHS OF MALES AND FEMALES FROM ALL CAUSES	336	187	249	122	231	116	239	157	267	173	231	153	346	182	379	252	313	190	309	192	288	195	292	200	3,480	2,119	5,8

### TABLE

## CAUSES of DEATHS of MALES, FEMALES, and PERSONS Registered in

			Metroj	politan			Me	Total tropoli	tan.	1	Moretci	1.	W	ide Ba	у.	Por	t Curt	is.
CLASSES AND DISEASES.	10-m	ile Ra	dius.		Outside nile Ra													
	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
44. Zancer, etc., of the Skin 45. Cancer, etc., of other Organs 46. Other Tumours (excl. F. Genital Organs) 47. Acute Articular Rheumatism 48. Chronic Rheumatism and Gout 49. Scurvy 50. Diabetes 51. Exophthalmic Goftre 52. Addison's Disease 53. Leucemia 54. Anæmia, Chlorosis 55. Other General Diseases 56. Acute and Chronic Alcoholism	12	5	17			2	13	6	19 11 15 18 19 19 11 19 10 11 11 12 13 14 15 16 18 18 18 18 18 19 10 11 11 12 13 14 15 16 17 18 18 19 10 11 11 12 13 14 15 16 17 18 18 19 10 11 11 12 13 14 15 16 17 18 18 19 10 11 12 13 14 15 16 17 18 18 19 10 11 12 13 14 15 16 17 18 18 19 19 10 11 11 12 13 14 15 16 17 18 19 10 11 11 12 13 14 15 16 17 17 18 18 19 10 11 11 12 13 14 15 16 17 17 18 18 19 10 11 11 12 13 14 15 16 17 17 18 19 10 11 11 12 13 14 15 16 17 17 18 18 19 19 10 11 11 12 13 14 15 16 17 17 18 18 19 19 10 11 11 12 13 14 15 16 17 17 18 18 19	3 3	3	6	5	2	7	2	3	5
57. Lead Poisoning 58. Other Chr. Poisonings due to Occupations 59. Other Chronic Poisonings  Total Class I	300	4  249	11  549	39		53	7 339	263	11  602	77		1		74	1			1
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.	500	249	949	39	14	93	339	263	602	77	60	137	80		154	66	47	113
61. Simple Meningitis 61a. Epidemic Cerebro-spinal Meningitis 62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord 64. Congestion and Hiemorrhage of Brain 65. Softening of the Brain 66. Paralysis without indicated cause 67. General Paralysis 68. Other Forms of Mental Alienation 69. Epilepsy 70. Eclampsia (non-puerperal) 71. Convulsions of Children under five 72. Tetanus 73. Chorea 74. Other Diseases of the Nervous System	14 1 288 5 2 1 3 9 2 2 4 1	6 1 27 7 5 5 4 7 4	20 255 12 7 1 3 14 6 11 5	1 7 6 6 6 11 3	1 6 1 3 2	2 13 7 9 11 5	15 1 35 11 8 12 6 9 2 1 5 1	7 1 33 8 8 2 5 4 8 4	22 22 68 19 16 12 8 14 6 1 13 5	1 1 10 1 2 2 6 4 1 1	3 2 3 2	4 3 13 3 2 3 17 4 2	4 1 1 1 1	5 1 7 1 1 1 2 7 1 1 1 1 1 1	9 1 1 18 2 1 1 3 20 3 20 3 2	9 1 7 1 3 3 2 2	7 5 1 1 1 2 3 3	16 1 12 2 1 1 1 4 5 5

## No. XXII.

## the several Groups of Registry Districts of Queensland during the Year 1907.

Ed	lgecu	mbe.	Ro	cking	gham.	P	Yor		Car	rpent	aria.		Centr Veste			Sout Weste			Cent	ral.	) J	Maran	10a.		Dow	ns.		TOTALS	s.
Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons,
9	4	13	111 1 2 2 1 6 1 1 2 2 2 1 1 2 2 2		15	188		1 20 20 20 20 20 20 20 20 20 20 20 20 20	99	1	10		3		1				2	2			3	2	3  2 	3	57 1 32 11 2 666 1 1 23 118 21 21 6 5 5 1 17 1220 1 17 1220 1 17 1220 1 13 5 2444 84 1 1 1 1 1 34 884 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	27	844
1 4	1 1 4 3 1 5 1 1 17	1 5 4 18 1 4 3 7 4 4 1 1 1 49	1  2 2  1  3 3 	1	2 2 2 1 1 5 5 5	1 1 1 1  1 1  1 	2	<sub>2</sub> <sub>1</sub>	1 4 2 2 2 2 11	1 1	1 1   5  2   2   2 	2		         	  1 1     1 		         	1		1 1 2 5 3 1 6 2 1 1 22 ]	1	2	2 44 1 1 6 2 2 16	14 1 1 2	1 1 1 4 1 2 1 2 1 13	 9 1 18 1 2 2 2 4  7 2  1  50	3 446 6 10 105 14 19 15 15 2 21 1 14 3 328	1 29 6 60 12 12 1 4 9 1 377 11 6 6 6 6 205	4 75 6 16 165 26 31 16 4 24 3 3 91 32 1 30  9

## TABLE

## CAUSES of DEATHS of MALES, FEMALES, and PERSONS Registered in the several

grand the power of the steel of		2	Metrop	olitan.			Met	Total ropolit	an.	M	Ioreton		W	ide Ba	y.	Port	Curti	s.
CLASSES AND DISEASES.	10-m	ile Ra	dius.		Outside													
	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
CLASS III.—Diseases of the Circulatory System.																		
77. Pericarditis 78. Acute Endocarditis 79. Organic Diseases of the Heart 80. Angina Pectoris 81. Dis. of Arteries, Atheroma, Aneurism, etc. 82. Embolism and Thrombosis 83. Dis. of Veins (Varices, Varicose Ulcers, etc.) 84. Diseases of the Lymphatic System 85. Hæmorrhage 86. Other Diseases of Circulatory System	2 7 52 2 15 1 	 8 47 2 5 7 1 1 	2 15 99 4 20 8 1 1 3	31  6 7 	13  1 1 1	2  44  8 	3 7 83 2 21 8 	1 8 60 2 6 8 1 1	4 15 143 4 27 16 1 1 3	 1 26  3 1 2	2 25  1 1 	 3 51  4 2 2 	2 1 31 3 2 1 	1 15 1 1 2 	3 2 46 4 3 3 	 2 24  1 2  1	21 1 2	2 45  2 4  1
TOTAL CLASS III	82	71	153	45	16	61	127	87	214	33	29	62	40	21	61	30	24	54
CLASS IV.—Diseases of the Respiratory System.  87. Diseases of the Nasal Fossæ 88. Diseases of the Larynx 89. Diseases of the Thyroid Body 90. Acute Bronchitis 91. Chronic Bronchitis 92. Broncho-pneumonia 93. Pneumonia 94. Pleurisy 95. Congestion of Lungs and Pul. Apoplexy 96. Gangrene of the Lungs 97. Asthma 98. Pulmonary Emphysema 99. Other Diseases of the Respiratory System	3  11 10 5 32 5 2  6 1 1	 1 6 11 8 32 1 4  2	 4 1 17 21 13 64 6 6  8 1 1	5 1 18  3  2	    6   	 1 8 1 224 1 3 2	3  11 15 6 50 5 2  9 1 3	1 1 7 14 8 38 1 5	 4 1 18 29 14 88 6 7  11 1 3		2 4 10 9 1 2  1	2  9 11 13 23 3 5 1 2	1 5 6 4 18 3 3	 27 5 4  	1 7 13 9 22 3 3	 2 3 3 10  1  2 1	1 1 1 1 5 6 6 2	2 1
TOTAL CLASS IV	76	66	142	29	11	40	105	77	182	38	31	69	40	18			17	39
CLASS VDiseases of the Digestive System.  100. Dis. of Mouth and associated organs 101. Diseases of the Pharynx 102. Diseases of the Esophagus 103. Ulcer of the Stomach 104. Other Dis. of Stomach (Cancer excluded) 105. Diarrhœa and Enteritis (under two years) 106. Diarrhœa and Enteritis (over two years) 107. Intestinal Parasites. 107a. Ankylostoma 108. Hernia, Intestinal Obstruction 109. Other Diseases of the Intestines 110. Icterus Gravis 111. Hydatid Tumours of the Liver 112. Cirrhosis of the Liver 113. Biliary Calculi 114. Other Diseases of the Intestine 116. Simple Peritonitis (non-puerperal) 117. Other Diseases of the Digestive System 118. Appendicitis and Abscess of Iliac Fossa  TOTAL CLASS V	4 1 8 1000 5 2 2 1 6 4 1 2 2 3 3 3 3 142		4 1 14 175 13  7 2  1 14 3 9 1 5 3 6		   1 1  1    		4 1 9 1000 9  2 2 2  1 6  4 1 3 3 4	6 76 9 1 5 1 8 3 8 3 3 123	4 1 15 176 18 17 3  1 144 3 12 1 6 3 7	1 6 21 5 6 6 1 2 1 2 455	1 1 9 5	1 2 7 300 100	1 3 9 4 9 1 3 1 2 1 1 2 1 4 38	1	1 1 5 277 9 3 12 11 1 4 1 3 1 4 4 1 4 4 773	1 1 44 177 2 2 1 2 1 2 1 2 1 2 33	2 3 144 4 1	3 7 31 66 1 3 2 3 1 4 4 62
CLASS VI.—Diseases of																		-
the Genito-Urinary System and Adnexa.  119. Acute Nephritis	6 31 2 1 4 2 8 	2 25 6      5  3	8 56 8 1 4 2 8 5 3	1 9 4	"1" "1" "1" "1" "1" "1" "1" "1" "1" "1"	1 10 4 1 1 1 1	7 40 2 1 8 2 8	2 26 6        3	9 66 8 1 8 2 2 8   1 5	8 1	2 1   	 10 1  1    	2 11 1  2 4  	5	2 16 1  2 4    1 	 18 2 1 4 4 1 2   	3       2	21 2 1 4 1 2 
Total Class VI	54	41	95	14	2	16	68	43	111	10	4	14	20	6	26	28	5	33
CLASS VII.—Puerperal Condition.  134. Accidents of Pregnancy 135. Puerperal Hæmorrhage 136. Other Accidents of Childbirth 137. Puerperal Septicæmia 138. Puerperal Abluminuria and Eclampsia 139. Puerperal Phlegmasia Alba Dolens 140. Other Puerperal Accidents, Sudden Death 141. Puerperal Diseases of the Breast		6 1 1 7 2 	6 1 1 7 2 					6 1 1 7 2 	6 1 1 7 2		2  3  4	2  3  4 		3 2 3 1 	3 2 3 1 		2 1 1 1 1 	2 1 1 1 1 1
TOTAL CLASS VII		18	18	•••			•••	18	18		9	9		10	10		6	

## No. XXII.—continued.

# Groups of Registry Districts of Queensland during the Year 1907—continued.

Edgecu	imbe.			ham.		York	ula.		rpent			Centr Veste			Souti		(	Centr	al.	Ŋ	Iaran	oa.		Down	ns.		TOTALS	
Males. Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons,	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons,
1 1 1 11 41 16 5 1 1	1 2 57 6 1 3 3 70	9 2	 6  1    7	 1 23  10 2   	5 1	 1     1	 6 1    	 14  3  1  18	 1     1	 15  3   1	5		 5     5	1  1   6		1 4 1 1 6	4 2  1 	3  1  	7· 4 3 1 15	1 4  1 	 4.  1    5	 1 8  2    	1 1 26  2 2  1  33	2 32  2 2 2 2  1 	1 3 58  4 4 2  2  74	8 15 284 6 51 20 2  9 	2 14 184 3 14 16 3 1 2  239	10 29 468 9 65 36 5 1 11 
	7 1  2  1	1 12 1  2 	1 2 1 4	1 1 1 1 1 2 2 2 21	3  1 1 1		3  3  1 1 1 8	1 1 1  2  1 	1 1 1 1  1  1 	1 2 1 1 3 1 1 1 10	1 3	1	1 1 3 3 3 	2  2  1  1	 2 1 3   1  7	2 1 5 2 2 1	2 1 1  4   	1 1 1    	2 2 1 4 1	1 1 1 1 3 	1 2 1 2 2	2 3 2 3 5	 4  1 2 4 19 3 1  1  3 3	1 7 44 88 1 1 1 1 1 24	5  2 9 8 8 27 4 1  2  4 62	 12  31 44 27 144 14 8 2 2 2 2 2 2 3 9	8 2 18 37 41 76 5 9 6 1 203	20 2 49 81 68 220 19 17 2 28 3 10
2 2 2 6 2 2 10 4 5 5 1 2 1 1 1 1 1 1 1 1 1 2 2 2 2 3 3 9 2 3 3 9 2 3	2 8 8 8 144 14 16 9	5 3  1 1  3  1  1	i i  i		1		2	1 1		"1" "" "5" "" "2" 11 "" "3" "" "" "2" 11 "" "" "" "2" 11 "" 15	1		1		1		1		  1 1 3 3 1      	2  1    		   3 1  3  	2 1  4 20 5  2  1 1 1 1  4  4 4  4 4  4 4  4 4  4 4  4 4  4	1 1 1 4 177 9 5 1 1 1 40	3 1 1 1 8 37 14  7   1 1 1 1  5  85	7 3 8 35 187 33 299 6 1 233 4 4 133 1 1 16 6 21 388	3 2 1 6 6 200 1551 444 1 1 5 5 244 3 1 1 166 3 3 122 8 2 9 311	10 5 1 1 14 5 55 3388 77 1 1 5 5 5 338 77 1 2 5 5 5 5 338 77 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 27 11 2 1 1 1 2  		1 1		10  1   			<sub>2</sub>	1 1 			1			1  1     		1 1 1    3	1		2 1 1 1  4		2	2      2	3 15 1 2 2	6 2	3 21 2 1 2  2      	13 136 8 3 17 8 20 1   	2 57 9  2  1 2 7 1 3 	15 193 17 3 19 8 20 1 1 2 2 7 1 3 3 
3 2 1 1	2 2 1 1 1 1	2	1 2 1  2	1 2 1 		1				1					i i  1	1		3 3	3		  1	   1		2 2 1 2 1 	2 2 1 2 1 		25 7 11 15 11  7	25 7 11 15 11  76

## TABLE

# CAUSES of DEATHS of MALES, FEMALES, and PERSONS Registered in the several

			Metrop	olitan.			Met	Total ropolit	an.	N	Ioreton	١.	W	vide <b>B</b> a	у.	Por	t Curti	s.
CLASSES AND DISEASES.		nile Ra	dius.		Outside ile Ra													
	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons,
CLASS VIII.—Diseases of the																		
Skin and of the Cellular Tissue. 42. Gangrene				1		1	1		1	1		1				1		1
43. Carbuncle 44. Phlegmon, Acute Abscess	2		3	1			3	1	4		1							
45. Other Diseases of the Skin and Adnexa	2	2	4				2	2	4							1		1
TOTAL CLASS VIII	4	3	7	2		2	6	3	9	1	1	2				2	***	2
CLASS IX.—Diseases of the													1					
Organs of Locomotion. 6. Non-tuberculous Diseases of the Bones	5	1	6				5	1	6	2		2	2		2		1	1
7. Arthritis and other Dis. of Joints 8. Amputation																		
49. Other Dis. of Organs of Locomotion																		
TOTAL CLASS IX	5	1	6				5	1	6	2		2	2		2		1	1
CLASS X.—Malformations. 50. Congenital Malfor. (excl. of Still-born)	14	6	20				14	6	20	7	4	11	5	3	. 8	4	4	8
TOTAL CLASS X	14	6	20				14	6	20	7	4	11	5	3	8	4	4	8
CLASS XI.—Infancy (under 3 mos.)																		
51. Congenital Debility, Icterus, and Scleroma 52. Other Diseases Peculiar to Infancy	46	41 2	87 3		1	1	46	42	88	27 2	10	37	22 6	17	39 7	16	6	22 4
53. Want of Care (Infants)  TOTAL CLASS XI	1 48	45	93		1	 l.	48	2 46	94	29	11	40	28	18	46	19	7	26
		49				1.									10			
CLASS XII.—Old Age. 54. Senile Debility	20	22	42	34	11	45	54	33	87	13	11	24	6	14	20	4	3	7
TOTAL CLASS XII	20	22	42	34	11	45	54	33	87	13	11	24	6	14	20	4	3	7
CLASS XIII.—Violence.           55. Suicide by Poison            56. Suicide by Asphyxia	6	4	10				6	4	10	1		1		2	2	3		3
57. Suicide by Hanging or Strangulation 58. Suicide by Drowning	1 10	2 3	3 13		1	1	10	3 3	4 13	1		1 1		1	1			1
59. Suicide by Firearms 60. Suicide by Cutting Instruments	2 2		2 2	1		1	3 2		3 2	1 1		1 1	3		3 3	3		3
61. Suicide by Precipitation from a Height 62. Suicide by Crushing		1						1	1									
63. Other Suicides																		
66a. Mines and Quarries	6									4		4	1 3		1 3	2		2
66c. Tramways	4 3	2	6 4 5				6 4 4	2	4 6	5		5	7		7	2		2
66e. Horses, etc 66f. Ships, Boats, Docks, etc. (not Drowning)	4	1	5	1		1	5		6	3		3	3		3	3		60
66g. Building Works, etc 66h. Machinery	3		3				3		3		1				1	2		2
66i. Weapons and Implements 66j. Suffocation	1 3	2	1 5				1 3	2	1 5				3	1	4	1		1
66k. Falls, other	8	3	11				8	3	11	3 4	1	4 4	3 2	3	6 2			
66m. Other Accidental Injuries 67. Burning by Fire	3	6	9				3	6	9	1	5	6	3	3	6	3	3	
68. Burning by Corrosive Substances 69. Insolation 70. Freezing										,1	1	2	1			3		
70. Freezing	4	3	7	3		3	7		10	1 5		1 6	4		5	8		
73. Inanition				1					10							1 1		]
75a. Snake Bite	1	2	3				1	2	3							2		
75c. Criminal Poisoning													3		3			
76b. Murder by Coloured 76c. Manslaughter																		
76d. Justifiable Homicide	1 2		1 2				$\frac{1}{2}$		$\frac{1}{2}$									
76f. Other External Violence																		
TOTAL CLASS XIII	65	29	94	7	1	8	72	30	102	31	10	41	40	11	51	36	5	4:
CLASS XIV.—Ill-defined Diseases.																		
177. Dropsy 178. Sudden Death 179. Unspecified or Ill-defined Causes of Death	1 2	2	1				1		1					2	2		2	
TOTAL CLASS XIV		-	5				3	2	5	3	1	4		$\frac{2}{2}$	2	4	2	- (
TOTAL DEATHS OF MALES, FEMALES, AND	-	-							9	- 3	1			-		1		-
PERSONS FROM ALL CAUSES		735	1,618	214	77	293	1,097	812	1,909	317	220	537-	334	240	574	275	170	445

## No. XXII.-continued.

# Groups of Registry Districts of Queensland during the Year 1907-continued.

Edgecum	nbe.	Roc		sham.		Yor		Car	pent	aria.		Centr		v	South	n- rn.	(	Centr	al.	7	Iaran	юа.		Down	ns.		TOTALS	
Males.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
1 1 2 4 1	2 1  2	 1 	1	1  1  2											  1 1	1	2 2		2 				1 2	1 2 	1 1 2 1 ———————————————————————————————	5 1 4 8 	$ \begin{array}{c} 2 \\ 1 \\ 4 \\ 3 \end{array} $	7 2 8 11 28
1 1   1 1	1 1		2 2	2																					3	13	4 1  5	17 1 
3 3 3	6	2 2	4.	6	1		1 I	1		1							1	1 1	2 2		1		3	5	8	41 41	30	71 71
12 12 1 1  13 13	24 2  26	7 3	9 1 10	16 3 1	2	1 1	2 1  3	5 5	4	9		3	3	3 3	1 2 3	4  2 6	2 2	3 1 4	5  1 6	1	3 1 4	4 1  5	26 1  27	24 1 1 26	50 2 1 	169 17 1 187	134 9 7 150	303 26 8 337
15 7 15 7	22	6	2 2	8 8	7		7	7		7			···	3		3 3	6	3 3	9	1 1	3 3	4	9	3 3	12	131	79	210
1 2 1 4	1	1 4 4 4	2			11		1	1	2	i			3 1			3	1	3 1	2		2	2		2	15 2 13 24 17 2 3 18 19 4 4 37 39 4 4 6 4 4 100 5 5 300 11 1 9 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	88	23 5 20 24 17 2 1 3 3 18 19 4 42 440 45 11 10 43 1 16 2 75 24 2 2 3 11 6 1 3 1 2 2 503
2 1 3 3 3 3 386 166	2 1 3 6	1 4 5 243	1 86	1  5 6 329	$\frac{\frac{1}{6}}{\frac{7}{123}}$	1 1 2 19		2	40	2 2 174	18		33	47	22	69	1 1 2 110	44	1 1 2 154	56	45		1 1 340	1 240	1 1 2 580	30 3,480	$ \begin{array}{r}     2 \\     2 \\     10 \\ \hline     14 \\ \hline     2,119 \end{array} $	$ \begin{array}{r}     6 \\     3 \\     \hline     35 \\ \hline     \hline     44 \\     \hline     5,59 \end{array} $

### TABLE No. XXIII.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1907.

					•	aui		uui	mg	UII	e i	car	100												TOTALS.	
CLASSES AND DISEASES.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Males.	Females.	Persons.
CLASS I.—General Diseases																-										
1. Typhoid Fever 2. Typhus									2	2	3			2	1	1	1							12	5	17
3. Recurrent Fever 4. Intermittent Fever																									,	
4a. Malarial Cachexia 5. Small-Pox															1									1		1
6. Measles		4	2	1			7	1			 1													8	7	15 1
8. Whooping Cough 9. Croup		14	2	1	1		18	1																19	20	39
9α. Diphtheria		3	2	1	3	1	7 4	1			2			2	1	2		2	1	4	6	8		8 32	7 41	15 73
11. Miliary Fever																										
13. Cholera Nostras		1					1	1				1		1	1				1	1				$\frac{1}{6}$		1 13
14a. Epidemic Dysentery		1					1	1	3	2	2			2	1	1										19
16. Yellow Fever																				7						
17. Leprosy		 1					1	1	1										1					3	3	6
19. Other Epidemic Diseases 19a. Beri Beri																				 1	2	]		4	3	7
19b. Dengue 20. Purulent Infection and Septicæmia		1					1	1	1		1		1		1		2							7	6	13
21. Glanders and Farcy 22. Malignant Pustule and "Charbon"																					1			1		1
23. Rabies																										
25. Pellagra 26. Tuberculosis of the Larynx											2															
27. Tuberculosis of the Lungs 28. Tuberculosis of the Meninges		ï					1	2	1	1	2	9	7	11	9	13	11	4	2	5	2			79 1	47	126
29. Tuberculosis, Abdominal, etc 30. Pott's Disease		2					2							1	1							- ;-		4	3	7
31. Cold Abscess; Symptomatic Abscess 32. White Swellings																										
33. Tuberculosis of other Organs 34. General Tuberculosis																1	1							2	1 1	1 3
35. Serofula		5										1												6	9	15
37. Blennorrhagia of Adults 38. Gonococcic Dis. (children under five)		1					1																			
39. Cancer, etc., of the Mouth 40. Cancer, etc., of the Stomach and Liv														1	ï	2 2	1 2		4	2 4	2 6	3		11 27	2 17	13 44
41. Cancer, etc., of the Scomach and MV 42. Cancer, etc., of the Female Genital Or	etc.									1						1			1	1		1		4	4 22	8 22
43. Cancer, etc., of the Breast															1				 1	1					6	6
													1	1	2	4	4	3		1	2	1		19	10	3 29
46. Other Tumours (excl. F. Genital Org 47. Acute Articular Rheumatism	;ans)								1		1													2	1	3
48. Chronic Rheumatism and Gout 49. Seurvy																					3	1		4	1	5
50. Diabetes 51. Exophthalmic Goître									1		1	1						1	2					6	9	15
52. Addison's Disease 53. Leucæmia		1	1				2	2																4		4
54. Anæmia, Chlorosis 55. Other General Diseases																1				1				2	7	9
56. Acute and Chronic Alcoholism 57. Lead Poisoning						2	2	2		 1				1			2							1 7	4	1 11
58. Other Chr. Poisonings due to Occupation 59. Other Chronic Poisonings	tions																									
TOTAL CLASS I		35	8	3	4	3	53	13	10	7	-	12	9	23	20	28	24	13	13	21	24	17		300	249	549
							-	-					-	-	-		-				-	-				
CLASS II.—Diseases of the Nervous System and of t Organs of Special Sense.	he																									
60. Encephalitis																										
61. Simple Meningitis 61a. Epidemic Cerebro-spinal Meningitis		3	1	1		1	6	1	2				1	1	1			1			1			14	6	20
62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord																					1			1		2
64. Congestion and Hæmorrhage of Brain 65. Softening of the Brain	a	2					2	3						1	2	1	2	1	2	8 3	5	1		28 5	27	55 12
66. Paralysis without indicated cause 67. General Paralysis																		1		1		1		2 1	5	7
68. Other Forms of Mental Alienation 69. Epilepsy																	1	ï				 1		3		
70. Eclampsia (non-puerperal) 71. Convulsions of Children under five		4	2	2		1	9			•••																3
72. Tetanus										1			1											9 2	5 4	14 6
73. Chorea 74. Other Diseases of the Nervous System										1		i			ï	1								4	7	 11
75. Diseases of the Eyes and Appendages 76. Diseases of the Ear								ï																	4	5
TOTAL CLASS II		9	3	3		2	17	5	2	2		1	2	2	4	2	3	4	2	12	8	4		70	66	136
								1				1			1	1					,					

### TABLE No. XXIII,—continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1907—continued.

						I'S.							1											mom : f	
CLASSES AND DISEASES.	year.					er 5 years.	CONTRACTOR MECOCOL														wards.	ed.		TOTAL	S.
	Under 1	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40,	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified	Males,	Females.	
CLASS III.—Diseases of the Circulatory System.																								9 8 A	
Pericarditis								 1		1 1	2	 1	1 4	1 3	4	1 1	5	1 9	3 5	1 11	5		2 7 52	8 47	1
Angina Pectoris Dis. of Arteries, Atheroma, Aneurism, etc.														3		2	1 3	1 3	2	2			2 15	2 5	2
Embolism and Thrombosis Dis. of Veins (Varices, Varicose Ulcers, etc.)										1													1	7	
Diseases of the Lymphatic System Hæmorrhage	3	***				3																	3	1	
Other Diseases of Circulatory System TOTAL CLASS III	3					3		1		3	2	1	5	7	4	4	9	14	10	14	5		82	71	15
TOTAL CLASS III						_		1	***						-36			14		14			82	71	10
CLASS 1V.—Diseases of the Respiratory System.																									
Diseases of the Nasal Fossæ  Diseases of the Larynx  Diseases of the Thyroid Body													ï		ï				ï				3	1	
Acute Bronchitis	8	1	1			10								 1			1		1	1 2	3		11	1 6 11	1 2
Broncho-pneumonia Pneumonia	1 4	1	1 1	1		3 6				2		2	2	5	5	4		2	1	1 1	1 2		10 5 32	8 32	1
Pleurisy	2					2	2	1		1				1									5 2	1 4	1
Gangrene of the Lungs Asthma													1	1			1	ï	1	1			6	2	
Pulmonary Emphysema Other Diseases of the Respiratory System												ï							1				1		
TOTAL CLASS IV	15	3	3	1		22	2	1		3		3	4	8	6	4	2	4	5	6	6		76	66	14
CLASS V.—Diseases of the Digestive System.																									
Dis. of Mouth and associated organs	2	1				3				1											1		4		
Diseases of the Pharynx  Diseases of the Esophagus														1									1		
Ulcer of the Stomach Other Dis. of Stomach (Cancer excluded) Diarrhœa and Enteritis (under two years)	3 86	14				3 100		ï				1						1			2		8	6	j
Diarrhea and Enteritis (over two years) Intestinal Parasites			3			3											ï			ï			100	75 8	17
. Ankylostoma Hernia, Intestinal Obstruction	1					1		•••				ï											2	 5	
Other Diseases of the Intestines Icterus Gravis																1	1,						2		
Hydatid Tumours of the Liver Cirrhosis of the Liver													1	1 1		2					2		1 6	8	1
Biliary Calculi Other Diseases of the Liver Diseases of the Spleen	ï					1							ï		ï			1					4	3 5	
Simple Peritonitis (non-puerperal) Other Diseases of the Digestive System	2					2								1	ï						1		1 2	3	
Appendicitis and Abscess of Iliac Fossa								1					ï		i					1			3	3	
TOTAL CLASS V	95	15	3			113		2				2	3	4	3	3	2	2		2	6		142	116	25
CLASS VI.—Diseases of ne Genito-Urinary System and Adnexa.																									
Acute Nephritis	1					1			2	1		3		2	1					1			6	2	
Bright's Disease Other Dis. of Kidneys and Adnexa Calculi of Urinary System									2	5	1				5	4	2	2	3	1	1		31 2	25 6	5
Diseases of the Bladder Other Dis. Urethra, Urin. Abscess, etc.													1		1		1 1		1		2.		1 4 2		
Diseases of the Prostate Non-venereal Dis. of Male Genital Organs					•••											2		1	3	1	1		8		
Metritis Uterine Hæmorrhage (non-puerperal)																									
Other Diseases of the Uterus																								5	
Cysts and other Ovarian Tumours Other Dis. of Female Genital Organs																								3	1
Non-puer, Dis, of Breast (Cancer excepted)																									-
TOTAL CLASS VI	1					1			4		1	3	1	2	8	6	4	3	7	3	5		54	41	9
ASS VIIPuerperal Condition.					l l					0															
Accidents of Pregnancy Puerperal Hæmorrhage																			a ivi		1770			6	
Other Accidents of Childbirth Puerperal Septicæmia																								1 7	
Puerperal Albuminuria and Eclampsia Puerperal Phlegmasia Alba Dolens																		ased.				0,1,1		2	
Other Puerperal Accidents, Sudden Death Puerperal Diseases of the Breast																								1	
		-															-		-	-		-			-

### TABLE No. XXIII.-continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1907—continued.

CLASSES AND DISEASES.	year.					5 years.																ds.				
	Under 1 y	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	80 to 65.	65 to 70.	70 to 75.	70 10 70.	75 and up ards.	Unspecified.	Males.	Females.	Persons.
			04	0.5	4		10			54	64															
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																										
2. Gangrene																										
3. Carbuncle																		 1				ï		2		
15. Other Diseases of the Skin and Adnexa	1					1									1									2	2	
TOTAL CLASS VIII	. 1				λ.	1									1			1				1		4	3	
CLASS IX.—Diseases of the																										
Organs of Locomotion.																										
46. Non-tuberculous Diseases of the Bones 47. Arthritis and other Dis. of Joints	-	1				3							1							1				5	1	
48. Amputation																										
TOTAL CLASS IX	-	1				3	-						1							1				5	1	-
TOTAL CHASS IX																					-					-
CLASS XMalformations.																										
50. Congenital Malfor. (excl. of Still-born	13	1				14																		14	6	
TOTAL CLASS X	. 13	1			·	14																		14	6	
CLASS XI.—Infancy (under 3 mos 51. Congenital Debility, Icterus, and Scleroma						46																		46	41	8
52. Other Diseases Peculiar to Infancy	. 1					1																		1 1	2 2	
	-					$\frac{1}{48}$																		48	45	9
TOTAL CLASS XI	48					-15																				-
CLASS XIIOld Age.																										
54. Senile Debility		,																1	2	5	5	12		20	22	
TOTAL CLASS XII																		1	2	5	5	12		20	22	
CLASS XIII.—Violence.  55. Suicide by Poison						No. of Contract of			1				1		1	2			1					6	4	
56. Suicide by Asphyxia																									2	
58. Suicide by Drowning										1 2		1		2	2					1	1	2		10	3	
59. Suicide by Firearms 60. Suicide by Cutting Instruments											1			1	1				***			1		2 2		
61. Suicide by Precipitation from a Heigh 62. Suicide by Crushing	t																									
63. Other Suicides			***																						•••	
65. Dislocations																										
66b. Railways								1		2					1 2	1				1	1			6		
66d. Other Vehicles								1			1	ï						1		***				3	2	
66e. Horses, etc 66f. Ships, Boats, Docks, etc. (not Drowning									1						1		1	1						4	1	
66q. Building Works, etc																2		1						3		
66i. Weapons and Implements 66j. Suffocation		1				3	1																	1 3	2	
66k. Falls, other										1	1			1	2			1		1	1	1		8	3	
66m. Other Accidental Injuries						1																				
67. Burning by Fire			1			1	1							1										3	6	
69. Insolation			1			-												:::								1
71. Electric Shock					1	1					1	1	1								- 1			4	3	
73. Inanition							1		•••																	
75a. Snake Bite						1																				1
75b. Other Accidental Poisoning			1			1																			2	
76a. Murder by Whites 76b. Murder by Coloured																										
76c. Manslaughter									1																	
76e. Execution		٠			٠											1		1						2		
TOTAL CLASS XIII		-	2		1	6	2	2	3	6	5	3	2	5	10	6	1	5	1	4		4	•••	65	29	-
						-	-		-		_	_				-		-				191				-
CLASS XIV.—Ill-defined Disease	S.						-																			1
77. Dropsy							1																	1		1
79. Unspecified or Ill-defined Causes of Deat	h 2					2												11.0						2	2	
			-																						100000	100
TOTAL CLASS XIV	-					2	1																	3	2	1

### TABLE No. XXIV.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1907.

					1	aui	1	A	1					1												
							years.															rds.			TOTAL	s.
CLASSES AND DISEASES.		Under 1 year,	2.	0.3.	0 4.	5.	al under 5	to 10.	10 to 15.	.0 20.	50 25.	25 to 30.	to 35.	to 40.	to 45.	to 50.	to 55.	to 60.	to 65.	to 70.	to 75.	75 and upwards	Unspecified.	Females.	Males.	Persons.
		Un	1 to	2 to	3 to	4 to	Total	5 to	101	15 to	20 to	25	30 t	35 1	40 t	45	50	551	60 1	65 t	70.1	75	Un	Fer	Ma	Гел
CLASS I.—General Diseases.																										
Typhoid Fever								1		1	2	1					1							5	12	
Recurrent Fever							1																			
a. Malarial Cachexia Small-Pox								1:::																		
. Measles		2	3	1			6				1													7	8	1
. Whooping Cough		10	2	5	1		18	2																20	19	8
a. Diphtheria		1	1		2	1	5	2												7				7	8	1
. Influenza		2	1	1			4	3	1			1	1	1					3	7	5	15		41	32	1
. Asiatic Cholera																									1	
. Dysentery		1	1				2		1				1					1	1			1		7	6	]
. Plague									2	***	1					1		1				1		6	13	1
Yellow Fever							1:::	1:::														1				
Erysipelas Other Epidemic Diseases										1					1				1			1 :::		3	3	
a. Beri Beri																···					1	1		3	4	
Purulent Infection and Septicæmia Glanders and Farcy	,		1				1	1			2					1	ï							6	7	1
. Malignant Pustule and "Charbon"																										
. Rabies																										
Pellagra Tuberculosis of the Larynx																										
Tuberculosis of the Lungs		1	1				2		1	3	8	7	7	1	5	7	3	1	1	1				47	79	12
Tuberculosis, Abdominal, etc		2					2					1												3	1 4	
Pott's Disease								1 :::																		
. White Swellings										1																
General Tuberculosis						1	1			,														1	2	
. Syphilis		7	1				8			1														9	6	1
Blennorrhagia of Adults Gonococcic Dis. (children under five)																										
Cancer, etc., of the Mouth Cancer, etc., of the Stomach and Live	er										···			1	 1			2	1 3	1 5		3		2 17	11 27	1 4
Cancer, etc., Peritonæum, Intestines, Cancer, etc., of the Female Genital Org	etc.																1	2	2	1 3				4 22	4	2
Cancer, etc., of the Breast												1	1	1	5	4	3		1	2	ï	3		6		
Cancer, etc., of other Organs					•••									1		1	2	1	1		3	1		10	3 19	2
Other Tumours (excl. F. Genital Orga Acute Articular Rheumatism	ans)																		···						2	
Chronic Rheumatism and Gout Scurvy																				1				î	4	
Diabetes									1		1				1	1	1	1		2	1			9	6	1
Addison's Disease																										
Anæmia, Chlorosis									1			2			2		1		1					7	4 2	
Other General Diseases Acute and Chronic Alcoholism																										
Lead Poisoning Other Chr. Poisonings due to Occupati				1			1	2		1														4	7	1.
Other Chronic Poisonings																										•••
TOTAL CLASS I		26	11	8	3	2	50	10	7	8	16	13	10	5	16	17	13	9	16	23	11	25		249	300	549
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.	ıe																									
- Salar of Special Dollae.																										
Encephalitis		3	1				4	2																6	14	20
Encephalitis Simple Meningitis						:::																				
Simple Meningitis  Epidemic Cerebro-spinal Meningitis Progressive Locomotor Ataxia							2								2	1		1	1	6				1	1	2
Simple Meningitis . Epidemic Cerebro-spinal Meningitis Progressive Locomotor Ataxia Other Diseases of the Spinal Cord Congestion and Hæmorrhage of Brain			1																1	U	6	6		27	28	55
Simple Meningitis .  Epidemic Cerebro-spinal Meningitis .  Progressive Locomotor Ataxia .  Other Diseases of the Spinal Cord .  Congestion and Hæmorrhage of Brain .  Softening of the Brain .		 1	ï 1 									1							1	1	. 2	3		7	5	
Simple Meningitis . Epidemic Cerebro-spinal Meningitis Progressive Locomotor Ataxia Other Diseases of the Spinal Cord Congestion and Hæmorrhage of Brain Softening of the Brain Paralysis without indicated cause General Paralysis			···									1					7	1	1		1	3 2		5	5 2 1	7
Simple Meningitis . Epidemic Cerebro-spinal Meningitis Progressive Locomotor Ataxia Other Diseases of the Spinal Cord Congestion and Hæmorrhage of Brain Softening of the Brain Paralysis without indicated cause General Paralysis Other Forms of Mental Alienation Epidlepsy		```i	ï 									1					1				1	2		5	1	
Simple Meningitis . Epidemic Cerebro-spinal Meningitis Progressive Locomotor Ataxia Other Diseases of the Spinal Cord Congestion and Hæmorrhage of Brain Softening of the Brain Paralysis without indicated cause General Paralysis Other Forms of Mental Alienation Epilepsy Eclampsia (non-puerperal) Convulsions of Children under five		``i	ï ::::::::::::::::::::::::::::::::::::									1				•••	1				1	2		5	2 1  3	1
Simple Meningitis . Epidemic Cerebro-spinal Meningitis Progressive Locomotor Ataxia Other Diseases of the Spinal Cord Congestion and Hæmorrhage of Brain Softening of the Brain Paralysis without indicated cause General Paralysis Other Forms of Mental Alienation Epilepsy Eclampsia (non-puerperal) Convulsions of Children under five Tetanus Chorea		 1    2 1	ï1				   5			   1	   1	1   ï				•••	1				1	2		5	2 1  3	7 1  3
Simple Meningitis . Epidemic Cerebro-spinal Meningitis . Epidemic Cerebro-spinal Meningitis . Epidemic Cerebro-spinal Meningitis . Progressive Locomotor Ataxia . Other Diseases of the Spinal Cord . Congestion and Hæmorrhage of Brain . Softening of the Brain . Paralysis without indicated cause . General Paralysis . Other Forms of Mental Alienation . Epilepsy . Eclampsia (non-puerperal)		 1    2	ïi									1   ï					1				1	2		5 5	2 1  3  9 2	3 14 6
Simple Meningitis . Epidemic Cerebro-spinal Meningitis Progressive Locomotor Ataxia Other Diseases of the Spinal Cord Congestion and Hæmorrhage of Brain Softening of the Brain Paralysis without indicated cause General Paralysis Other Forms of Mental Alienation Epilepsy Eclampsia (non-puerperal) Convulsions of Children under five Tetanus Chorea		1 1 2 1	ïi				   5 1			···· ··· ··· ··· ··· ··· ··· ··· ··· ·	::: ::: ::: ::: ::: ::: ::: ::: ::: ::	1 1 2		   1		1	1	1			1	2		5 5 4	2 1  3  9 2	7 1  3  14 6

### TABLE No. XXIV.-continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius), during the Year 1907—continued.

			lau	lusj	9 41	UL III	15 0	ne	rea	I 10	907-		II UA	muc											
						years.															ds.			TOTALS.	
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 y	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Females.	Males.	Persons.
CLASS III.—Diseases of the Circulatory System.																									
7. Pericarditis				:			4					4	···	3		5			5	1 5	8		 8 47	2 7 52	1. 9
9. Organic Diseases of the Heart 10. Angina Pectoris 11. Dis. of Arteries, Atheroma, Aneurism, etc.						1		3	1	4	1		1 1 1		4				1				2 5	2 15	20
2. Embolism and Thrombosis														1				2		 1	4		7 1	1	
4. Diseases of the Lymphatic System 5. Hemorrhage																								3	
6. Other Diseases of Circulatory System  TOTAL CLASS III	-				1	1	4	3	1	4	1	4	3	6	5	5	1	8	6	7	12		71	82	15
						-	-			-															
CLASS IV.—Diseases of the Respiratory System.																									
7. Diseases of the Nasal Fossæ 8. Diseases of the Larynx	 1					1																	1	3	
Diseases of the Thyroid Body	4	ï				5	ï												1				6	11	1
Chronic Bronchitis	3	1	1			1 4	1							2	1	2	2 3	1 2	2 1 2	1 2	5 2		11 8 32	10 5	1
Pleurisy	1 3	3		1		5 3	2	1		1	2	4	1		1						1 1		1 4	32 5 2	(
Congestion of Lungs and Pul. Apoplexy Gangrene of the Lungs Asthma																			2				2	6	
Pulmonary Emphysema Other Diseases of the Respiratory System																								1 1	
TOTAL CLASS IV		5	1	1		19	4	1		1	2	4	1	2	2	2	5	3	8	3	9		66	76	14
CLASS VDiseases of the						and the same of th					2														
Digestive System.						Consequence																		4	
11. Diseases of the Pharynx																								1	
3. Ulcer of the Stomach 4. Other Dis. of Stomach (Cancer excluded)	3	1				4					ï										ï			8	
5. Diarrheea and Enteritis (under two years) 6. Diarrheea and Enteritis (over two years)	64	11		ï		75				1					ï			2	1	ï	ï		75 8	100	17
7. Intestinal Parasites																		1	2	1	 1			2	
9. Other Diseases of the Intestines 0. Icterus Gravis																								2	
1. Hydatid Tumours of the Liver 2. Cirrhosis of the Liver														1	2	1	2		2				8	1 6	
3. Biliary Calculi 4. Other Diseases of the Liver								1			1			1			3		1				3 5	4	
15. Diseases of the Spleen  16. Simple Peritonitis (non-purperal)  17. Other Diseases the Diseases System															1						2		3	2 3	
17. Other Diseases of the Digestive System 18. Appendicitis and Abscess of Iliac Fossa	•••								1				1							1			3	3	
TOTAL CLASS V	67	12		1		80		1	1	1	2		1	3	4	1	5	3	6	3	5		116	142	2
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																									
19. Acute Nephritis 20. Bright's Disease								2	1	2 5	2	2	2		ï	2			4	ï			·2 25	6 31	
1. Other Dis. of Kidneys and Adnexa 2. Calculi of Urinary System								Ĩ			1					2			2				6	$\frac{2}{1}$	
3. Diseases of the Bladder 4. Other Dis. Urethra, Urin. Abscess, etc.																								4 2	
5. Diseases of the Prostate 6. Non-venereal Dis. of Male Genital Organs 7. Metritis																								8	
9. Uterine Hæmorrhage (non-puerperal)																								:::	
0. Other Diseases of the Uterus 1. Cysts and other Ovarian Tumours							1	1		1	1		2										5		
2. Other Dis. of Female Genital Organs 3. Non-puer. Dis. of Breast (Cancer excepted)												3							***				3		
TOTAL CLASS VI		-	-	-				4	-	8	4	5	4		1	4		3	6	1			41	54	
LASS VII.—Puerperal Condition.																				32					
34. Accidents of Pregnancy							R .					3	1	2									6		
36. Other Accidents of Childbirth		.,.				1:::			···· 1	3		1	1	ï	1								1 1 7		
38. Puerperal Septicæmia 38. Puerperal Albuminuria and Eclampsia 39. Puerperal Phlegmasia Alba Dolens						1					1	1				1						***	2		
40. Other Puerperal Accidents, Sudden Death 41. Puerperal Diseases of the Breast			.,.						1								133		S	***			1		

# TABLE No. XXIV.-continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1907—continued.

							1 %																		TOTAL	S.
CLASSES AND DISEASES.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Females,	Males.	Persons.
CLASS VIII.—Diseases of the Skin and of the Cellular Tiss							W. C.																			
142. Gangrene 143. Carbuncle 144. Phlegmon, Acute Abscess 145. Other Diseases of the Skin and Ad		··· i					  1	 1							1									 1 2	2 2	
TOTAL CLASS VIII		1					1	1							1									3	4	
CLASS IX.—Diseases of the Organs of Locomotion.  146. Non-tuberculous Diseases of the B 147. Arthritis and other Dis. of Joints 148. Amputation	ones 	1   1					1																	1	5	•
CLASS X.—Malformations.		5	1				6																	6	14	20
TOTAL CLASS X		5	1				6																	6	14	20
CLASS XI.—Infancy (under 3 m 151. Congenital Debility, Icterus, and Sclen 152. Other Diseases Peculiar to Infancy 153. Want of Care (Infants)	oma	41 2 2					41 2																	41 2	46	3
Total Class XI		45					2 45																	$\frac{2}{45}$	48	-
CLASS XII.—Old Age.																									-	
TOTAL CLASS XII		-	-				-						-							$\frac{2}{2}$	2 2	18		22 22	20	42
CLASS XIII.—Violence. 155. Suicide by Poison												1	1		1									4	6	10
<ul> <li>158. Suicide by Drowning</li> <li>159. Suicide by Firearms</li> <li>160. Suicide by Cutting Instruments</li> <li>161. Suicide by Precipitation from a He</li> </ul>											1	1				ï		1						2 3 	1 10 2 2 2	3 13 2 2
63. Other Suicides													1											1		
165. Dislocations																										6
166c. Tramways          166d. Other Vehicles          166e. Horses, etc.														 1		ï								2	4 3	4 5
66f. Ships, Boats, Docks, etc. (not Drown 66g. Building Works, etc. 66h. Machinery	ning) 														1										3	3
166i. Suffocation		2					2										1	1				1		<sub>2</sub> 3	1 3 8 1	1 5 11 1
167. Burning by Fire 168. Burning by Corrosive Substances 169. Insolation			1	î			2	1					2						ī 1					6	 3	9
170. Freezing			 1					2																		
173. Inanition																								3	4	
75b. Other Accidental Poisoning																		1				1		2	1	3
76a. Murder by Whites		,																								
76d. Justifiable Homicide																									1 2	1 2
TOTAL CLASS XIII		2	2	1			5	3			3	2	4	1		2	1	3	1			2		29	65	94
CLASS XIV.—Ill-defined Disea	905			-																						
77. Dropsy			 				 1								 1									2	1 2	1 4
TOTAL CLASS XIV			1				1								1									2	3	5
TOTAL DEATHS OF FEMALES FROM		Marie Control															-					-		-		

### TABLE No. XXV.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1907.

				1.6	iuit	10)	umi	ms	UIII	e Y															
						years.															ds.		7	TOTALS.	
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards	Unspecified.	Persons.	Males.	Females
CLASS I.—General Diseases.					200					_	,		0	-	,	0									
Typhoid Fever								2	3	5	1		2		1	2							17	12	
Recurrent Fever																									
a. Malarial Cachexia Small-Pox														1									1	1	
Measles	6	5	2			13	1			1 1													15	8	
Whooping Cough	9.4	4	6	2		36	3																39	19	
Croup	1	3	1	5	2	12	3										2						15	8	
Influenza		2	1			8	3	1		2	1	1	3	1	2		2	4	11	11	23		73	32	
Asiatic Cholera						1																			
Dysentery	. 1	1			::	2	1	1			1	1	1	1			1	2	1		1		13	6	
Epidemic Dysentery Plague	7					1	ï	5	2	3			2	ï	2		1				1		19	"i3	
Yellow Fever Leprosy																									
Erysipelas Other Epidemic Diseases	1					1	1	1	1					1				2					6	3 1	
Beri Beri															ï				···		1		7	4	
Purulent Infection and Septicæmia		1				î	2	1		3		1		1	1	3							13	7	
Glanders and Farcy Malignant Pustule and "Charbon"																				1			1	1	
Rabies Trichinosis, etc																									
Pellagra																									
Tuberculosis of the Lungs	7	1				2 1	2	2	4	10	16	14	12	14	20	14	5	3	6	2			126	79	
Tuberculosis, Abdominal, etc	4					4					1		1	1									7	$\frac{1}{4}$	
Pott's Disease																									
White Swellings Tuberculosis of other Organs									 1																
General Tuberculosis					1	1									1	1							3	2	
Scrofula		1				13			1		1												15	6	
Blennorrhagia of Adults Gonococcic Dis. (children under five)						1																	1	1	
Cancer, etc., of the Mouth Cancer, etc., of the Stomach and Liver									1	1			$\frac{1}{2}$	2	2 3	1 2	5	7	3 9	2 6	3 6		13 44	11 27	
Cancer, etc., Peritonæum, Intestines, etc Cancer, etc., of the Female Genital Organs											1	·:i		5	1 4	1 3	2	1 2	2 3		1 3		8 22	4	
Cancer, etc., of the Breast													1	1				1	2	ï			6		
Cancer, etc., of the Skin												1	2	2	5	6	4	1	1	5	2		3 29	3 19	
Other Tumours (excl. F. Genital Organs) Acute Articular Rheumatism								1		i								ï					3	2	
Chronic Rheumatism and Gout Seurvy																			1	3	1		5	4	
Diabetes Exophthalmic Goître								2		2	1			1	1	1	2	2	2	1			15	6	
Addison's Disease		1				2	2																		
Anæmia, Chlorosis								1			2			2	1	ï		ï	1				9	2	
Other General Diseases Acute and Chronic Alcoholism													ï												
Other Chr Poisonings due to Occupations	s		1		2	3	4		2							2							11	7	
Other Chronic Poisonings																									
TOTAL CLASS I	. 61	19	11	7	5	103	23	17	15	29	25	19	28	36	45	37	22	29	44	35	42		549	300	
CLASS II.—Diseases of he Nervous System and of the Organs of Special Sense.																									
Encephalitis	0	2																							-
Simple Meningitis		2	1		1	10	3	2				1	1	1			1			1			20	14	
Progressive Locomotor Ataxia Other Diseases of the Spinal Cord																	1								
Congestion and Hæmorrhage of Brain	. 3	1				4	3						1	4	2	5	1	3	14	111	7		55	28	
Paralysis without indicated cause											1					1		1	1	3	3		12 7	5 2	
Other Forms of Mental Alienation																	1						1	1	
Eclampsia (non-puerperal)																1	1				1		3	3	
Convulsions of Children under five Tetanus	. 6	. 2	5		1	14				1	1									1			14	9	-
Chorea									2		1	1											6	2	-
Diseases of the Eyes and Appendages		1	1			1			1	1	3		1	1	2		1						11	4	-
Diseases of the Ear			1			1	3		1														5	1	
TOTAL CLASS II	. 17	5	7		2	31	9	2		2		4	3	1						1	1	_			48.00

# TABLE No. XXV.—continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius), during the Year 1907—continued.

						ars.																		TOTALS	
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 year	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards	Unspecified.	Persons.	Males.	Females.
CLASS III.—Diseases of the Circulatory System.																									
77. Pericarditis 78. Acute Endocarditis					 1	 1	 4	 4	 1	1 5	3	5	1  5 1	4 4	5	1 6	6	1 15 1	3	2 16	13		2 15 99	2 7 52	8 47
80. Angina Pectoris 81. Dis. of Arteries, Atheroma, Aneurism, etc. 82. Embolism and Thrombosis 83. Dis. of Veins (Varices, Varicose Ulcers, etc.)										1			1	3 1 1	4	2	3	3 2	2	2	4		4 20 8 1	2 15 1	5 7
84. Diseases of the Lymphatic System 85. Hæmorrhage 86. Other Diseases of Circulatory System	3					3														1			1 3	3	1
TOTAL CLASS III	9				1	4	4	4	1	7	3	5	8	13	9	9	10	22	16	21	17		153	82	71
CLASS IV.—Diseases of the Respiratory System.																									
87. Diseases of the Nasal Fossæ 88. Diseases of the Larynx 89. Diseases of the Thyroid Body	ï					1				•••			ï		1				1 1				4 1	3	 1 1
90. Acute Bronchitis	12	2 1 2	1 1 1			15 2 7	1							1	 1		3	1	3	1 3 1	 8 1		17 21 13	11 10 5	6 11 8
93. Pneumonia	5	3	1	2		11	2 2	1		3	2	6	3	7	6	6	3.	4	3	3	4		64 6	32 5	32
95. Congestion of Lungs and Pul. Apoplexy 96. Gangrene of the Lungs 97. Asthma	5					5							1	 1			 1	····		1	1		-6  8	2 6	4 2
98. Pulmonary Emphysema 99. Other Diseases of the Respiratory System												1							1				1 1	1 1	
TOTAL CLASS IV	27	8	4	2		41	6	2		4	2	7	5	10	8	6	7	7	13	9	15		142	76	66
CLASS VDiseases of the Digestive System.																									
100. Dis. of Mouth and associated organs 101. Diseases of the Pharynx	2	1				3								 1							1		4	4	
102. Diseases of the Esophagus 103. Ulcer of the Stomach 104. Other Dis. of Stomach (Cancer excluded)	6					7		1			 1	 1						 1			3		 14		
<ul><li>105. Diarrhœa and Enteritis (under two years)</li><li>106. Diarrhœa and Enteritis (over two years)</li></ul>	150	25	3	···i		175 4				1					1		1	2	1	2	1		175 13	100 5	75 8
107. Intestinal Parasites	 1					1						 1						 1	2	 1	 1		7	2	
109. Other Diseases of the Intestines 110. Icterus Gravis																1	1						2	2	
111. Hydatid Tumours of the Liver											 1			1 2 1	2	3	2		2		2		1 14 3	6	8 3
114. Other Diseases of the Liver 115. Diseases of the Spleen	1					1		1					1	1	1		3	1					9	4	5
116. Simple Peritonitis (non-puerperal) 117. Other Diseases of the Digestive System 118. Appendicitis and Abscess of Iliac Fossa	2					2		···	1				2		2 1					1 1	3		5 3 6	3 3	3 3
TOTAL CLASS V	162	27	3	1		193		3	1	1	2	2	4	7	7	4	7	5	6	5	11		258	142	116
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.						A STATE OF THE PART OF THE PAR																			
119. Acute Nephritis	1					1		2	2 3	3 10	3	5	2	2	1 6	6	2	5	7	1 2	1		8 56	6 31	2 25
121. Other Dis. of Kidneys and Adnexa 122. Calculi of Urinary System								1			1		ï		1	2	1		2		1 2		8 1 4	2	6
124. Other Dis. Urethra, Urin. Abscess, etc. 125. Diseases of the Prostate															1	2	1	1	3	1	1		2 8	2 8	
126. Non-venereal Dis. of Male Genital Organs 127. Metritis																									
128. Uterine Hæmorrhage (non-puerperal) 129. Uterine Tumour (non-cancerous) 130. Other Diseases of the Uterus								 1	,	1	1		2										5		5
131. Cysts and other Ovarian Tumours 132. Other Dis. of Female Genital Organs												3											3		
133. Non-puer. Dis. of Breast (Cancer excepted)  Total Class VI	1					1		4	5	14	5	8	5	2	9	10	4	6	13	4	5		95	54	41
				-			-																	-	6-6-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1
CLASS VII.—Puerperal Condition.																									
134. Accidents of Pregnancy												3	1	2									6 1 1		6 1 1
137. Puerperal Septicæmia 138. Puerperal Albuminuria and Eclampsia									ï	3	1	1			1								7 2		7 2
139. Puerperal Phlegmasia Alba Dolens 140. Other Puerperal Accidents, Sudden Death									ï														1		1
Manage Court VIII									2	3	2	5	2	3	1								18		18
									1			1						1	. [	1		1			

### TABLE No. XXV,-continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1907—continued.

						ars.																zi.		Т	OTALS.	
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3,	3 to 4.	4 to 5.	Total under 5 ye	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35,	to	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	10 to 00 to	70 to 79.	75 and upwards	Unspecified.	Persons	Males.	
CLASS VIII.—Diseases of the					CONSECUTOR																					
Skin and of the Cellular Tissue.																										
2. Gangrene																										
. Phlegmon, Acute Abscess Other Diseases of the Skin and Adnexa	2						1					:::		ï	1			1				1		3 4	2 2	
TOTAL CLASS VIII						2								1	1			1		-		1		7	4	-
			-																	-						-
CLASS IX.—Diseases of the Organs of Locomotion.																										
Non-tuberculous Diseases of the Bones	3	1				4							1								1			6	5	
7. Arthritis and other Dis. of Joints 3. Amputation												.2.														
9. Other Dis. of Organs of Locomotion																				-						_
TOTAL CLASS IX	3	1	,			4							1							_	1			6	5	_
CLASS XMalformations.																										
O. Congenital Malfor. (excl. of Stillborn)	18	2				20																		20	14	
TOTAL CLASS X	18	2				20	-																	20	14	
LASS XI.—Infancy (under 3 mos.)  1. Congenital Debility, Ictorus, and Scleroma						87																		87	46	
2. Other Diseases Peculiar to Infancy	3					3 3					,													3	1 1	
TOTAL CLASS XI						93																		93	48	-
	-	-	-	_						_										-						-
CLASS XII.—Old Age.																		1	4		7	30		42	20	
																		1	4		7			42	20	-
TOTAL CLASS XII																				-			-			-
CLASS XIIIViolence.																										
5. Suicide by Poison 6. Suicide by Asphyxia								•••	1	1	1	1	1	1	1	2			1					10	6	
7. Suicide by Hanging or Strangulation 8. Suicide by Drowning										2 3		ï		2	3		1							3   13	1 10	
9. Suicide by Firearms											1				1					1				2 2	2	
0. Suicide by Cutting Instruments 1. Suicide by Precipitation from a Height						:::																				
2. Suicide by Crushing												1												1		
4. Fractures																										
6a. Mines and Quarries 6b. Railways								1		2					 1	···										
6c. Tramways							1	1			1	1	1		2			 1						4 5	4 3	
6e. Horses, etc									1					1	1		1	1						5	4	
66. Ships, Boats, Docks, etc. (not Drowning) 69. Building Works, etc																2		1						3	3	
66. Weapons and Implements							···																	1		
6j. Suffocation	5					5				1	1			1	2	1	1	1	•••		1	2		5 11	3 8	
661. Timber Felling, Logging, etc 66m Other Accidental Injuries																					1			1	1	
7. Burning by Fire 8. Burning by Corrosive Substances		1	2			3	2					2		1				1						9	3	
9. Insolation																										
1 Floatnia Shoals														•••												
2 Agaidental Drowning		1			1	2	2				1	1	1												4	
2. Accidental Drowning	1					1																				
2. Accidental Drowning 3. Inanition 4. Inhalation of Noxious Gases 5a. Snake Bite	1			1		1											1					1		3	1	
2. Accidental Drowning 3. 3. Innaltion 5. 4. Inhalation of Noxious Gases 5a. Snake Bite 5b. Other Accidental Poisoning 5c. Criminal Poisoning 5c.																	•••									
2. Accidental Drowning 3. Inanition 4. Inhalation of Noxious Gases 5a. Snake Bite 5b. Other Accidental Poisoning 5c. Criminal Poisoning 6a. Murder by Whites 6b. Murder by Coloured	•••		1																		1					
2. Accidental Drowning 3. Inanition 4. Inhalation of Noxious Gases 5a. Snake Bite 5b. Other Accidental Poisoning 6c. Criminal Poisoning 6a. Murder by Whites 6b. Murder by Coloured 6c. Manslaughter 6c. Manslaughter	•••		1  				1:::																			
2. Accidental Drowning 3. Inanition 4. Inhalation of Noxious Gases 5a. Snake Bite 5b. Other Accidental Poisoning 5c. Criminal Poisoning 6a. Murder by Whites 6b. Murder by Coloured 6c. Manslaughter 6d. Justifiable Homicide 6e. Execution 6c. Other External Violence			1  						1							1		1						2	$\frac{1}{2}$	
2. Accidental Drowning 3. Inanition 4. Inhalation of Noxious Gases 5a. Snake Bite 5b. Other Accidental Poisoning 5c. Criminal Poisoning 5a. Murder by Whites 5b. Murder by Coloured 6c. Manslaughter 5d. Justiflable Homicide 6e. Execution			1						1											:						-
2. Accidental Drowning 3. Inanition 4. Inhalation of Noxious Gases 5a. Snake Bite 5b. Other Accidental Poisoning 5c. Criminal Poisoning 6a. Murder by Whites 6b. Murder by Coloured 6c. Manslaughter 6d. Justifiable Homicide 6e. Execution 6f. Other External Violence  Total Class XIII.	5		1						i i 							1		1		:					2	-
22. Accidental Drowning 33. Inanition 44. Inhalation of Noxious Gases 5a. Snake Bite 5b. Other Accidental Poisoning 5c. Criminal Poisoning 6a. Murder by Whites 6b. Murder by Coloured 6c. Manslaughter 6d. Justifiable Homicide 6c. Execution 6f. Other External Violence  Total Class XIII.	5	2	3						i i 							1		1		:					2	
22. Accidental Drowning 33. Inanition 44. Inhalation of Noxious Gases 5a. Snake Bite 5b. Other Accidental Poisoning 5c. Criminal Poisoning 6a. Murder by Whites 6b. Murder by Coloured 6c. Manslaughter 6c. Justifiable Homicide 6c. Execution 6f. Other External Violence  TOTAL CLASS XIII.  ELASS XIV.—Ill-defined Diseases 77. Dropsy 78. Sudden Death	5	2	3		1		5	2	3	9	7	7	3			1		1		1				94	65	
22. Accidental Drowning 33. Inanition 44. Inhalation of Noxious Gases 52a. Snake Bite 52b. Other Accidental Poisoning 52c. Criminal Poisoning 52c. Criminal Poisoning 52c. Other Accidental Poisoning 52c. Other By Whites 52c. Other by Coloured 52c. Manslaughter 52c. Manslaughter 52c. Manslaughter 52c. Dustifiable Homicide 52c. Execution 52c. Other External Violence 52c. Total Class XIII. 52c. LASS XIV.—Ill-defined Diseases 52c. Dropsy 52c. Manslaughter 52c. Dropsy 52c. Manslaughter 63c. Still-defined Diseases 64c. Other External Violence 65c. Still-defined Diseases 65c. Dropsy 65c. Manslaughter 66c. Still-defined Diseases 67c. Dropsy 66c. Manslaughter 67c. Other External Violence 67c. Other External Violence 67c. Dropsy 67c. Drops	5	2	3		1	11	5	2	3	9	7	7	3	7	12	7	4	6	1	1	4	6		94	65	
2. Accidental Drowning 3. Innantion 3. Inhalation of Noxious Gases 5a. Snake Bite 5b. Other Accidental Poisoning 5a. Murder by Whites 5b. Murder by Whites 5b. Murder by Coloured 6c. Manslaughter 5d. Justifiable Homicide 6e. Execution 5d. Other External Violence  Total Class XIII.  LASS XIV.—Ill-defined Diseases 7. Dropsy 8. Sudden Death	5	2	3		1	111	5	2	3	9	7	7	3	7	12	7	4	6	1	1	4	6		94	65	2

### TABLE No. XXVI.

CAUSES of DEATHS of MALES and FEMALES Registered in the Metropolitan Area (Brisbane 10-mile radius) during each Month of the Year 1907.

t to cantile polling 0 to sandown						M	ontl	1 01	th	e l	ear	19	07.														
		NUARY.	18.74.7.14.1	BRUAKY.	поп		1				7-				TST		PTEMBER		GARDED	DEB.	EMBER.		EMBER.		7	OTALS.	
CLASSES AND DISEASES.		JAN	5	F E B	MAD	đ	0.00	4	MAY	1 470	THAN	NO P	JULY.		A TIG		SEPT		OCTO	000	VOV		DEC			o o	29
	M.	F.	м.	F.	м.	F.	М.	F.	м.	F.	м.	F.	М.	F.	м.	F.	м.	F.	М.	F.	М.	F.	м.	F.	Males.	Females	Persons
	1																						1				
CLASS IGeneral Diseases.																											
1. Typhoid Fever	1			1	2	1	2								1		2				2	1	2	2	12	5	17
3. Recurrent Fever																											
4a, Malarial Cachexia 5, Small-Pox									1																1		1
6. Measles					1	1				1			1			1			2	2	4	2	1		8	7	15 1
8. Whooping Cough	1	1					2	2	3	1	2	2	3	5	2	4	2	2	3	2	1	1			19	20	39
9. Croup	1 2				2			1	1 1	1 2	1	1		2	1	10		1	2	2	2	2		1	8 32	7 41	15 73
0. Influenza						2		1			1		1	2	15	19	9	10									
2. Asiatic Cholera																					1				1		1
4. Dysentery									2	1	2											3	2	3	6	7	13
5. Plague 6. Yellow Fever		1	3	2			1	2			2	1	2		1		1								13	6	19
7. Leprosy									···				 1	1		1		1							3	3	
9. Other Epidemic Diseases											1														1		1
9a. Beri Beri				1						1			1		1		1	2					1		4	3	7
0. Purulent Infection and Septicæmia 1. Glanders and Farcy		1								1		1	1			1			2		2	2	1		7	6	13
2. Malignant Pustule and "Charbon" 3. Rabies									1																1		1
M. Trichinosis, etc																											
8. Tuberculosis of the Larynx 7. Tuberculosis of the Lungs		7	4		4	4	9	2	11	8		3	16		7	4	4	3		7	4	5	4	3	79	47	126
8. Tuberculosis of the Meninges		1	1		1				1							4								 1	1 4		1 7
0. Pott's Disease							1					1															
l. Cold Abscess; Symptomatic Abscess 2. White Swellings																											
3. Tuberculosis of other Organs 4. General Tuberculosis				1										1	1				1						2	1	3
5. Scrofula	1	1	1					1	2	2		1			2	 1				···					6	9	15
7. Blennorrhagia of Adults 8. Gonococcic Dis. (children under five)	7																										
9. Cancer, etc., of the Mouth	. 1	3	1 2		3 6		3	3	2	···· 1	 1	1	1 2	···· 1	1 2	1	4		1 3	4	2	2	1	1	11 27	2 17	13 44
1. Cancer, etc., Peritonæum, Intestines, etc. 2. Cancer, etc., of the Female Genital Organi		4	1	2		1		1	1			1		2		1	1		1	3				2	4	4 22	8 22
3. Cancer, etc., of the Breast		1				2				2		3		1		2		1		2					3	6	6 3
A. Cancer, etc., of the Skin	. 1	2	3	ï	1		1 2	1	1	1		1	2	2			1		2	2	2		4		19	10	29
6. Other Tumours (excl. F. Genital Organs 7. Acute Articular Rheumatism				ï			1						···												2	1	3
8. Chronic Rheumatism and Gout 9. Scurvy		1	1										1		2										4		5
50. Diabetes	. 1				1	1		1				1	1	1	1	2		1				1	1	1	6	9	15
52. Addison's Disease 53. Leucæmia			1						 1										1						4		4
54. Anæmia, Chlorosis			1	2				1					1											4	2	7	9
56. Acute and Chronic Alcoholism	. ]				1																		2		1 7	4	1
58. Other Chr. Poisonings due to Occupation	s		2	1		1			2					1			1					1					11
59. Other Chronic Poisonings	-																										
TOTAL CLASS I	28	23	21	12	22	14	22	16	32	21	10	17	35	22	37	38	27	21	27	25	20	21	19	19	300	249	549
					-																						
CLASS II.—Diseases of																											
the Nervous System and of the Organs of Special Sense.				-																							
60. Encephalitis					1																						
51. Simple Meningitis	. 3				1	1	1	1	1		1		1		3				1	2	1	2	1		14	6	20
3. Other Diseases of the Spinal Cord																								··· 1			2
4. Congestion and Hæmorrhage of Brain	. 2	1		2	2	3	1	3	2	2	2		5	2	4	7	5	1	3	4	1	 1	1	5	28 5	27 7	55 12
66. Paralysis without indicated cause		1		1	1					2	1	1	1		1	1	1	1	1	1			1	ï	2	5	7
37. General Paralysis													1										 1		1		
70. Eclampsia (non-puerperal)																			1		1		1		3		3
2. Tetanus of Children under five	. 3			1	ï	1	1			2	1.	1	1			1	···	1	1		1	1			9 2	5	14
3. Chorea				1					,							1								1	4	7	
6. Diseases of the Eyes and Appendages		1					1			1	1		2	2						1		1					11
TOTAL CLASS II	-	9		···			1			1			19	1 5	8	10	7	3	8	8	4	8	4	8	70	66	136
K	. 8	2		4	5	5	5	4	3	6	6	3	12	5	8	10	1	3		1 0			1			00	1.60

### TABLE No. XXVI.-continued.

CAUSES of DEATHS of MALES and FEMALES Registered in the Metropolitan Area (Brisbane 10-mile radius) during each Month of the Year 1907—continued.

		. /		ARY.													RER		pd.		RER	, and a	BER.		т	OTALS.	
CLASSES AND DISEASES.		JANDARY	6	FEBRUA		MAKCH.		AFKIL.	N. i. v.	MAI.	THNE		V 1111		A 11.011.01		SEPTEM		OCTOBER.		NOVEMBER	NO.	DECEMBER.		v.	Females.	ons.
	м.	F.	М.	F.	М.	F.	М.	F.	м.	F.	М.	F.	м.	F.	м.	F.	М.	F.	М.	F.	М.	F.	М.	F.	Males.	Fem	Persons
CLASS III.—Diseases of the Circulatory System.																											10 10 10
77. Pericarditis 78. Acute Endocarditis 79. Organic Diseases of the Heart 80. Angina Pectoris	2	4	4	1 1 	3	 3 1	 4 1	 7 	1 7	2 6 	3	 6 1	1 2 4  2	ï	2 4 1	1 4	8  2	1 2 	1 4 	7	1 4 	2 2 2 	5	1 4	2 7 52 2 15	8 47 2 5	15 M 99 4 1
81. Dis. of Arteries, Atheroma, Aneurism, etc. 82. Embolism and Thrombosis		1		*	1		1  1			1 1	 		 1	2										2 1 	1 3	7 1 1	8 1 1 3
86. Other Diseases of Circulatory System  TOTAL CLASS III	3	5	6		4	4	7	8	8	12	 5	7	10	3	7	5	10	3	8	9	8	5	6	8	82	71	153
TOTAL CHASS III				_	_	_																-					
CLASS 1V.—Diseases of the Respiratory System.  87. Diseases of the Nasal Fosse																									3	ï	
89. Diseases of the Thyroid Body 90. Acute Bronchitis 91. Chronic Bronchitis	2			1	···· ··· i		 2	1	1	1	1	 1	2	1 4	 4 2	1 1 3	2 1	3	 1		2		1  1	  1	11 10	$\begin{array}{c} 1 \\ 6 \\ 11 \end{array}$	1 17 21
92. Broncho-pneumonia          93. Pneumonia          94. Pleurisy	1 2	1	1 1		1 1		3	1	2 1	2	1	3	3	6 1	8	1 10 	6	6	2	4	4			2	5 32 5	8 32 1	13 64 6
95. Congestion of Lungs and Pul. Apoplexy 96. Gangrene of the Lungs 97. Asthma			1		2			1				1	1	1			1		 1		ï	2		1	2 6	4 2	6
98. Pulmonary Emphysema	1		 1			1																			1		1
TOTAL CLASS IV	6	1	4	1	5		5	6	4	3	3	5	10	14	15	16	10	10	5	4	7	2	2	4	76	66	142
CLASS V.—Diseases of the Digestive System.																											
100. Dis. of Mouth and associated organs 101. Diseases of the Pharynx 102. Diseases of the Œsophagus 103. Ulcer of the Stomach	• 1		1		1														1						1		1
104. Other Dis. of Stomach (Cancer excluded) 105. Diarrhea and Enteritis (under two years) 106. Diarrhea and Enteritis (over two years) 107. Intestinal Parasites	3 8 1	6		3	4	1 4 1	2	5	1 2	2 1	3	3		1	3	1 1	1 5 	2 1	6 2	8	27	1 22 1	1 22 1	18	8 100 5	6 75 8	14 175 13
107a. Ankylostoma								2						ï		1					2	1			2 2	5	7
109. Other Diseases of the Intestines					1		•••										1				2		ï		1	 8	2
112. Cirrhosis of the Liver	1	2		1		1			1	1	1	 1	 1		1	··· 1			2	2 2	2	1	 1	1	6 4	8 3 5	14 3 9
115. Diseases of the Spleen 116. Simple Peritonitis (non-puerperal) 117. Other Diseases of the Digestive System 118. Appendicitis and Abscess of Iliac Fossa	ï :	 1	1		1	1			1 1 1			 1			1	ï :::	 1				···· 1	1 1			1 2 3 3	3	1 5 3 6
TOTAL CLASS V	15	9	12	4	7	8	2	9	7	5	5	6	10	2	7	5	8	3	11	13	32	28	26	24	142	116	258
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																					***						
119. Acute Nephritis	1 4	2 1	2	ï	3	3		3	1 2	0		3	4	3	1 2	1	3	1	1	2	2	 1	2	2	6 31	2 25	8 56
122. Calculi of Urinary System 123. Diseases of the Bladder						1	1		1	2	2	1	1				 1			1					2 1 4	6	8 1 4
124. Other Dis. Urethra, Urin. Abscess, etc. 125. Diseases of the Prostate 126. Non-venereal Dis. of Male Genital Organs			ï						1		1								1		2		2 2		8		2 8
127. Metritis																											
129. Uterine Tumour (non-cancerous) 130. Other Diseases of the Uterus		1		1										1						2						5	5
131. Cysts and other Ovarian Tumours 132. Other Dis. of Female Genital Organs 133. Non-puer Dis. of Breast (Cancer excepted)						1		1								1										3	3
TOTAL CLASS VI	-	4	-			5	4	4	5	5	8	4	5	4	3	3	4	2	3	5	4	1	6	2	54	41	95
		-								-														1			
CLASS VII.—Puerperal Condition																										1	
134 Accidents of Pregnancy 135. Puerperal Hæmorrhage						1		1		1						2		1						1		6	6
136. Other Accidents of Childbirth 137. Puerperal Septicæmia	1											1				1				2						1 7	7
138. Puerperal Albuminuria and Eclampsia 139. Puerperal Phlegmasia Alba Dolens 140. Other Phermasia Alagidan Poeth		1																								2	2
140. Other Puerperal Accidents, Sudden Death 141. Puerperal Diseases of the Breast														1												1	1
TOTAL CLASS VII		1				2		1		1		1		1	-	4		1		2		2	-	2		18	18

## TABLE No. XXVI.-continued.

CAUSES of DEATHS of MALES and FEMALES Registered in the Metropolitan Area (Brisbane 10-mile radius) during each Month of the Year 1907—continued.

			JANUARY.		BRUARY.		ACH.		II.		.2		В.		Υ.		AUGUST.		PTEMBER.		OBER.		NOVEMBER.		ECEMBER,		TOTAL	LS.
CLASSES AND DISEASES.		М,		-	FE		MARCH.		APRIL.	М.	F.		JUNE.	M.	YATUK F.	м.			SE	М.	F.	М.	1	. м	9	Males.	Females.	
CLASS VIII.—Diseases																												
Skin and of the Cellular																												
2. Gangrene 3. Carbuncle 4. Phlegmon, Acute Abscess 5. Other Diseases of the Skin a	nd Adnexa					1								2					 1					1		2 2	1 2	
TOTAL CLASS VIII		-	-	-		1	-		-					2		-					-	-			2	4	3	
CLASS IXDiseases o	f tho					-	-																					
Organs of Locomotic																												
3. Non-tuberculous Diseases of 7. Arthritis and other Dis. of Joi	the Bones				1											1						1		1		5	1	
Amputation Other Dis. of Organs of Locom	otion																											
TOTAL CLASS IX					1									2		1						1		1		5	1	
CLASS XMalformat	ions																											
Congenital Malfor. (excl. of Sti		1	2	2	1	1	1	3		2			1			2		1				2	1			14	6	
TOTAL CLASS X		1	2	2	1	1	1	3		2			1			2		1				2	1			14	6	
LASS XI.—Infancy (unde	r 3 mos	)																							,			
. Congenital Debility, Icterus, an	d Scleroma	7				2	1	5	7	2	4	7	3	3	7	3	5	3	5	2				3	3	46	41 2	
Other Diseases Peculiar to Infa. Want of Care (Infants)					1				1			1	1							1						1	2	
TOTAL CLASS XI		7	3	4	2	2	1	5	8	2	4	8	4	3	7	3	5	3	5	3	3	5		3	3	48	45	
CLASS XIIOld A	ge.																											
Senile Debility		4	4	1	1	1	2		2		1				2	4	3			6	3	3	3	1	1	20	22	-
TOTAL CLASS XII		4	4	1	1	1	2		2		1				2	4	3			6	3	3	3	1.	1	20	22	4
CLASS XIII.—Violer	ice.																											
. Suicide by Poison							1	2	1				1							1					1	6	4	
Suicide by Aspnyxia  Suicide by Hanging or Strangu  Suicide by Drowning					1 1	2		1 2	1							 1	1 1									1 10	2 3	
. Suicide by Firearms . Suicide by Cutting Instrument		1		î										1										î		2 2		
Suicide by Precipitation from a Suicide by Crushing	Height								1																			
Other Suicides		1																										
Dislocations																												
da. Mines and Quarries b. Railways		1						 1										1				1		2		6		
c. Tramways d. Other Vehicles						1			1	2		1		1							1			1		4 3	2	
e. Horses, etc f. Ships, Boats, Docks, etc. (not		1						1										2			1					-4	1	
g. Building Works, etc h. Machinery		1		1																				1		3		
i. Weapons and Implements		1																								1		
j. Suffocation k Falls, other		1	1	$\frac{1}{2}$				1 1		1		1	1	1			1					***	ï	1		8	2 3	
<ul><li>l. Timber Felling, Logging, etc.</li><li>m Other Accidental Injuries</li></ul>		1																								1		
Burning by Fire Burning by Corrosive Substance		2					ï						1				2		1			1	1			3	6	
Insolation																												
. Electric Shock																												
						1			1	1								1	1	1	1					4		
Inanition																												
Inanition Inhalation of Noxious Gases  a. Snake Bite								1											1						1	1	2	•••
Inanition	•••																											
Inanition Inhalation of Noxious Gases Inhalation of Inhala																												
. Inanition . Inhalation of Noxious Gases a. Snake Bite b. Other Accidental Poisoning c. Criminal Poisoning a. Murder by Whites b. Murder by Coloured c. Manslaughter	•••																	1										
Inanition Inhalation of Noxious Gases Inhalation of Inhala																								1		$\frac{1}{2}$		
Inalition Inhalation of Noxious Gases  A. Snake Bite  B. Other Accidental Poisoning  C. Criminal Poisoning  Murder by Whites  Murder by Coloured  Manslaughter  Justifiable Homicide  Execution  Other External Violence																										1		
Inanition Inhalation of Noxious Gases Inhalation of Inhala		   1																						···		$\frac{1}{2}$		
Inanition Inhalation of Noxious Gases Inhalation of Noxious Gases Inhalation of Noxious Gases Inhalation of Noxious Gases Inhalation of Noxious Gases Inhalation Inhalation of Noxious Gases Inhalation of Noxious Gases Inhalation of Inhalatio		iii																						1		1 2 		
. Inanition . Inhalation of Noxious Gases a. Snake Bite	Diseases	iii	2	6	2	4	2	10	5	4				4		1	5	5	3	1	3	2	2	1  8	2	65	29	9
Inhalition Inhalation of Noxious Gases Inhalation of Inhal	Diseases	iii	···· ··· ··· 2		2	4	2	10	5	4		2		4		1	5	5	3	2	3	2	2	1 8	2	65	29	9
15. Murder by Coloured 26. Manslaughter 26. Justifiable Homicide 26. Execution 27. Other External Violence 27. TOTAL CLASS XIII.  LASS XIV.—Ill-defined I	Diseases	iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	2	6	2	4	2	10	5	4		2		4		1	5	5	3	2	3	2	2	8	2	65	29	9:

### APPENDIX B.

RETURN showing the Registry Districts of Queensland, with the Names of the Persons holding the Office of District Registrar on 31st December, 1907.

#### METROPOLITAN DISTRICT-BRISBANE.

THORNHILL WEEDON, REGISTRAR-GENERAL.

### COUNTRY DISTRICTS.

Aramac	Waldron Joseph Cooper Walker	Hughenden		JOHN WOODWARD WYNDHAM
arramae	BURROWES.	Hughenden .		Jackson.
Balonne	Robert Blain Hetherington.	Ipswich		JOHN SAVAGE MARTIN.
Blackall	Ernest Joshua Hennessey.	77 7		WILLIAM ERNEST HERBERT FEE-
Bowen	WILLIAM GRACE MORAN.			GUSON.
Bundaberg	ARTHUR EDGAR AITKIN.	Logan		FREDERICK HAMILTON HYDE.
Burke	JOHN COURTNEY.	Mackay		PERCY GORDON KNYVETT.
Burnett	John Mitchell Brown.	Maranoa		ALFRED BERNARD HANSEN.
Caboolture	James Menzies Bryce (Acting).	Marathon		MICHAEL BROSNAN.
Cairns	CHARLES HEBER SHORT.	Maryborough		FREDERICK CHARLES HUNTER.
Cardwell	WILLIAM COCHRANE MILLER.			JOHN SAVAGE MARTIN.
Charleville	THOMAS LEWIS.	Mount Morgan		CHARLES DAVID O'BRIEN.
Clermont	James John Moran			JOHN MOFFATT.
Cloncurry	ALFRED HERMAN BERG.			JOHN JAMES MAGEE.
Cook	Joseph William Lee.	1		ROBERT HARTLEY ALLEN.
Croydon	ROBERT WILLIAM MORAN.			WILLIAM PETER KELLY.
Cunnamulla	ALEXANDER DORSEY.			WILLIAM LEIVESLEY.
Dalby				THOS. CAMPBELL PRYDE
	tral FREDERICK ROBERT BANBURY.	Q. T		WILLIAM CATHRO TAIT RUSSELL.
	t OSCAR ETHELBERT MESTON.		• • • • • • • • • • • • • • • • • • • •	AUSTIN CAFFERTY.
Darling Downs Nor	th GEO. NEEDHAM WALKER.			EDWARD ARTHUR FAGG.
	st REGINALD SHUCKBURGH HURD.	(T) '11		JOHN NICHOLSON. FREDERICK CHARLES MEREDITE
	oomba Frederick Robert Banbury.	Townsville .		BURNE CHARLES MEREDITA
Enoggera	John Nicholson.	W		George Perry (Acting).
Etheridge	PATRICK MORTIMER HISHON.			OSCAR ETHELBERT MESTON.
Fassifern	George Whitney.	1 337 / 3		ROBERT HARTLEY ALLEN.
Gladstone	WILLIAM SIMPSON.			FREDERICK CHARLES HUNTER.
Gympie	RICHARD CURTIS.			JAMES WILLIAMS.
Herberton	OSCAR EUGENE POWER.	Woothakata	•• •••	JAMES WILLIAMS.
Highfields	Frederick Robert Banbury.			

Price 2s. 1d.]

By Authority: Anthony J. Cumming, Acting Government Printer, William street, Brisbane.